NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 1107-3 | 3M Company | "3M Scotch-Weld HoldFast 70" | | Complete | | Accepted |
|--------|---|--|--------|----------|---|---------------------|
| 7910-1 | 3M Company | 3M Brand Galvinizing | | Complete | | No Status |
| 8002-1 | 3M Company / Traffic Control Devices Dept. | Loop Sealant | | Complete | | No Status |
| 0704-3 | A.W.Cook Cement Products, Inc. | "Cook Brand Rapid Cure Repair" - Rapid setting cement/sand grout. | | Complete | | Withdrawn/No Action |
| 9512-5 | ABT, Inc. | PolyDrain (Surface Drainage System) | | Complete | | No Application |
| 7809-1 | Acme Highway Products Corp. | Fiberglass Dowel Bars | | Complete | | No Status |
| 7707-1 | Acme Highway Products Corp. | Acmaseal | | Complete | 1 | No Status |
| 0307-4 | ACO Polymer Products, Inc. | "FG200 Fiberglass" 8" internal, Heavy duty fiberglass trench drain. | | Complete | | No Application |
| 0307-3 | ACO Polymer Products, Inc. | "K100S Trench Drain" 4" Internal, Polymer Concrete Trench. | | Complete | | No Application |
| 0307-2 | ACO Polymer Products, Inc. | "S300K Powerdrain" 12" internal, Polymer Concrete Trench. | | Complete | | No Application |
| 0307-1 | ACO Polymer Products, Inc. | "S100K Powerdrain" 4" internal, Polymer Concrete Trench. | | Complete | | Accepted |
| 1302-1 | Active Minerals International, LLC | "ACTI-GEL 208" | Nov-13 | Complete | | No application |
| 9601-1 | ADDCO Manufacturing | The Signal DTS-2000 (Construction work zone sign) | | Complete | | No Application |
| 9510-1 | ADS | N-12 (Smooth Lined Corrugated Polyethylene Pipe) | | Complete | | Accepted |
| 0102-2 | Advance Traffic Markings | ATM 280 Hide-A-Line | | Complete | | Accepted |
| 9307-3 | Advanced Drainage System | N-12™ (Smooth lined Corrugated Polyethylene (PE) Drain Pipe) | | Complete | | Accepted |
| 1010-1 | Advanced Drainage Systems, Inc.(ADS) / Nyloplast | "N-12 HP and Sani-Tite HP - Profile wall Corrugated Polypropylene pipe (PP)" | Nov-14 | Complete | | Accepted |
| 0606-1 | Advanced Drainage Systems, Inc./Nyloplast | "StormPure™ Catch Basin Insert" - 2-stage filter system. | | Complete | | No Application |
| 0908-4 | Advanced Traffic Markings | "ATM 500 HP" | | Complete | | No Application |
| 0010-7 | Advanced Traffic Markings | ATM Rumble Strips | | Complete | | No Application |
| 1510-3 | AG-Green (Gainesville Waste and Recycling) | "AG-Blend" - Organic compost. | | | | Rejected |
| 0804-1 | Agru America and Trolining Pipe Renovation Systems | "Sure Grip and Trolining" | | Complete | | Project to Project |
| 9805-2 | AKAM (USA) NCHRP 350 Report. | Briffen Wire Rope Safety System | | Complete | | Approved |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 9410-1 | Alan Block Corporation | Retaining Walls | | Complete | Accepted |
|--------|--|---|--------|----------|-------------------------|
| 0303-3 | Alcoa | "Reynobond" Sign blanks and panels, cladding for exterior and interior applications. | | Complete | Accepted |
| 0106-1 | Alcovy-20 | Poultry Gold | | Complete | Accepted |
| 0909-1 | Aldis Corporation | "GridSmart Spectra 360" | | Complete | Withdrawn/No Action |
| 1211-1 | Aldis, Inc. | "GridSmart®" Vehicle Traffic Video and dectection system | Nov-13 | Complete | Accepted |
| 9903-1 | All Sign Products Inc. | 30" Translucent Stop sign | | Complete | Accepted |
| 9310-1 | Allied Highway Sales (Allied Tube and Conduit) | Square Fit and Quick Punch Sign Post | | Complete | Rejected |
| 9310-1 | Allied Highway Sales (Allied Tube and Conduit) | Square Fit and Quick Punch Sign Post | | Complete | Accepted |
| 0510-3 | Allied Plastics, Inc. | "Multicade" - Collapsible Triangular Shape Multipurpose Barricade | | Complete | Withdrawn/No Action |
| 1405-1 | Alloway Stamping/Stanfield Tags LLC | "Stanfield Tags LLC" - Valve tags designed to safely identify equipment with an a-frame backing, finger and wire control balls in lieu of other attachment accessories enabling operator to rotate tag with easier accessibility as well as reduce likelihood of self-puncturing and transfer of blood borne pathogens. | | Complete | Allow the use |
| 1604-4 | Allureglow USA | "Allureglow USA Dual Technology/Road Signage" - Photoluminescent and Retro-Reflective Road Signage. | | | New |
| 1604-3 | Allureglow USA | "Allureglow USA Dual Tech Stop Sign" - Photoluminescent and Retro-Reflective Signage. | | | New |
| 1604-2 | Allureglow USA | "Allureglow USA AA-6585-LM-WG Paint" - 100% Acrylic Photoluminescent Waterbased White Daytime/Green Glow Line Marking Paint. | | | New |
| 1604-1 | Allureglow USA | "Allureglow USA AA-6585-LM-SY Paint" - 100% Acrylic Photoluminescent Waterbased Yellow Line Marking Paint. | | | New |
| 1406-2 | Allureglow USA, LLC | "Allureglow Dual Technology Road Marking System" - Photoluminescent & Retro-Reflective Road Line Marking System Comprised of Photoluminescent Paints and Super High Reflective Spheres." | | Complete | No Application |
| 0209-4 | Alpine Stormwater Management Company | "Verti-Pro™" | | Complete | Accepted |
| 0408-1 | Ambex Concrete Technologies, Inc. | "Ambex Anchoring Capsules" are cementitious encapsulated grout. | | Complete | Maybe an alternate |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 9409-2 | American Aggregates | Granite Rock Dust (Alternate to chemical fertilizers) | | Complete | | No Application |
|--------|--|--|---|----------|---|---------------------|
| 9912-2 | American Electronic Sign | Guardian Trilux-1 PCMS Jr. , Changeable Message Sign | | Complete | | No Application |
| 9912-1 | American Electronic Sign | Vehicle Mounted Changeable Message Sign. | | Complete | | No Application |
| 9909-1 | American Excelsior | Curlex Sediment Log | | Complete | | Accepted |
| 9410-4 | American Excelsior | Trilock | | Complete | | Accepted |
| 0104-6 | American Excelsior Co. | Recyclex TRM | | Complete | | Accepted |
| 0810-3 | American Excelsior Company | "AEC Premier Coconut" | | Complete | | Rejected |
| 0308-1 | American Excelsior Company | "Curlex NetFree" Excelsior erosion matting. | | Complete | | No Application |
| 0210-2 | American Excelsior Company | "Silt TRAP" | | Complete | | No Application |
| 1205-4 | American Green Technology/YuanMing Lighting | "American Green Technology" (LED Street Lighting) | | Complete | | Accepted |
| 1004-5 | American Molded Plastics | "Flex-D, Flex-DS Delineators" | - | Complete | | Accepted |
| 0901-1 | American Polymer Corporation | "Graffiti Solution System" | | Complete | | Accepted |
| 0701-4 | American Polywater Corporation | "BonDuit®" - BonDuit® conduit adhesive is a two- part rapid cure resin system designed to bond polyethylene, PVC, Fiberglass, metal, and composites. It forms a durable long-lasting, strong bond. | | Complete | 1 | Withdrawn/No Actior |
| 0410-1 | American Signal Company | "CMS-GP-432T" full matrix changeable message sign that is mounted on a trailer or truck. This product currently is smaller than the specified CMS. | | Complete | | No Applicatior |
| 0002-1 | American Signal company (Interstate Supplies of Georgia) | CMS GP232 Truck Mounted Changeable Message Sign. | | Complete | | No Application |
| 9911-1 | American Wood Fibers | Wood Flour, filler for Asphalt Mixes | | Complete | | Withdrawn |
| 9705-2 | Ameron International | Ameron Pole Products | | Complete | | Accepted |
| 0110-7 | Amity Plastics Limited | Plastic Guardrail Posts | | Complete | | No Application |
| 9802-1 | Amoco Fabrics & Fibers Co. | SuperGro | | Complete | | Accepted |
| 9406-1 | Amoco Fabrics and Filters Co. | Amoco Recycled Plastic Fence Post | | Complete | | Withdrawn |
| 1202-2 | AP/M PERMAFORM | "CentriPipe™ | | Complete | | Accepted |
| 0512-1 | Apex Resources | "EcoGel" - Water Retention Agent - Used in Hydraulically applied mulches. | | Complete | | Withdrawn/No Action |
| 1408-1 | Applied Construction Solutions, LLC | "ProForm" - A petroleum base release agent which prevents build up on form surfaces. | | Complete | | Accepted |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 1008-1 | Applied Polymer Systems | "FLOC-FLAP" | | Complete | No Application / Discretion of the Contractor |
|--------|---------------------------------|--|---|--|--|
| 0506-2 | Applied Polymer Systems | "Floc Logs" - A semi-hydrated polyacrylamide blend block. Size 13.5 in. x 8 in. x 4 in. Color varies with different logs. | | Complete | Used at discretion of contractor. |
| 9802-6 | Applied Polymer Systems | APS Silt Stop "PAM" | | Complete | Accepted |
| 0006-3 | Applied Polymerics | Polycon "BD-2000 / E-Krete" | | Complete | Withdrawn/No Action |
| 9704-6 | Applied Polymerics, Inc. | Elastic Cement EC | | Complete | No Application |
| 9704-5 | Applied Polymerics, Inc. | Percrete | | Complete | No Application |
| 9704-4 | Applied Polymerics, Inc. | Elastic Cement A/C | | Complete | No Application |
| 9411-2 | Aqua Lock | Aqua Lock (Waterproofing poured concrete or concrete block structures above or below grade.) | | Complete | Withdrawn |
| 1506-1 | Aqua Patch Road Materials LLC | "Aqua Patch" - Water activated cold mix asphalt. Performance is equivalent to hot mix asphalt. Use in winter or rain. Easy to usejust add water. | | Office of Maintenance-Larry Barnes- lbarnes@dot.ga.gov | Field Test |
| 9703-1 | Aqua Surface Tech. Canada, Inc. | AquaSurTech D45 | | Complete | Withdrawn |
| 9408-3 | Aquatire, Inc. | Erosion Control Tirecloth | | Complete | No Application |
| 9602-2 | Aquron Corp. | Aquron CPT-2000 (Preserves embedded steel, stops penetration of oil and grease.) | | Complete | Withdrawn |
| 1406-6 | Arizona Chemical, LLC | "Sylvaroad™ RP 1000" - A liquid additive with high flash point (>250°C) specifically produced from a refined natural product to return binder properties of aged asphalt binder and mix. | | Office of Materials and Testing - Sheila Hines - shines@dot.ga.gov Office of Materials and Testing - Peter Wu - pwu@dot.ga.gov | Looking for Pilot field test - Lab testing mix design verification - passed Field Test Waiting on contractor to arrange test section. |
| 7907-1 | Armco Steel | Culvert Pipe | | Complete | No Status |
| 0604-2 | Armorcast Products Company | "Armorcast Detectable Warning Panels & Tiles" - Detectable Warning Panel "Wet Set" and Tiles "retro fit" made in compliance with all Federal, DOT and GADOT stds. | 1 | Complete | Accepted |
| 0101-8 | Armorcast Products Company | HD20 Load Rated Manhole Assembly | | Complete | Withdrawn |
| 1309-3 | Armtec | "Durisol" Sound Barrier (Wall) Single and double sided absorptive concrete noise barrier post and panel system. | | Complete | Rejected |
| 9801-1 | Asphalt Materials, Inc. | T-Bond HMA Joint Tape | | Complete | Withdrawn |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 0112-1 | Atlanta Corrugating Company, LLC (Southeast Culvert Inc.) | Max Flow Spiral Rib Pipe | | Complete | Accepte |
|--------|---|---|---|----------|------------------------|
| 0801-2 | Atlantic Traffic Supply, LLC | "Arrow Disk" - | - | Complete | Reje |
| 9503-7 | Automotive Safety Transport, Inc. | Glare-Guard | | Complete | Accepte |
| 9704-2 | Aztec Concrete Accessories | Aztec EZ Chair | | Complete | Approve |
| 9704-1 | Aztec Concrete Accessories | Aztec EZ Lok Slab Bolster | | Complete | Accepte |
| 7708-2 | B & H Engineering | Plastakes | | Complete | No Statu |
| 9501-5 | B.S. Technologies | Ploysbeto | | Complete | No Applicatio |
| 0911-6 | Barrier Systems Inc. | "SAFE-T-Curve™" | | Complete | Accepte |
| 0903-3 | Barrier Systems Inc. | X-Tension Guard Rail End Terminal | | Complete | Not a new produc |
| 1210-2 | Barrier Systems, Inc. | "Orion" | | Complete | Not a New Produc |
| 1109-1 | Barrier Systems, Inc. | "Raptor" | | Complete | Accepte |
| 0504-1 | Barrier Systems, Inc. | "Barrierguard 800" -Steel Safety Barrier tested and approved to NCHRP 350 test level 4, approximately 540 mm (21.5) in width and 800 mm (31.5") high one 12 mm (40') section weights 1080 kg (2,400 lbs). | - | Complete | Accepte |
| 0407-7 | Barrier Systems, Inc. | "Safeguard Link System" is a positive barrier seperation in short-term construction work zones. Can be linked together. Easily moved by hand or can be towed by a pickup truck. | | Complete | Accepte |
| 0407-6 | Barrier Systems, Inc. | "Safeguard Gate System" is heavily reinforced galvanized steel barriers. Permanent barriers for emergency vehicles and maintenance crews access & egress. Needs no electrical power, manually operated. | - | Complete | Accepte |
| 0201-1 | Barrier Systems, Inc. | TAU-II Crash Cushion | | Complete | Accepte |
| 0010-1 | Barrier Systems, Inc. | Abosrb 350 Crash Cushion | | Complete | Accepte |
| 9501-8 | Base Marketing Inc. | Base Seal Liquid Soil Stabilizer | | Complete | No Applicatio |
| 0706-4 | BASF Construction Chemicals LLC | "PS 1473" - PS 1473 is a Rheology-Controlling Admixture designed to improve the response to vibrations of low-slump concrete mixtures used for paving applications. | I | Complete | Withdrawn/No Actic |
| 1105-1 | BASF Corporation | "Rheomac 300D" | | Complete | No Applicatio |
| 1002-8 | BASF Corporation | "Styrofan 1186" | | Complete | Withdrawn/No Actio |
| 0005-4 | Bay Saver, Inc. | Bay Saver□ Separation System | | Complete | No Applicatio |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 0505-4 | Beaty Fertilizer Company, Inc. | "10-24-12 Fertilizer" - Total Nitrogen - 18% Available Phosphate - 24 % Potash - 12% 9.4% Ammonima Nitrogen and 8.6% VREA Nitrogen | - | Complete | Withdrawn/No Action |
|--------|---|--|-----------------------|--|-------------------------|
| 1206-7 | Bekaert | "Dramix" Hooked end steel fibers. These fibers are utilized to reinforce concrete applications such as pavements, shotcrete (soil nailing), and precast (Pipes). | Fee / See Comments | Complete | Withdrawn/No Action |
| 0210-6 | Bekaert | "Pave Trac" | | Complete | Accepted |
| 9901-2 | Bekaert Corporation | Dramix Steel Fibers | | Complete | Accepted |
| 1307-2 | Belgard Hardscapes/Georgia Masonry Supply | "Eco-Holland™" Brick paving system to allow for roadway drainage for rapid water dispersement | | Office of Maintenance-Larry Barnes- lbarnes@dot.ga.gov | No Application |
| 0210-9 | Belzona Polymerics, LTD | "Belzona 4111 Magma-Quartz" | | Complete | Withdrawn/No Action |
| 0207-2 | Bentofix Technologies, Inc. | "Bentofix thermal lock clay liner" | | Complete | No Application |
| 0001-2 | Best Management Products Inc.(East Jordan Iron Works, Inc.) | Snout Oil & Debris Stop | | Complete | No Application |
| 9404-5 | Better to See You Inc. | Electroluminescent Vest (Night Time or Low Light Visioning systems) | | Complete | No Application |
| 0908-3 | Big R Bridge | "Super-Cor" | | Complete | Accepted |
| 1304-1 | BioDirt, Inc. | "Upgrade" | Fee / See Comments | Complete | Project to Project |
| 0902-1 | BioGreen USA LLC | "Bio Green" | | Complete | Reject |
| 0708-2 | BirdMaster | "Bird Bellows" - | | Complete | No Application |
| 1008-3 | BK Enterprises, Inc. | "ELITE Graffiti Remover" | | Complete | Allow Use |
| 1108-6 | Block USA, Georgia Division | "Allan Block Fence" | | Complete | Accepted |
| 1507-3 | Blue Earth EPS | "UPS Stealth" - Blue Earth provides battery back up systems lead acid free 98% efficient. | | Office of Traffic Operations-Keith Murphy- kmurphy@dot.ga.gov | Field Test |
| 0912-2 | Bonle International Comopany, Ltd. | "Bright Portal Resources LLC" | | Complete | Withdrawn/No Action |
| 9606-3 | Borode, Inc. | Road Atlas (Adjustable Form for Bridges) | | Complete | No Application |
| 7706-1 | Breakaway Safety Structures | Transpo-Safety, Inc. | | Complete | No Status |
| 0810-2 | Bridge Preservation, LLC | "BDM" | | Complete | No Application |
| 9608-2 | Brite-Line Industries, Inc. | Vibraline | | Complete | No Application |
| 9607-3 | Brite-Line Industries, Inc. | Deltaline XRP (Extended Reflective Performance Pavement Marking Tapes) | | Complete | Withdrawn |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 0204-02 | Brite-Line Technologies, Inc. | Drop-On-Line | Complete | | Withdrawn/No Action |
|---------|---|---|--------------|---|---------------------|
| 9509-1 | British Gas Corp. | Pipe Bursting | Complete | | Withdrawn/No Action |
| 9509-8 | Bromall Enterprises | Ceramic Insulation | Complete | | No Application |
| 0204-16 | Bryson Products, Central Fabricators | Type I Alternate Guardrail End Treatment | Complete | | Accepted |
| 0203-4 | Bryson Products, Central Fabricators | X-Post | Complete | | No Application |
| 9508-2 | Bryson Products, Inc.(Interstate) | B.E.S.T Beam Eating Steel Terminal | Complete | | Accepted |
| 0204-05 | Bryson Products, Interstate Steel | Fleat - MT 350 | Complete | | Accepted |
| 9809-9 | BTW | Recycled Plastic Fence Posts | Complete | | Accepted |
| 1001-2 | Camera, MG ² Inc. | "Camera Lowering System" | Complete | | Withdrawn/No Action |
| 0005-2 | Cammco Inc. | Plastic Blockout | Complete | | Accepted |
| 0508-2 | Cape Fear Systems, III, LLC | "Alert-Tile" - Rigid surface applied detectable warning system for wheelchair ramps. Made from proprietary resin composite with excellent wear and slip resistance. | Complete | | Accepted |
| 0107-1 | Capital Services | ProCrete NH | Complete | | Withdrawn |
| 9811-1 | Capital Services of New York Inc. | METAZEALExpansion / contraction preformed joint sealer and / or pressure relief seal for bridges. | Complete | - | Accepted |
| 9803-2 | Capital Services of New York Inc. | EVAZOTE (gray) | Complete | | Accepted |
| 9603-1 | Carolina Eastern Warehouse | Liquid Lime (Hydro seeding additive) | Complete | | Accepted |
| 0308-4 | Carpi USA | "Seal-A-Bridge" A geocomposite that provides waterproofing and stress absorption. | Complete | | No Application |
| 9512-2 | Carson-Brooks Plastics, Inc. | Multi-Duct System | Complete | | No Application |
| 0006-2 | Carsonite International | The Sound Barrier | Complete | | Accepted |
| 9711-1 | Carsonite International | Optishield (Above ground race way for fiber optic cable. | Complete | | No Application |
| 9411-3 | Carsonite International Corp. | Carsonite Sound Barrier System | Complete | | Accepted |
| 9903-2 | Cascade Distribution Ltd. | Enviro Berm | Complete | | Withdrawn |
| 9411-1 | Cascadia Technologies, Inc. | Enduraseal 300 | Complete | | No Application |
| 1511-1 | Castek, Inc. (A Transpo Industries Company) | "T-17 MMA Polymer Concrete Patching Material" - T-17 is a 100% reactive, rapid setting, solvent-free methacrylate (MMA) polymer concrete system that can be used as a repair for patching, grouting and structural repairs. | | | Field Test |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 9501-6 | Cavity Pier Wall Systems | Cavity Pier Noise Barrier for Highways | | Complete | Accepted |
|---------|--------------------------------|--|---|---|-------------------------|
| 0301-1 | CDS Technologies, Inc. | "CDS Stormwater Treatment Unit/CDS Unit" Designed to separate soiled form liquids using a non-blocking indirect screening. | - | Complete | Withdrawn/No Action |
| 0210-4 | Central Fabricators, Inc. | "Regent-C" | | Complete | Accepted |
| 0103-3 | Central Fiber Corporation | Spraymatt | | Complete | Accepted |
| 1102-6 | CENTRIA | "Eco Sound Barrier" | | Complete | Accepted |
| 0801-1 | CeraTech, Inc. | RediMAX - High early strength structural concrete | | Complete Office of Materials and Testing-Jay Page-jpage@dot.ga.gov | Rejected |
| 0605-12 | CeraTech, Inc. | "Pavemend VR" - Rapid set vertical and overhead repair mortar, -30 mins. Working time. Non-shrink material. | - | Complete | Accepted |
| 0605-11 | CeraTech, Inc. | "Pavemend TR" - Rapid set slope grade repair mortar. (-30 mins. Working time. Non-shrink material. | 1 | Complete | Accepted |
| 0605-10 | CeraTech, Inc. | "Pavemend SL" - Rapid set self-leveling repair mortar,-15 mins. Working time. Non-shrink material. | - | Complete | Accepted |
| 7901-1 | Certamite Corporation | CS-45 | | Complete | No Status |
| 0102-1 | Chem Rex Inc. | Masterflow 1205 Cable Grout | | Complete | Withdrawn/No Action |
| 0603-1 | Chemical Resource Corp. | "DOT Pothole Filler" - CRC - Pothole filler is a blend of asphalt and polymers to create liquid rubberized pothole filler. CRC-Pothole Filler sets by mixing the CRC ACTIVATOR with CRC Pothole Filler. CRC Pothole Filler is self priming and leveling. Usually sets in 10 to 15 mins. and non-tracking after 20 to 25 minutes. Open to traffic in 30 to 40 mins. You can paint over pothole filler with CRC Traffic Paint to help blend/match surrounding pavement. Comes in standard black. | | Complete | Withdrawn/No Action |
| 9601-6 | Cherokee Culvert | Aluminum Alloy Pipe | | Complete | Accepted |
| 0608-3 | Cherokee Culvert Company, Inc. | "6"X1" Corrugated Metal Pipe" - Corrugated metal pipe in diameters 36" and larger, produced with a six inch pitch by one inch depth continuous corrugation profile, fully compliment with applicable AASHTO, ASTM, and Federal Highway specifications. | - | Complete | Accepted |
| 0105-1 | Cherokee Culvert Company, Inc. | Hydra-Cor | | Complete | Accepted |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 7708-1 | Ciba-Geigy | Dualoy T&D Conduit | - | Complete | | No Status |
|--------|--|--|---|----------|---|---------------------|
| 7708-4 | CITCO | Copper Furnace Slag | | Complete | | No Status |
| 9306-1 | Clarion Products Group, Inc. | Sun Flasher | | Complete | | No Status |
| 0110-3 | Coating Solutions Unlimited, LLC | Polycoat Polyurea Coating | | Complete | | Withdrawn |
| 0101-7 | Cogent Enterprises, Inc. | Cordonator | | Complete | | Withdrawn |
| 1107-4 | Cold Mix Manufacturing Corp. | "Greenpatch" | | Complete | | Not a new product |
| 0507-5 | Cold Spring Granite Company | "Truncated Dome Pavers" - Natural granite pavers available in 4 different sizes and thicknesses and 9 different colors. Raised domes specified by the ADAAG (American Disabilities Act Accessibility Guidelines). | - | Complete | - | Accepted |
| 0302-2 | Colebond, Inc. | "Enkamat 7003" is a 3 dimensional nylon geomatrix of nylon filaments thermally joined together at their intersections to for an open structure of entangled filaments which has 95% open area and large holding capacity for soil filled or in this case filling bioedegradable materials. | 1 | Complete | | No Application |
| 9501-2 | Collins and Aikman Floor Coverings | Power-Stop (Parking Bumper) | | Complete | | Accepted |
| 0505-7 | Commercial Fabrics | "Poly-Wattle" - DOT A Approved Silt Fence Filed with Recylced polypropylene yarn. | - | Complete | | Accepted |
| 0405-2 | Commercial Fabrics | "PolyPost" is a 4 feet tall triangular post with side 1.5"X1.5"X1.5" stud post made from recycled material with steel inserts for superior durability. | | Complete | | Reject |
| 9502-3 | Composite Technologies | PFM (Polymer-Fiber Matrix,Indoor sign.) | | Complete | | No Application |
| 9502-2 | Composite Technologies | PFM (Polymer-Fiber Matrix, Traffic Sign) | | Complete | | Withdrawn |
| 8005-1 | Con/Chem | Con/Crete | | Complete | | No Status |
| 0001-1 | Concrete Impressions, Inc. (Precast Concrete Technology, Inc.) | Imprecon Sound Barrier or Screenwall. | | Complete | | Withdrawn/No Action |
| 1008-2 | Concrete Innovation Services | "Whisper Wall" | | Complete | | Rejected |
| 0010-8 | Concrete Precast Systems | Whisper Wall | | Complete | | Approved |
| 0109-3 | Consolidated Resource Recovery | Organic Soil Builders, Premium Compost | - | Complete | | Accepted |
| 0405-5 | Construction Products | "Armour Tile" is a tile used to meet the ADA requirements that has domes per the GA DOT specification. | 1 | Complete | | Accepted |
| 9307-2 | Contech Construction | Contech HC-CL | | Complete | | Accepted |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 9409-1 | Contech Construction Products | KWH Pipe | | Complete | | Accepted |
|--------|-------------------------------------|--|--------|----------|-----|---------------------|
| 9408-6 | Contech Construction Products | A-2000 PVC Sewer Pipe | | Complete | | Accepted |
| 9911-3 | Contech Construction Products Inc. | Metal Stab Joints for Corrugated Steel Pipe | | Complete | | Accepted |
| 9911-2 | Contech Construction Products Inc. | Plastic Stab Joints for Corrugated Steel Pipe | | Complete | 1 | Accepted |
| 9503-1 | Contech Construction Products Inc. | Ultra Flow (Spiral rib pipe) | | Complete | 1 | Approved |
| 1010-2 | Contech Construction Products, Inc. | "DuroMaxx - Steel Reinforced Polyethylene Pipe" | Nov-14 | Complete | | Withdrawn/No Action |
| 0210-7 | Contech Construction Products, Inc. | "A 2000 PVC Storm Drain Pipe" | | Complete | - | Accepted |
| 1504-1 | Convergent Connectivity Technology | "Convergent Connectivity Technology" - 14 gauge 2 conductor stranded tinned copper, shielded with an overall jacket. | | Complete | | No Application |
| 7912-1 | Conwed Corporation | Joint Filler | | Complete | - | No Status |
| 1505-3 | Copperhill Industries | "#172 Granulated Copper Slag" - High density granulated copper slag, black in color, 100% - 1/4", 50% - 12 mesh. | | | | Withdrawn |
| 1505-2 | Copperhill Industries | "#503 Mineral Slag" - Low density mineral wool slag. | | | | Withdrawn |
| 1505-1 | Copperhill Industries | "#173 Hard Copper Slag" - High density, extremely durable copper slag, any size spec from 3" down. | | | | Withdrawn |
| 9605-3 | Corrosion Proof Products | Magnum Series 9000 FRP Composite Rebar (Fiberglass Rebar) | | Complete | - 1 | No Application |
| 9412-3 | Cortec Corporation | Cortec VCI- 365 Cor Mastic | | Complete | - | Withdrawr |
| 9412-2 | Cortec Corporation | Cortec VCI- 375 Primer | | Complete | | Withdrawr |
| 9412-1 | Cortec Corporation | Cortec VCI- 386 Coating | | Complete | | Withdrawr |
| 9411-6 | Cortec Corporation | "Sound Off" Noise Barrier | | Complete | | No Application |
| 0709-1 | Crafco Inc. | "High Friction Surface (hfs)" | | Complete | | Accepted |
| 0309-3 | Crafco Inc. | "Superseal Low-Mod" Low-Modulus single component used for sealing joints. | | Complete | - | No Application |
| 0309-2 | Crafco Inc. | "Crafco Chem-Crete Pavix" Water based dual crystal forming permanent internal waterproofing moisture and chemical removing as well as a surface repelling sytem. | | Complete | | No Application |
| 0304-2 | Crafco Inc. | "Techcrete" The repair of spalls and potholes in portland cement concrete pavements. | | Complete | | Accepted |
| 0002-4 | Crafco Inc. | Crafco "Poly Patch" Hot pour asphalt repair material for potholes and large cracks. | | Complete | | Approved |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 1406-5 | Crafco, Inc. | "HP Concrete Cold Patch" - Used for repairing | Office of Maintenance - Larry Barnes - | Not a New Produc |
|---------|--|--|---|-------------------------|
| 1 100 0 | oranso, mo. | potholes, spalls, cracks and other confined voids | lbarnes@dot.ga.gov | |
| | | and distresses over 1" wide and greater than 1/2" | | |
| | | deep. | | |
| 1406-4 | Crafco, Inc. | "Matrix 501" - Pre-measured, pre-packaged hot | Complete | Withdrawn/No Action |
| | , | applied bridge expansion joint system. | | |
| 1406-3 | Crafco, Inc. | "Mastic One" - Hot applied, pourable, aggregate | Complete | Accepted |
| | | filled, polymer modified asphalt pavement repair | | |
| | | mastic. | | |
| 0208-2 | Crafco, Inc. (Formally represented by Pavetech | "Matrix Blue Bridge Expansion Joint System" | Complete | Withdrawn/No Action |
| | International) | | | |
| 0212-5 | Creative Building Products | "Dura Bull (Steel guard rail post safety delineator- | Complete | No Application |
| | | pedestrian)"Polyethelyene roadside reflector on | | |
| | | guard rails for the protection. | | |
| 0212-4 | Creative Building Products | "Dura Bull (Wood guard rail highway blockout | Complete | No Application |
| | | safety delineator)" Plastic reflective units that go | | |
| | | on wood guard rails. | | |
| 0212-3 | Creative Building Products | "Dura Bull (steel guard rail blockout safety | Complete | No Application |
| | | delineator)" Plastic reflective unit placed on large | | |
| | | steel guard rails. | | |
| 9605-9 | Creative Building Products | Dura-Bull Blockout | Complete | Accepted |
| 1309-2 | Cree, Inc. | "Cree XSP Series" LED Luminaire for lighting | Complete | Not a new produc |
| | | roadways, streets, freeways, and alleyways. | | |
| 1309-1 | Cree, Inc. | "Cree LEDway Series" LED Lunminaire for | Complete | Not a new produc |
| | | Lighting roadways, streets, freeways, and | | |
| | | alleyways. | | |
| 1504-9 | Crown Technology, LLC | "Crown UFO's Wet Reflective/Audible Striping | Office of Materials and Testing-Brennan Roney- | Action Pending |
| | | System" - Wet reflective and/or audible highway | broney@dot.ga.gov; Office of Materials and Testing- | |
| | | striping consisting of GDOT spec thermoplastic | Rick Douds-rdouds@dot.ga.gov | |
| | | and regularly spaced raised reflectors and glass | | |
| | | beads bonded together in a single pass | | |
| | | application. | | |
| 0501-3 | Crystal Stream Technologies | "Crystal Stream Storm Water" - Storm water | Complete | No Application |
| | | pollution removal system using hydrodynamic | | |
| | | separation and filtration. | | |
| 1311-1 | Cryzal | "MEGALUX" Long life luminous roadway markers | Complete | No application |
| | | - Wired or solar powered options | | |
| 1402-1 | Cushion & Barrier LLC | "Dragnet™" Vehical Arresting Barrier for Work Zones | Complete | Project to Project |
| 1002-4 | Custom Vinyl Extrusions | "Omni Rigid Posts" | Complete | Withdrawn/No Action |
| .002 | | | | |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 0404.4 | Own last destricts | UD-seeded Occaded and Decade (it as is a housing | | Complete | No Application |
|--------|--------------------------------|--|---|----------|-------------------------|
| 0404-1 | Cyro Industries | "Paraglas Soundstop® Ready fit noise barrier panel" is a transparent noise barrier panel in a | | Complete | No Application |
| | | prefabricated steel fram assembly designed to be | | | |
| | | compatible with post used for standard concrete or | | | |
| | | steel, post and panel noise barrier construction. | | | |
| | | This is a substitute noise barrier panel (for | | | |
| | | concrete) were aestjetocs and/or light weight are a | | | |
| | | concern. | | | |
| 0904-1 | D&D Emulsions, Inc. | "Reclamite" Reclamite | | Complete | Withdrawn/No Action |
| 0805-2 | D&D Emulsions, Inc. | "Jointbond" - Synthetic emulsified petroleum resin | | Complete | Withdrawn/No Action |
| | | for use as a longitudinal joint sealer for road | | | |
| | | maintenance | | | |
| 7906-1 | D. Swarovski & Company | Traffic Delineators Swareflex Reflectors | | Complete | No Status |
| 0911-5 | D.R.I.P.S. (Big Bags) | "D.R.I.P.S." (Big Bags) | | Complete | Site Specific |
| 0105-4 | D.S. Brown | Delpatch Elastomeric Concrete | | Complete | No Application |
| 9505-2 | D.S. Brown Company | Median Barrier (Bearing Seal) | | Complete | No Application |
| 7707-2 | D.S. Brown Company | Joint Seals | | Complete | No Status |
| 9605-6 | Dandy Products | Dandy Bag | - | Complete | No Application |
| 9605-5 | Dandy Products | Beaver Dam | | Complete | No Application |
| 0505-8 | Daubert Chemical Company, Inc. | "Tectyl 506" - Solvent cutback corrosion | | Complete | Withdrawn/No Action |
| | | preventive compound used for and against | | | |
| | | corrosion in long-term indoor or oudoor exposure. | | | |
| 9507-4 | Davidson Plastic Corp. | Flex-Guide Delineator Post | | Complete | No Application |
| 9509-6 | Davidson Plastics Corporation | PCBM High Impact Barrier Reflector | | Complete | Withdrawn |
| 0806-7 | Dayton Superior Corp. | "Slab Bolster (PSB)" | | Complete | Not a new product |
| 0806-6 | Dayton Superior Corp. | "Strong Back Bolster (PSBB)" | | Complete | Not a new product |
| 0806-5 | Dayton Superior Corp. | "Straddle Chair" | | Complete | Not a new product |
| 0806-4 | Dayton Superior Corp. | "EZ Chair" | | Complete | Not a new product |
| 0806-3 | Dayton Superior Corp. | "Slab Bolster Upper (PSBU) | | Complete | Not a new product |
| 0806-2 | Dayton Superior Corp. | "Tower Chair" | | Complete | Not a new product |
| 0805-1 | DDD Erosion Control, Inc. | "GreenStyle (formally"3D-C New Style")" - | | Complete | No Application |
| | | Recycled Fabric, Green Poly Recycled Material, | | | |
| | | Built in scrim netting for support, GA DOT | | | |
| | | 1.5X1.5X48" Hardwood Stakes with attached | | | |
| | | wooden lathe for added support | | | |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 0905-2 | Deacero | "Field Fence 532/12 16 Gauge" | | Complete | | Withdrawn/No Action |
|--------|------------------------------------|---|---|----------|--------------------|---------------------|
| 0802-1 | Decker Supply Company, Inc. | "Illuminated Street Signs by Decker" | | Complete | | Accepted |
| 9504-3 | Deepee Coatings Inc. | Plasto 054 (Permanent pavement markings) | | Complete | | Withdrawn |
| 0101-6 | Deery American Corp. | Deery American Level & Go Mastic | | Complete | | Accepted |
| 0802-6 | Deery American Corporation | "Deery ThermaCrete Level and Go" - | | Complete | | Withdrawn/No Action |
| 0008-5 | Deery American Corporation, Inc. | Recessed Repair Mastic | | Complete | | Accepted |
| 0509-2 | Degussa Corporation | "Protectosil CIT" - Protectosil CIT is a clear surface-applied corrosion inhibitor that penetrates deep to protect steel reinforced concrete. Protectosil CIT's organofunctinal chemistry repassivates steel and interrupts the electrochemical process b/t rebar and chloride. | - | Complete | | Withdrawn/No Action |
| 0708-5 | Dent Breakaway Industries | "Dent Fuse Plate" - Fuse plate that is mounted into the web section of a wide flange post or I-Beam post. | | Complete | - | Accepted |
| 0602-5 | De-Tech Manufacturing, Inc. | "(HDR) Heavy Duty Rubber Preformed Detection Loop" - Preformed detection loop. | | Complete | | *Approved |
| 0502-2 | Digital Markings, Ltd. | "FastMark" - Stick down preformed thermoplastic road marking material requiring no heat for installation. Available in white, yellow, blue, red, and other colors. | | Complete | | Withdrawn/No Actior |
| 0201-3 | Donald E. Sychra, | Georgia Panels A and B | | Complete | | Accepted |
| 1406-1 | DowAksa Carbon Wrap | "Carbon Wrap Systems" - Externally bonded fiber reinforced polymer system intended for repair and strengthening of reinforced and pre-stressed highway bridge structures. | | Complete | | Accepted |
| 0911-4 | Drake Cableteq USA | "GILA Duct" | | Complete | | No Application |
| 1203-1 | DSI Corp. | "iBind" | | Complete | | Withdrawn/No Action |
| 1201-1 | DuPont Powder Coatings USA | "Nap-Gard Green Rebar 7-2750" | | Complete | | Not a New Product |
| 1004-1 | DuPont Powder Coatings USA | "Nap-Gard® 7-2719 Green Rebar FBE" | | Complete | | Not a new produc |
| 1510-4 | Durant | "Stat-A-Flex" - Two part polyester resin sealant formulated for encapsulating and sealing electrical signal wire in any road surface. | | | \$500 Chec k | Field Test |
| 1011-3 | Duratek Precast Technologies, Inc. | "Precase Concrete Sound Barrier Wall" | | Complete | | Withdrawn/No Action |
| 0110-1 | Durham Geo | TR-3000 Storm Water Sampler | | Complete | | Withdrawn/No Action |
| 9503-3 | DWT Innovative Recycling Corp. | Pothole Repair Kit | | Complete | | Accepted |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 7812-3 | E. I. DuPont De Nemours & Co., Inc. | Imron Sealants | Complete | | No Status |
|--------|---|---|---|---|----------------------------|
| 1011-2 | E3 Technology, Inc. | "RoadMaxx" | Complete | | Withdrawn/No Action |
| 0801-3 | Earth Retaining Solutions, Inc. | "Stone Strong Systems" - | Complete | | Accepted |
| 0807-2 | Earth Saver, Inc. | Straw Wattles (Fiber Rolls) | Complete | | Accepted |
| 9407-3 | Earth Systems Inc. (Quaney Plastics and Mold Manufacturing Company, Inc.) | Earth-Loc Retaining Walls | Complete | | Withdrawn |
| 1104-5 | Earthlok LLC | "Earthlok" | Complete | | Withdrawn/No Action |
| 1301-1 | Easi-Set Industries | "J-J Hooks" | Complete | | Not a New Product |
| 0412-1 | East Coast Erosion Blankets, LLC | "ECSC-2" Erosion protection and the establishment of vegetation w/24months of turf reinforcement. Used in moderate to heavy flow rainfall and runoffs, and on slopes up to 1:1 grade. This is made of a straw and coconut mix. | Complete | 1 | Accepted |
| 0101-2 | East Jordan Iron Works (Formally GNR Technologies) | Infra Riser | Complete | | Accepted |
| 9606-2 | Eastern Metal/USA (Action West) | Work Zone Alarm | Complete | | Withdrawn |
| 9606-1 | Eastern Metal/USA (Action West) | Flashing STOP/SLOW Paddle Signs | Complete | | Accepted |
| 9404-6 | Eastern Metal/USA Sign | Impact Resistant Delineators | Complete | | Withdrawn |
| 1412-4 | EcoStrate SFS Inc. | "EcoStrate Traffic 025" - EcoStrate Traffic 025 Products are for substrate and signs applications that are used on a highway system or other areas regulated with the Department of Transportation. | Complete | | No Application |
| 1507-1 | Ecoturf Midwest Inc. | "Ecoduty Degradable Stakes" - 100% Oxo- Biodegradable Stakes in sizes of 4" and 6". | Office of Construction-Andy Lindsey- alindsey@dot.ga.gov | | Field Test |
| 9906-3 | Ecrail of Florida, Inc. | Ecraial / High Stregth Non-Metallic Hand Rail | Complete | | Accepted |
| 1506-2 | EdenCrete Industries Inc. | "EdenCrete 500" - EdenCrete 500 is a Carbon Nanotube enriched liquid additive that increases the strength and durability of concrete thereby improving its resistance to shrinkage, failures resulting from compressive and flexural forces, and increased resistance to steel corrosion. | Office of Materials and Testing-Jay Page- jpage@dot.ga.gov; Office of Materials and Testing- Peter Wu-pwu@dot.ga.gov; Office of Maintenance- Larry Barnes-Ibarnes@dot.ga.gov | | Lab Test and Field Test |
| 1504-4 | EJ | "Self Level" - Two-piece cast iron frame designed to "float" and settle with either P.C.C. or A.C.C. pavement. | Complete | | Field Test |

NPE#

Status / Progress

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description <u>Estimated Time Contact Info</u>

for Lab/Field

for Lab/Field Paid Report

Evaluation

| 1504-3 | EJ | "Auctile Iron GDOT 5001 M Frame and Grate" - Hinged ductile iron frame and grate assembly to replace current 5001 M specification. | Office of Design Policy and Support- Beau Quarles- bquarles@dot.ga.gov | | Action Pending |
|---------|----------------------------------|---|---|---|---------------------|
| 1504-2 | EJ | "Fiber Reinforced Polymer GDOT 5001 M Grate" - Fiber reinforced polymer drainage grate. | Office of Design Policy and Support- Beau Quarles- bquarles@dot.ga.gov | | Action Pending |
| 1205-3 | Electro-Matic Products, Inc. | "Electro-Matic LED Lighting Solutions" (LED Street Lighting) | Complete | | Accepted |
| 9410-2 | Electro-Tech | ET 101RK 12" LED Signal (RED) (Replace standard 12" traffic Signals) | Complete | | No Application |
| 1504-8 | Electrotechnics Corporation | "ELTEC (a.k.a)" - Rectangular Rapid Flashing Beacon (RRFB) pedestrian crossing (warning) system-solar powered. | Complete | | Accepted |
| 0209-5 | Empire Acoustical | "Silent Screen" | Complete | | Withdrawn/No Action |
| 0904-2 | Emseal Joint Systems LTD | "BEJS (Bridge Expansion Joint System)" | Complete | | Accepted |
| 0708-1 | ENCAP, LLC | "PAM-12" - Recycled paper byproduct made into a spreadable mulch granule. | Complete | | Withdrawn/No Action |
| 1508-1 | eNdoto Corp. | "R US Reflector" - High power prismatic reflectors available in 4 different profiles. Round, rectangle, trapazoid, and narrow rectangle. | | | Action Pending |
| 9510-4 | Energy Absorption Systems | LMA Low Maintenance Attenuator | Complete | | Withdrawn |
| 9503-8 | Energy Absorption Systems | NEAT | Complete | | Approved |
| 9407-1 | Energy Absorption Systems | Cushionwall™ | Complete | | No Application |
| 9401-3 | Energy Absorption Systems | Barrier Gate™ (Emergency Access opening Median Barrier) | Complete | | Accepted |
| 9401-2 | Energy Absorption Systems | Triton Barrier ™ (Crashworthy Portable Longitudinal Barrier.) | Complete | | Accepted |
| 0605-01 | Energy Absorption Systems, Inc. | "Vulcan Barrier" - Portable longitudinal barrier to prevent errant vehicle penetration, vaulting or underriding. | Complete | | Accepted |
| 7811-1 | Energy Absorption Systems, Inc. | Tire Cade | Complete | | No Status |
| 9411-5 | Engelhard Corp. | Metamix™ (High Reactivity Metakaolin (HRM) Pozzolanic Mineral Admixture) | Complete | | Accepted |
| 0512-2 | Engineered Tire Structures, Inc. | "EcoFlex, E Wall, E Pave, E Rosion Control" - Specially procesesed whole waste truck & OTR tires are used with carefully selected aggregate material (like sand, crushed recycled concrete or 3- 4" cobble) and selected geotextile fabric. | Complete | 1 | No Application |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 0705-4 | Ennis Paint, Company | "Imprint" - Decorative system consisting of a hot | | Complete | Accepted |
|---------|--|---|---|----------|-------------------------|
| | | applied polymer resin surfacing material that is imprinted to produce a brick/paver type permanent finish that will de-bond or break loose from the sub- | | | |
| | | pavement. | | | |
| 0204-04 | Ennis Paint, Inc. | Flame Tape | | Complete | Accepted |
| 1108-4 | Enventiv, Inc. | "GuideLine™" Temporary Paint | - | Complete | Rejected |
| 0405-11 | Enviortech Services | "EnviRoad Thaw 20" is a very viscous deicing liquid designed for application to stockpiles of salt, sand and other aggregates. 30% magnesium chloride solution blended with a higher concentration of agriculturally "engineered" corn product. | ī | Complete | Withdrawn/No Action |
| 9506-1 | Enviro Group, Inc. (Monsey Products Company) | Landcover Formula 480 | | Complete | Withdrawn |
| 0507-1 | Enviroad, L.L.C. | "Earthbind 100" - Earthbind 100 is a high quality, versatile soil stabilization and dust control product made from environmentally safe paraffinic resins. | | Complete | Withdrawn/No Action |
| 9802-2 | Enviro-Guard LLC | Quick-Guard Silt Anchor/Gauge | | Complete | Accepted |
| 9910-1 | Environmental Anchor Resources | Patch-It, Epoxy pot hole repair | | Complete | No Application |
| 9502-6 | Environmental Manufacturing Inc. | Repave | | Complete | Withdrawn |
| 9803-3 | Environmentally Safe Solutions | Evercrete DPS | | Complete | No Application |
| 9704-3 | Environmentally Safe Solutions, Inc. | Duramer Polymers and Elastomers | | Complete | No Application |
| 9703-7 | Envirosafe Manufacturing Corp. | Trojan Masonry Sealer | | Complete | No Application |
| 9703-6 | Envirosafe Manufacturing Corp. | Efflorescence Remover | | Complete | No Application |
| 9703-5 | Envirosafe Manufacturing Corp. | Enviro-Clean Degreaser / Cleaner | | Complete | No Application |
| 9703-4 | Envirosafe Manufacturing Corp. | Rust / Stain Remover | | Complete | No Application |
| 9703-3 | Envirosafe Manufacturing Corp. | Nu Look Concrete Cleaner | | Complete | No Application |
| 9703-2 | Envirosafe Manufacturing Corp. | Algae / Mildew Retardant | | Complete | No Application |
| 0912-1 | Enviroscape ECM, Ltd. | "Vertipro" | | Complete | Withdrawn/No Action |
| 0405-10 | Envirotech Services | "EnviRoad Thaw 10" is a high performance low corrosive liquid deicerfor direct application to the pavement to melt ice and snow. 30% magnesium chloride blended with a higher concentration of agriculturally engineered corn products. | 1 | Complete | Withdrawn/No Action |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 1102-5 | EPOPLEX | "EPOPLEX LS65" | | Complete | | Approved |
|---------|---|--|---|----------|---|---|
| 0708-4 | Epoplex | "Safe-T-Grip" - A-2 component 100% Solids Epoxy Hybrid Resin which has a top dressing of highly skid-resistant aggregate such as Bauxite. This provides a tough, waterproof, durable, and skid-resistant bonded thin overlay which is applied onto asphalt, concrete, steel and wood surfaces. | - | Complete | - | Accepted |
| 0309-1 | Epoplex, Div. of Stonhard | "LS90" 2 to 1 ratio polyurea pavement marking durable material. | | Complete | | Accepted |
| 9310-5 | E-Poxy Industries | Evazote 380 E.S.P. | | Complete | | Accepted |
| 9310-4 | E-Poxy Industries | Novulcrete | | Complete | | Accepted |
| 0405-13 | Ergon | "EnviRoad Base (CBS-1)" is a polymer modified cationic Asphalt Emulsion. Soil/base stabilization. | | Complete | | No Application |
| 0405-12 | Ergon | "EnviRoad Prime (CPC-1)" is a polymer modified Cationic Asphalt Emulsion. | | Complete | | Withdrawn/No Action |
| 0611-5 | Erosion Control Products, Inc. | "Silt Trap System" - Steel frame that goes under the grate. A filter bag suspended from steel roads. Sediment-filled bag is easily removed, emptied, and replaced. | - | Complete | ı | No Applicatior |
| 0611-4 | Erosion Control Products, Inc. | "Diamond Post Stablizer" - Steel Frame with circular corners that drop over and stablize four corner post to provide strength to inlet protection. | | Complete | | Withdrawn/No Action |
| 0611-3 | Erosion Control Products, Inc. | "Rapid Flow Drain Filter" - A flexible tube containing lightweight plastic rocks encapsulated in high strength knittted fabric. It conforms to any shape and can be made into many lengths and diameters. | - | Complete | | No Application |
| 0202-4 | Erosion Control Supply Source Inc. | Soil Master | | Complete | | No Application |
| 1003-9 | Erosion Runner LP | "SedCatch Sediment Cage" | | Complete | | Withdrawn/No Action |
| 1003-8 | Erosion Runner LP | "SedCatch Sediment Basket" | | Complete | | No Application |
| 1312-4 | Erosion Supply Company, Raleigh, NC | "ESC Skimmer" | | Complete | | Accepted |
| 1005-1 | Erosion Tech, LLC (a Leggatt and Platt Company) | "Scour Stop" | | Complete | | Withdrawn/No Action |
| 0101-1 | Erth Products, LLC | Erth Food Organic Composted Fertilizer | | Complete | | Accepted |
| 1007-1 | Everett Bass Co Erosion Control | "Everett Bass Co Erosion Control" | | Complete | | Not a product - Design Only / No Application |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 9601-3 | Evergreen | Retaining-Sound Wall Rock Revetment | | Complete | Withdrawn/No Action |
|--------|---|---|-----------------------|---|-------------------------|
| 1302-3 | Evolucia Inc. | "SCH - Small LED Cobra Head Luminaire" | | Complete | Accepted |
| 0903-5 | Evonik Cyro LLC | "Paraglas Soundstop Ready Fit Panels" | | Complete | Accepted |
| 1002-2 | Evonik Stockhausen | "Stockosorb 660" | | Complete | Accepted |
| 9506-3 | Extrusion Technologies, Inc. | Ultra-Blue | | Complete | Withdrawn |
| 9807-4 | EYE Lighting International Of North America | EYE Ignitron™ EN (Street Lighting) | | Complete | Accepted |
| 9807-3 | EYE Lighting International Of North America | EYE Sunlux Ultra Ace™ HPS EN (Street Lighting) | | Complete | Accepted |
| 9601-5 | F.E.A. Inc. | Boiler Fuel | | Complete | No Application |
| 7806-1 | Fel-Pro, Inc. | Track Span | | Complete | No Status |
| 7707-6 | Fel-Pro, Inc. | Pro-Span | | Complete | No Status |
| 7704-3 | Fel-Pro, Inc. | Track Span | | Complete | No Status |
| 9806-2 | Fibercon International Inc. | Fibercon Steel Fibers (Fiber reinforced concrete) | | Complete | Accepted |
| 0903-1 | Fibrecrete Technologies, LLC | "Fibrecrete 6690" | | Complete | Accepted |
| 0704-1 | Filtrexx International, LLC | "Silt Soxx" - Tubular construction sediment control barrier used for removal of sediment, reduction of turbidity, and soluble pollutants (nutrients, petroleum hydrocarbons). | | Complete | Accepted |
| 0908-1 | Filtrona Extrusion Inc. | "U-FLEX 24" | | Complete | Accepted |
| 0907-3 | Filtrona Extrusion Inc. | "FG300 Interstate Grade Curb" | | Complete | No Application |
| 0907-2 | Filtrona Extrusion Inc. | "FG300 Turnpike Curb" | | Complete | No Application |
| 0907-1 | Filtrona Extrusion Inc. | "Fat Cat Guardrail Delineator" | | Complete | Accepted |
| 0608-2 | Filtrona Extrusion Inc. | "PCBM-T12" - High Impact Barrier Mount Delineators | | Complete | No Application |
| 0209-2 | First South Utility Construction, Inc. | "Pot-Fill" | | Complete | Withdrawn/No Action |
| 1412-3 | Five Star Products | "Structural Concrete V/O" - Five Star Structural Concrete® V/O is a high strength, rapid setting, one component, permanent concrete repair material for vertical and overhead structural repairs. | | Office of Materials and Testing-Jay Page- jpage@dot.ga.gov; Office of Materials and Testing- Peter Wu-pwu@dot.ga.gov | Not a New Product |
| 1307-3 | Five Star Products | "Five Star Centri-Cast® Pipe Repair Mortar" | Fee / See Comments | ***Office of Materials and Testing-Brennan Roney- broney@dot.ga.gov Office of Maintenance-Larry Barnes-Ibarnes@dot.ga.gov | Field Test |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 0502-3 | Five Star Products Inc. | "Five Star® Elastomeric Grout" - Specially | | Complete | No Application |
|--------|-------------------------------------|--|--------------|--|-------------------------|
| | | Designed for light rail transportation grounting. 2 component polymers plus aggregate that imporats vibration and sound damping combined with | | | |
| | | exceptional electrical resistance. | | | |
| 0304-3 | Five Star Products Inc. | "Five Star Vertical Patch" Vertical and overhead repairs without form work to concrete walls, | | Complete | Accepted |
| | | ceilings, and other concrete infrastructure. | | | |
| 9506-5 | Flasher Flare Southeast | Type III Barricade | | Complete | Accepted |
| 9506-4 | Flasher Flare Southeast | Vertical Panel | | Complete | Accepted |
| 9501-4 | Flasher Flare Southeast, Inc. | Plastic Barricade and | | Complete | Rejected |
| 9501-4 | Flasher Flare Southeast, Inc. | Vertical Panel | | Complete | Accepted |
| 9503-6 | Flasher Handling Corp. | Air Flow" Roll-up Sign | | Complete | Approved |
| 9503-5 | Flasher Handling Corp. | Barrel Panel | | Complete | Rejected |
| 9502-7 | Flasher Handling Corp. | Type III Rail Breakaway Barricade | | Complete | Accepted |
| 9502-5 | Flasher Handling Corp. | "Air Spill" Barricade | | Complete | No Application |
| 9502-4 | Flasher Handling Corp. | Opposing Traffic Lane Dividers | | Complete | Accepted |
| 1505-4 | Flex Connection, Inc. D.B.A. Joints | "TAP-N-TEE SADDLE" - The TAP-N-TEE SADDLE by JOINTS COUPLINGS, provides an economical lateral pipe connection that links wastewater and storm-water services to mains. | | Office of Utilities-Shajan Joseph-sjoseph@dot.ga.gov | No Application |
| 0203-2 | Flex Stake, Inc. | EZ Drive (EZ-2) Marker | | Complete | Accepted |
| 9604-1 | Flexstake Inc. | Flexstake Glare Screen | | Complete | Accepted |
| 9509-9 | Flexstake Inc. | Barrel Wrap (Replacement for reflective sheeting on old barrels.) | | Complete | Accepted |
| 0209-3 | Flexstake, Inc. | "Flexstake Ground Mount, 600 Series" | | Complete | Accepted |
| 9603-2 | Flexstake, Inc. | Tubular Marker | | Complete | Withdrawn |
| 1104-4 | Flir Systems, Inc. | "Flir Systems, Inc." | | Office of Traffic Operations-Victor Johnson- vicjohnson@dot.ga.gov Complete | Not a New Product |
| 0203-6 | Flying "W" Plastics, Inc. | Plastic Pipe | | Complete | Accepted |
| 0802-5 | Formtech Enterprises, Inc. | "Truline" - | | Complete | Withdrawn/No Action |
| 1107-1 | FORTA Corporation | "FORTA-FI" | See Comments | Complete | Accepted |
| 0212-2 | FORTA Corporation | "Forta Ferro" High performance precast itmes such as manholes and utility vaults. | | Complete | Withdrawr |
| 0103-4 | FORTA Corporation | Forta Ferro | | Complete | Accepted |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 9602-2 | Foss Environmental | Stem Guard (Catch Basin Inserts) | | Complete | No Application |
|---------|---------------------------------|--|--------------|---|-------------------------|
| 0701-2 | Friendly Environment | "Erosion EEL" - Sediment Retention Filter Roll | | Complete | Accepted |
| 0807-1 | Fritz-Pak Corporation | Non-Chloride Accelerator | | Complete | Withdrawn/No Action |
| 0211-1 | Fritz-Pak Corporation | FR-1 Water Reducing and set retarding admixture | | Complete | No Application |
| 0204-09 | Fritz-Pak Corporation | Standard Delayed Set | | Complete | No Application |
| 0204-08 | Fritz-Pak Corporation | Mini-Delayed Set | | Complete | No Application |
| 0204-07 | Fritz-Pak Corporation | Super Air Plus | | Complete | No Application |
| 0204-06 | Fritz-Pak Corporation | Air Plus | | Complete | No Application |
| 0204-12 | Fritz-Pak Corporation | Superscizer 7 | | Complete | No Application |
| 0204-11 | Fritz-Pak Corporation | Superscizer 5 | | Complete | No Application |
| 0204-10 | Fritz-Pak Corporation | Superscizer 1 | | Complete | No Application |
| 7802-1 | G.R. Ivany & Assoc. | Ivany Block | | Complete | No Status |
| 9509-5 | Gateway Pipe Supply, Inc. | Carbon Steel Pipe (culverts, bridges, and drainage) | | Complete | No Application |
| 7908-1 | General Electric Supply Company | FRE Duct Wedge Lock Joints | | Complete | No Status |
| 9611-1 | General Railway Signal Corp. | AuroraTM LED Highway Crossing Signal | | Complete | Accepted |
| 0108-7 | General Technologies, Inc. | High Density Polyethylene Plastic Ducts | | Complete | Withdrawn/No Action |
| 1108-3 | GeoHay, LLC | "GeoHay" | See Comments | Complete | No Application |
| 1108-3 | GeoHay, LLC | "GeoHay" | | Complete | Accepted |
| 9310-2 | Georgia-Pacific Corp. | Treated Lumber Sound Barrier | | Complete | No Application |
| 1107-2 | GeoTree Technologies | "GeoSpray™ Geopolymer Nano-Ceramic Mortar" - - IPR Contractor installer and process called Eco- Cast | | Complete | Accepted |
| 0703-1 | Gerdau Ameristeel | "Zbar" - Dual coated reinforcing steel system of Zbar begins with the outer layer of fusion bonded powder coating which protects against water and chlorides as well as protection from the high alkalinity of wet concrete. | | Complete | Withdrawn/No Action |
| 1203-3 | GERRYRIGS LLC | "Culvert Inlet Protection Device (CIPD)" | See Comments | Office of Maintenance-Larry Barnes- Ibarnes@dot.ga.gov | Field Test |
| 1311-3 | Geveko ITS | "LED-MARK" LED marking for high risk locations. Self charging system that is ultra think with combination of LED colors, solid or flash patterns. | | Complete | No application |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 0510-2 | Gibraltar | "Gibraltar" - High Tension Cable Barrier System TL-4 NCHRP Report 350 Accepteded | | Complete | | Accepted |
|---------|--|---|---|----------|-----|----------------|
| 0510-1 | Gibraltar | "Gibraltar" - High Tension Cable Barrier System TL-3 NCHRP Report 350 Accepteded | | Complete | | Accepted |
| 0501-2 | Giralt Enterprises, Inc | Aluminum Picket Handrail/using snap-on spacer that require no welding | | Complete | | Accepted |
| 0108-2 | Global Recycled Plastic Prod., Inc. | Porta Curb | | Complete | | No Application |
| 9603-3 | Global Solutions | Fiber Shield | | Complete | | No Application |
| 0603-2 | Globalnologies Corporation | "Globalnologies Corporation" - The Tri-Flextor is a revolutionary higher visibility "roadside marker" specifically designed to reduce deaths and/or injuries in DOT's work zones, road construction sites, general traffic safety zones, and consumer/commercial vehicle inoperability, with a focus on improved "higher visibility early warning" safety devices on our nation's highways. | | Complete | | No Application |
| 1107-5 | GMI Composites, Inc. | "Fiberglass Frame & Cover" | | Complete | | Rejected |
| 0611-2 | Goodson & Associates, Inc. | "Permacell™" is a weather resistant solid aggregate drainage material composed of a uniform grade aggregate volume settable, water permeable, cellular concrete product. | - | Complete | | No Application |
| 0608-5 | Goodson & Associates, Inc. | "Foamcell™ (Foamcell™ A-100) - A weather resistant cellular soil cement and lightweight concrete construction material. Typically, mixtures consist of cementitious compounds (cement, fly ash) with or without aggregate (sand) and pregenerated Foamcell™ A-100 foam, forming a flowable low density material. | | Complete | - | No Application |
| 7704-2 | Goodyear | Super Cushion | | Complete | | No Status |
| 9803-4 | Gould & Assoc. | Multi Barrier MB-2 (Off The Wall Productions) | | Complete | | Accepted |
| 9709-1 | Gould & Associates, Inc. (ACF Environmental) | Dirt Bag (Silt and Sediment conrtrol in discharch of pump water.) | | Complete | - 1 | Approved |
| 0604-3 | Grace Composites | "Fiberglass Deck Drain System" - Thermoset fiberglass pipe and fittings for deck drains. | | Complete | | Accepted |
| 0605-16 | Grand Haven Plastics, Inc. | "Safety Smart Delineator" - Ground mounted roadside delineator (post, stake and reflective sheeting). | | Complete | | No Application |
| 0210-1 | Green and Bio Tech, Inc. | "Sure Turf 1000 (ST1000)" | | Complete | | No Application |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 9810-1 | Green Mountain International, Inc, | Mountain Grout "PR" Pot Hole and crack Repair | | Complete | No Application |
|---------|--|--|---|----------|------------------------------|
| 1202-3 | Green Techniques LLC | in Concrete or Asphalt "Soil Defender" *Green* | | Complete | Withdrawn |
| | ' | | | <u>'</u> | |
| 9408-4 | Greensbach Technologies Environmental Dynamics Corp. | Road/Flex (Rubber Manhole transition collars and adjustment rings for manholes and catch basins.) | - | Complete | Withdrawn/No Action |
| 0011-11 | Greenstreak | Speed Dowel | | Complete | Accepted |
| 0011-10 | Greenstreak | G-Seal Control of the | | Complete | No Application |
| 0810-4 | Gregory Industries, Inc. | "Gregory Mini Spacer Guardrail System (GMS)" | | Complete | Withdrawn/No Action |
| 0108-5 | Gromor Organics Inc. | Gromor | | Complete | Accepted |
| 9807-2 | GTLC Incorporated (CSS Technology) | Road Bond EN-1 (Road base material stabilizer) | | Complete | No Application |
| 9605-1 | Gulfline Corp. | Gulfine (Pavement Marking) | | Complete | Withdrawn |
| 0307-8 | Gunderboom, Inc. | "Gunderboom Sound Attenuation System(SAS)" Significantly reduces underwater sound waves associated with underwater construction activities. | | Complete | Withdrawn/No Action |
| 9403-4 | H. Clay Moore & Assoc. Inc. (Industrial Acoustics Company) | Noishield Transportation Sound Barriers (Free Standing Barrier with noise absorption material on one or both sides) | | Complete | Withdrawn/No Action |
| 1005-2 | HaloSource, Inc. | "Storm Klear" | | Complete | Discretion of contractor |
| 1108-2 | Hamilton Kent LLC | "Lifespan System" | | Complete | Rejected |
| 9908-2 | Hammer's Plastic Recycling | Various Recycled Plastic Products | | Complete | No Application |
| 0502-5 | Hancor, Inc. | "Ecofirst" - High Density Polyethylene Storm Pipe > 50% recyled content. | | Complete | Withdrawn/No Action |
| 1002-7 | Hanes Geo Components | "TerraTex GASF-CS" | | Complete | Rejected |
| 9410-3 | Hapco/Div of Kearney National | HAPCO-74248 Breakaway X-Base (Breakaway Lighting Poles) | 1 | Complete | Accepted |
| 0812-3 | Harder, Luckey, and Hargrove, Inc. (name change AIL Soundwalls, aka Atlantic Industries Limited) | "The Tuf-Barrier™ and the Silent Protector™" (AIL Sound Walls) | | Complete | Accepted |
| 9702-1 | Hardy Construction Technology | Hardy Chair-Lok | | Complete | No Application |
| 0412-2 | Hartman Products, LP | "HartmanEW" endwall system is a polyehtylene stay-in-place form for endwalls or headwalls for drainage pipe | | Complete | Accepted |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 0510-6 | Henkel-Loctite | "Magna-Crete" - FAST all-weather concrete repair system. A high-performance product that reaches conventional concrete strength of 3,000 psi within 2 hours and at full cure over 13,000 psi. Will not shrink or crack and is chemically resistant to most common liquids and chemicals. | Complete | = | Withdrawn/No Action |
|---------|-------------------------------|---|--------------|---|---------------------|
| 7912-2 | Hercules, Inc. | Fiber Reinforcement for Asphalt | Complete | | No Status |
| 0311-4 | Hesco Bastion USA | "Hesco Concertainer" 4mm and 5mm steel wire mesh, heavily galvanized with a polyproplylene geo-textile lining. Various sizes can be easily connected to assemble desired dimension. | Complete | - | Site Specific |
| 1210-3 | Hien Electric Industries LTD. | "Spiral Hanger" | Complete | | No Application |
| 0902-3 | Highline Products | "Highline Products" | Complete | | Withdrawn |
| 0706-5 | Highway Safety Specialists | "Concrete Barrier Reflector" - | Complete | | No Application |
| 0706-2 | Highway Safety Specialists | "East View Reflector" - | Complete | | Withdrawn/No Action |
| 0812-2 | Hill and Smith Inc. | "Zoneguard" | Complete | | Project to Project |
| 0507-4 | HIL-Tech Ltd. | "LEDline®" - LEDlineDVTM (semi-directional) and LEDlineHBTM (omni-directional) products are designed to provide guidance during the day or night, increasing the safety of people and vehicles, by making critical safety/guidance markings anywhere, visible in just about any weather. By reducing driver confusion and hesitation, they minimize bad weather delays, dramatically improving the efficiency and safety of roads. Increased safety and efficiency = increased road capacity. | Complete | | No Application |
| 0405-4 | Hobas Pipe USA, Inc. | "Centrifugally Cast Fiberglass Mortar Pipe" is an ecomomical, large diameter, and high stiffness pipe with inherent corrosion resistance. This is a glass-fiber reinforced, aggregate-fortified, thermosetting resin tubular product manufactured by a centrifugal casting process. This is made of Glass Fibers, Aggregate, & Resin | Complete | + | Site Specific |
| 9501-3 | Hobo Industries | LR-20-5 (Coating for Steel, Wood, Concrete, and synthetic surfaces.) | Complete | | Withdrawn |
| 0605-18 | Holcim (US) Inc. | "Hydraulic Cement" - Modified Portland Cement with Limestone. | Complete | | Withdrawn/No Action |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field

Fee Status / Progress
Paid Report

Evaluation

| 0605-17 | Holcim (US) Inc. | "Hydraulic Cement, Type I (SM)" - Slag-modified Portland Cement. | - | Complete | Withdrawn/No Action |
|---------|------------------------------------|--|---|----------|-------------------------|
| 1102-2 | Homeland Vinyl Fence Ltd. | "Homeland Acoustic & Security Fence" | | Complete | Rejected |
| 9503-4 | Hoover Treated Wood Products, Inc. | Plywall | - | Complete | Accepted |
| 0511-1 | Horizon Signal Technologies | "SQ2 Portable Traffic Signal" - Utilizes standard 3 indication (red/amber/green) signal head with 12" diameter LED lights; can be operated with a handheld wireless remote | | Complete | No Application |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| OF C | Harizan Cianal Taghaslasias | "CO 2 TC Dortoble Treffic Circasi" The COOTO | | Complete | Accept |
|--------|-----------------------------|--|---|----------|---------------------|
| 505-9 | Horizon Signal Technologies | "SQ 3 TS Portable Traffic Signal" - The SQ3TS | | Complete | Accept |
| | | manufactured by Horizon Signal Technologies is a | | | |
| | | trailer-mounted, portable traffic signal conforming | | | |
| | | to MUTCD guidelines. Horizon's portable traffic | | | |
| | | signals consist of two trailers that can be towed in | | | |
| | | tandem with one vehicle. Horizon's signal trailers | | | |
| | | have been designed to withstand 80mph wind | | | |
| | | gusts when fully deployed with no additional | | | |
| | | ballast. Each signal trailer is equipped with 2 | | | |
| | | signal heads that have 12" LED lamps. One | | | |
| | | signal head is mounted on an over head mast arm | | | |
| | | extending over the travel lane. The other signal | | | |
| | | head is mounted on the vertical mast at the side of | | | |
| | | the road. Signal heads rotate 180 degrees for | | | |
| | | flexible trailer placement Each Horizon traffic | | | |
| | | signal is powered with 16 6 volt batteries that are | | | |
| | | recharged with solar panels & an onboard 110 volt | | | |
| | | charger. The batteries can furnish the system up | | | |
| | | to 21 days of consecutive operations power | | | |
| | | (calculated at 72 degrees Fahrenheit) with no | | | |
| | | charge. Each trailer contains a Morningstar | | | |
| | | charging monitoring system, which monitors, | | | |
| | | regulates, and displays solar input and battery | | | |
| | | voltage Horizon's Modular operation System | | | |
| | | | | | |
| | | features the ability to utilize up to 16 signals, | | | |
| | | controlling up to 9 traffic phases in a single set-up. | | | |
| | | Horizon Traffic Signals can be operated in fixed | | | |
| | | time, traffic actuated, or hand controller mode. | | | |
| | | Communication methods include cable, quartz | | | |
| | | and AV radio. Each Horizon signal controller is | | | |
| | | equipped with an integrated conflict downloadable | | | |
| | | format Optional add-on equipment includes | | | |
| | | Back Plates, Pilot Car Module, 24 hour GPS | | | |
| | | System, and interface module. The interface | | | |
| | | module allows the Horizon signal to be used in | | | |
| | | traffic signal knockdown, or signal relocation | | | |
| | | applications. | | | |
| 12.2 | Hubbell Lenoir City, Inc. | "Polycast® FP 1200 Trench Drain | | Complete | Acce |
| 112-3 | • | | - | Complete | |
| 105-14 | Hudson Oil (was Ergon) | "PASS" is a cationic asphalt emulsion. | - | Complete | Withdrawn/No Ad |
| | | Rejuvenates underlying pavement. Technical | | | |
| | | representation by Western Emulsions and Sales | | | |
| | | representation by Envirotex Services. | | | |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 1601-6 | Huesker | "Fornit 30" - Knitted geogrid, polymer coated. | | Field Test |
|--------|--|---|--------------|-------------------------|
| 1601-5 | Huesker | "Fornit 20/20" - Knitted geogrid, polymer coated. | | Field Test |
| 9606-6 | Hutchins International, LTD | Linelite (Hwy lane lighting system) | Complete | No Application |
| 1006-2 | Hydrostraw LLC | "Hydrostraw Bonded Fiber Matrix" | Complete | Withdrawn/No Action |
| 1006-1 | Hydrostraw LLC | "Hydrostraw Guar Plus Formulation" | Complete | Withdrawn/No Action |
| 0910-2 | iCone Products LLC | "iCone®" | Complete | Accepted |
| 0601-4 | ICS/Penetron | "Penetron Admix" | Complete | Withdrawn/No Action |
| 0601-3 | ICS/Penetron | "Penetron" | Complete | No Application |
| 0805-4 | IMCO Technologies | "MG-Krete" - Two component, high early strength structural repair material | Complete | Not a new product |
| 1410-1 | Imerys Carbonates | "ImerFill 3, ImerFill 15, ImerFill 25" - ImerFill products are finely ground, white calcitic marble/limestone products. These products are crushed, ground and sized to the designated specifications. The size specifications have been chosen to particle pack well with the cement and sands found in concrete formulations. ImerFill 3 has a median particle size of 3 microns. ImerFill 15 has a median particle size of 15 microns and ImerFill 25 has a median particle size of 25 microns Cross-reference with NPE # 0906-1 "ImerFill". | Complete | No Application |
| 0906-1 | Imerys Performance Minerals | "Imerfill" | Complete | Withdrawn/No Action |
| 1110-3 | Impact Recovery Systems, Inc. | "Tuff Curb XLP" | Complete | No Application |
| 0806-1 | Impact Recovery Systems, Inc. | IRS Tuff Post (#200-GRP Guardrail Delineator - also see QPL-69) | Complete | Reject |
| 0705-2 | Impact Recovery Systems, Inc. | "Tuff Curb" - High performance traffic separator curb with spring activated uprights available in a wide variety of designs. | Complete | Accepted |
| 7702-1 | Industrial Acoustics | FANWALL | Complete | No Status |
| 0705-1 | Information Display Company dba SpeedCheck | "SpeedCheck" - Radar Speed Display Signs. | Complete | Accepted |
| 0910-4 | Inlet and Pipe Protection Inc. | "FLEXSTORM Inlet Fliters, Inc." | Complete | No Application |
| 0302-5 | Innovations, Inc. | "SonoBlaster" Warns both roadway workers and errant vehicle drivers at the same time to prevent crashes and injuries on highway work zones. | Complete | No Application |
| 1206-3 | Innovative Applied Solutions | "IAS Water Quality Skimmer" | Complete | Accepted |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 9404-1 | Innovative Concrete Concepts, LLC | HEB-Post Base (Sign Post Base in areas where post and sign are subject to being struck and damaged.) | | Complete | | Withdrawr |
|--------|--|--|---|----------|---|----------------|
| 1002-9 | Innovative Turf Solutions (Formally: Reinke Pasco) | "Erosion Guard Logs and Erosion Guard Flats" (Formally: "Erosion Guard Products" logs/flats) | | Complete | | Approved |
| 9403-1 | Insituform Southeast Inc. | Insituform (Pipe Reconstruction) | | Complete | | Accepted |
| 7812-2 | Int. Mills Svc., Inc. | Steel Slag | | Complete | | No Status |
| 0905-3 | Integrated Paving Concepts, Inc. | "StreetPrint XD™" | | Complete | | Accepted |
| 0402-3 | Integrated Paving Concepts, Inc. | "Street Print Dura Therm Inlaid Thermoplastic" is a higly decorative inlaid thermoplasic with dramatic patterns and colors. No maintenance burden and last 3 times longer than normal thermoplastic. Minimal traffic/community disruption, installed and open to traffic in only 90 minutes per lane. It is 100% ADA Compliant and vibration free. | 1 | Complete | | Accepted |
| 0505-2 | Intellistrobe Safety Systems, LLC | "Intellistrobe Automated Flagger Assistance" - W1-AG is a work zone safety system for traffic management comprised of two stand alone automated flagger assistance devices, one radio control transmitter unit and a charger. Each device houses a radio, PLC (Programmable logic controller), amplifier, battery, and speaker for warning alarm. Each cabinet has 4 adjustable leges to level the unit and provide stability. The cabinet also provides support for the "Gate-arm" assembly. The signal head consist of a red 12 inch L.E.D. light and a yellow 12 inch L.E.D. light. It is attached to the cabinet by a square telescoping "tube within a tube" which extends upward from the cabinet and is used to extend signal height. | | Complete | | No Application |
| 9908-4 | IntePlast Group | InteCel PVC Celuka sheet substrate for work area signs. | | Complete | | Accepted |
| 0004-3 | Intergrated Paving Concepts Inc. | Street Print Pavement Texturing System | | Complete | | Accepted |
| 0305-4 | International Coatings, Inc. | "Concrete Bridge Patch" The material is applied to spalled concrete where rusty rebar has caused the concrete to fail. This includes the under-side and all non-functional concrete structures. Urethane 100% solids modified with epoxy. | · | Complete | - | No Application |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 9510-2 | International Plastics Corp. | Slab Bolster, Chair, Sandplate | | Complete | | Accepted |
|--------|---|---|---|----------|---|---------------------|
| 0302-8 | International Road Dynamics, Inc. | "IRD Dynamic Safety System" Promotes smooth traffic flow leading into a work zone. | | Complete | | Withdrawn/No Action |
| 0302-7 | International Road Dynamics, Inc. | "IRD Speed Ranger" Automatically displays required speed limits based on traffic, weather, and construction | | Complete | | Withdrawn/No Action |
| 0302-6 | International Road Dynamics, Inc. | "IRD Travel Messenger" Measures traffic conditions and displays expected delays through work zones. | | Complete | | Withdrawn/No Action |
| 9309-1 | Interstate Materials Supply of GA (American Signal Co.) | B.O.L. Series LED Blank Out Sign (Small Sign supports) | | Complete | | No Application |
| 1102-1 | Interstate Structures, A Mid-Park Company | "M-POD" | | Complete | | Not New |
| 0507-3 | Intuitive Control Systems, LLC dba All Traffic Solutions | "SPEEDsentry ®Radar Speed Display Sign on ATS Trailer" - Effectively calms traffic and improves safety by informing motorists of traveling speeds. The SPEEDsentry is available in three sizes with 12" digits, 15" digits or 18" digits. Equipped with a variety of performance options, including data logging with approximate vehicle count and speed analysis to monitor traffic speed patterns to maximize enforcement effectiveness. | - | Complete | 1 | No Application |
| 9907-6 | Invisible Structures, Inc. | GrassPave 2 / Reinforce grass turf for use in high or heavy traffic areas. Use in occasional access drives, emergency access, parking bays, pedestrian traffic. | - | Complete | | No Application |
| 9907-5 | Invisible Structures, Inc. | SlopeTame 2 / Slope & Swell Erosion Prevention | | Complete | | No Application |
| 9907-4 | Invisible Structures, Inc. | GravelPave 2 / Porous Pavement structure that tolerates high frequency and low speed traffic. | | Complete | | No Application |
| 9907-3 | Invisible Structures, Inc. | DrainCore 2 / High Strength -High Volume Composite Drainage Core Structure for High way edge Drains, Foundation Walls, Retaining Walls, Tunnels. | - | Complete | - | Withdrawn |
| 0702-1 | IPS Polymers | "Underground Technologies LLC" - Composite Manhole Frame and Cover Grade Adjustment Ring lift (manhole riser ring) | | Complete | | Accepted |
| 0505-1 | I-Rock Vortex Composites | "SmartTie™ Wall System" New type of composite material for use in highway noise abatement walls. This product has the look and feel of precast concrete yet stronger, lighter, and less expensive. | - | Complete | 1 | Withdrawn/No Action |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 1401-3 | IronMan Engineering LLC | "Hand Hole Cover" for light poles | | Complete | Not a New Product |
|--------|---|--|---|----------|-------------------------|
| 1305-1 | Irwin Hodson Company | "Barrier Traffic Reflector" (series) | | Complete | Accepted |
| 1004-6 | Irwin Hodson Company | "Monarch Reflective Device" | | Complete | No Application |
| 0902-5 | ISCO, Inc. | "SNAP-TITE" | | Complete | Accepted |
| 0802-2 | ITS Plus, Inc. | "ITS Plus, Inc.'s Camera" for mainly loop detection application | | Complete | Accepted |
| 7807-1 | ITT Rayonier | Raycron-X | | Complete | No Status |
| 7708-3 | ITT Rayonier | Raycron-X | | Complete | No Status |
| 7810-1 | J&P Petroleum Products | Tex-Mastic ProtectoBoard | | Complete | No Status |
| 0305-1 | J.B. Timble, Inc. | "Crete-Rap" Erosion control at bridges, culvert, and ditches. | | Complete | Withdrawn/No Action |
| 0201-2 | J.W. Hackett & Company (John Thomas Inc. | Dura Curb | | Complete | Accepted |
| 0005-3 | James Hardie Concrete Pipes, | Fibre Reinforced Concrete Pipes | | Complete | Rejected |
| 9905-3 | Jim Chandler & Assoc. | Quad Guard Elite System (Energy Absorption Systems) | | Complete | Accepted |
| 9809-2 | Jim Chandler Absorption Systems (Energy Absorption Systems) | Cushion Wall | | Complete | Accepted |
| 9407-2 | Jim Chandler and Assoc. | Alpha 60 MD TMA (Energy Absorption Systems) Truck Mounted Attenuator | | Complete | Accepted |
| 9404-4 | Jim Chandler and Assoc. | Break-Safe (Ground mounted Breakaway Base for signs with an area of 25-300 ft2 (Transpo Ind. Inc.) | - | Complete | Accepted |
| 9404-2 | Jim Chandler and Assoc. (The Rainline Corporation) | Rainline (Highway striping, edge line, centerline, Rubble Strip.) | | Complete | Withdrawn |
| 9707-2 | Jim Chandler and Associates (Energy Absorption Systems) | Breakmaster® 350 (Guard Rail Anchorage Assembly) | | Complete | Accepted |
| 9411-9 | Jim Chandler and Associates (Energy Absorption System) | Sentre (Safety Barrier End Treatment) | | Complete | Accepted |
| 9411-8 | Jim Chandler and Associates (Energy Absorption System) | Trend (Combination Transition section and end treatment for concrete barrier or rigid object.) | | Complete | Accepted |
| 9411-7 | Jim Chandler and Associates (Energy Absorption System) | Brakemaster (Narrow Hazard Protection on Roadside or Median Applications) | | Complete | Accepted |
| 0102-5 | Jim Chandler Assoc/ Energy Absorption Systems | The WorkZoNET | | Complete | Accepted |
| 9610-3 | Jim Chandler Associates | QuadGuard TM System (Energy Absorption Systems) | | Complete | Accepted |
| 9312-1 | JM Manufacturing Company | Perma-Loc (Storm Drain Pipe) | | Complete | Accepted |

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

NPE# Manufacturer Product Name / Description Estimated Time Contact Info for Lab/Field Feal Report Evaluation Paid Evaluation Fee Status / Progress Report R

| 1510-2 | JMB SEALANTS, LLC | "P-SEAL" - P-SEAL is a non-flammable, non-toxic, | | | \$500 | Lab Test |
|--------|--|--|---|--|-----------|---------------------|
| | | non-acid sealer that internally strengthens and waterproofs cementitious materials. P-SEAL reduces vapor emissions for application of surface coatings such as polyurea, epoxy, urethane, | | | Chec k | |
| | | carpet, and for floor tile, sheet vinyl and hardwood flooring materials. It does not alter the bonding of surface coatings. P-SEAL also reduces radon gas penetration through concrete. Purges soluble | | | | |
| | | chlorides and prevents re-entry. | | | | |
| 1011-5 | JSP | "Pro-Ring Manhole Adjustment System" | | Complete | | Accepted |
| 9904-1 | K & K Systems | Solar Powered Safety Assist Lights | - | Complete | | Accepted |
| 9709-3 | K and K Systems, Inc. | Safety Assist Lights Models: 100, 101, and 102 | | Complete | | Accepted |
| 1507-2 | K&K Systems, Inc. | "MSAS MUTCD Sign Alert System" - Sign Alert Systems are designed to warn drivers of approaching signs, to enhance the visibility of signs in inclement weather conditions, and increase road safety. With Sign Alert's ultra-bright LEDs, drivers are cautioned in advanced of dangerous intersections or curves, hazardous road conditions or entering work or school zones. Sign Alert Systems can be moisture activated, radar activated, push button activated, or activated by high water levels. | | Office of Traffic Operations-Keith Murphy-kmurphy@dot.ga.gov | | Field Test |
| 0102-3 | Kelken Construction Systems | Keligrout and Keligrout 101P | | Complete | | Accepted |
| 9503-2 | Kelken Construction Systems | Clampcrete Barrier | | Complete | | No Application |
| 9606-4 | Kenco International | Watchdog Perimeter Intrusion Alarm | ı | Complete | | Withdrawn |
| 0402-1 | Kick Materials Co./Kock Pavement Solutions | "Asphalt Emulsion Base Stabilization" for upgrading existing roadways to a higher standard then structural base prep prior to paving. | - | Complete | - | Withdrawn/No Action |
| 0206-1 | Klemmfix GMBH | "The Enhancer" Mini Curb | - | Complete | | No Application |
| 9607-4 | Klemmfix GMBH (Qwick Kurb™) | Qwick Kurb Inc.(Temp. /Long Term Traffic Control Device. | 1 | Complete | | Accepted |
| 9508-4 | Klemmfix GMBH (Qwick Kurb™) | Qwick Kurb Inc.(Temp. /Long Term Traffic Control Device) | | Complete | | No Application |

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description NPE# **Manufacturer**

Estimated Time Contact Info for Lab/Field

| | | | Evaluation | | Paid | Report |
|---------|--|---|------------|---|------|-------------------|
| 0506-1 | Kodi Klip | "Kodi Klip" - Kodi Klips made of poycarbonate plastic that are impervious to corrosion. Will not scar or cut protective coating. Simple downward movement. Push, place and snap. Color coded. Kodi Klip sticks available for different applications and klip sizes. Long used for mat app; short for vertical. Same klip does cross and lap joints. | - | Complete | | Accepted |
| 1206-1 | Kraton Polymers US, LLC manufactures the SBS polymers used | "Highly Modified Asphalt - HiMA, not a trademark, this is just our terminology" | Nov-14 | Office of Materials and Testing- Sheila Hines- shines@dot.ga.gov | | Second Field Test |
| 0605-09 | Kristar Enterprises, Inc. | "FloGuard Silt Mat" - Silt Mat comes complete with an excelsior (curled wood) erosion control blanket that effectively slows water flow into the drainage inlet while preventing the silt and debris from entering the drainage inlet. | ł | Complete | | No Application |
| 0605-08 | Kristar Enterprises, Inc. | "SlopeGard3" - SlopeGard3 fiber rolls are assembled from a machined mat or blanket of shaved aspenwood curled excelsior with a weighted inner core contained in a photodegradable, extruded "high visibility" netting tube, and for ease of handling, have a handle on each end. | - | Complete | | No Application |
| 0605-07 | Kristar Enterprises, Inc. | "SlopeGard2" - Filter rolls have an inner core of perforated tubing contained in a black woven polypropylene filter fabric with an attachment apron. | | Complete | | Accepted |
| 0605-06 | Kristar Enterprises, Inc. | "Kristar Fiber Rolls" - Straw Fiber Rolls are contained in a tubular black netting with a strand thickness of about 0.03 per inch, a knot thickness of about 0.055 per inch and a weight of at least 0.35 oz/ft made from 85% high-density polythethylene, 14% ethyl vinyl acetate with 1% carbon black for UV inhibition. | - | Complete | | Accepted |
| 0605-05 | Kristar Enterprises, Inc. | "Net Tech (Gross Pollutant Trap)" - Patented, compact, efficient and cost effective solution to the problem of stormwater-borne gross pollutants. | - | Complete | | No Application |
| 0605-04 | Kristar Enterprises, Inc. | "Kristar SwaleGard" - Self-contained pre-filter designed to collect sediment, debris, and petroleum hydrocarbons from stormwater runoff prior to a grassy swale or bio-retention area. | - | Complete | | No Application |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 0605-03 | Kristar Enterprises, Inc. | "FloGard®+Plus Catch Basin Insert" - | | Complete | No Application |
|---------|--|--|---|--|-----------------------------|
| | | Multipurpose catch basin insert designed to capture sediment, debris, trash and oils/grease from low (first flush) flows. | | | |
| 0605-02 | Kristar Enterprises, Inc. | "FloGard® Dual-Vortex Hydrodynamic Separator" - Provides enhanced gravity separation of | | Complete | No Application |
| | | suspended stormwater pollutants in a compact configuration. | | | |
| 9806-4 | Kryton International Inc. | KIM (Krystol Internal Membrane) | | Complete | Withdrawn |
| 0608-4 | KWH Pipe | "Weholite Pipe" - Large diameter (18" - 120"), profile wall HDPE piping system complete with fittings and manholes. | | Complete | Accepted |
| 9502-1 | L.F. Manufacturing | Fiberglass Manholes | | Complete | No Application |
| 9902-1 | Ladtech Inc. | HKPE Recycled Adjusting Rings | | Complete | Accepted |
| 0202-3 | Ladtech Inc | HDPE Recycled Adjusting Rings (manhole riser ring) | - | Complete | Accepted |
| 0401-1 | Lafarge Road Marking | "Thorma-Joint" is a ashaltic plug joint system. | | Complete | Withdrawn/No Action |
| 0302-1 | Lafarge Road Marking | "Sahara" waterborne paint for stripping. | | Complete | Withdrawn |
| 1002-3 | Lancaster Composite Inc. | "Lancaster CP40 Marine Piling" | | Complete | Accepted per NPE 9712-2 |
| 9507-1 | Lancaster Composite Inc. | Composite Post 40 | | Complete | Withdrawn |
| 9712-2 | Lancaster Composite, Inc. | CP40 Piling | | Complete | Accepted |
| 9511-1 | Lancaster Composites | Composite Post 40 (Chain Link Fence Posts) | | Complete | Accepted |
| 1304-2 | Leddar Tech, Inc. | "D-TEC" | | Complete | Not a New Product |
| 9906-1 | Leotek Electronics Corp. USA | TSL-12R-QE / LED Traffic Signal | | Complete | No Application |
| 1205-1 | Licensed by Earth Reinforcement Technologies, Inc. | "Gravix" *Green* | | Complete | Accepted |
| 9901-3 | Life-Lite | Traffic Signal Light Control System | | Complete | No Application |
| 1201-2 | LightGuard Systems, Inc. | "Smart Crosswalk™ Systems" *Green* | | Complete | Project to Project |
| 1205-6 | Lightstream, LP | "Streamliner UV CIPP Light Cured Liner" | | Complete | Withdrawn/No Action |
| 0208-1 | Live Earth Products, Inc. | "Live Earth" | | Complete | Withdrawn/No Action |
| 1412-2 | LockDown, Inc. | "LockOut" - Device designed to secure in-ground hand holes (vaults). The device fits existing lids with very little modification to the lid and can be easily installed. New enclosures may be ordered from several mfgs. with LockOut-ready lids. | | Office of Traffic Operations-Keith Murphy- kmurphy@dot.ga.gov- Office of Maintenance-Brink Stokes-bstokes@dot.ga.gov | Field Test |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 1412-1 | LockDown, Inc. | "LightpoleLock" - Device designed to secure hand | | Office of Traffic Operations-Keith Murphy- kmurphy@dot.ga.gov- Office of Maintenance-Brink | | Field Test |
|--------|-----------------------------|--|---|---|---|---------------------|
| | | holes on lighting poles. The device fits any existing cover with very little modification to the | | Stokes-bstokes@dot.ga.gov | | |
| | | cover and can be easily installed. The device fits | | | | |
| | | hand holes in bases and in poles. | | | | |
| 0510-5 | Loctite | "BigFoot Heavy Duty Pedestrian Grade Safety Yellow (Anti Slip) - Big Foot is the strongest, most aggressive anti-slip product avaialble. Increases safety of walkways, ramps, stairs, docks, decks and anywhere safety is a concern. Resists harsh chemicals to outlast and outperform traditional sand and paint applications. | 1 | Complete | 1 | No Application |
| 0510-4 | Loctite | "Fixmaster® Concrete Repair Stick" | | Complete | | No Application |
| 0301-2 | Lordon, Inc. | "BriteSide, Reflective Panels" Reflective panels for going on regulatory signs post. | | Complete | | Accepted |
| 0105-6 | Lordon, Inc. | BriteSide, Reflective Strips | | Complete | | No Application |
| 0403-1 | MAC-PRODUCTS, INC. | "MACBRIC-200™" is a two component, flexible, acrylic polymer modified, fiber reinforced, cementitious, spray applied resurfacing material. The product is applied at 3/16" thickness, requires not primers or sealers, is waterproof and resistant to chloride ion penetration, abrasion (vehicular traffic, freeqe-thaw and constand flexing due to loading and unloading of the structure. Can be driven on in 12 to 24 hours after completion of spray application. | ı | Complete | 1 | Site Specific |
| 9907-2 | Magnolia Plastics, Inc. | Magnoloop II / Loop Sealant Epoxy used for repairing potholes in concrete. | | Complete | 1 | Rejected |
| 7903-1 | Mameco International | Valcem Sealant | | Complete | | No Status |
| 9310-3 | Manhole-Systems, Inc. | MS-101TB Riser Ring | | Complete | | Accepted |
| 0010-4 | Map-Crete Concrete Products | Map-Crete Concrete Fence | | Complete | | No Application |
| 9911-5 | Mary Ann Industries | GEO-Hay recycled carpet fiber. | | Complete | | Accepted |
| 0010-3 | Mary Ann Industries, Inc. | Geo Hay Curb Inlet Filter | | Complete | | Allowed |
| 1511-2 | Master Dowel | "Master Dowel" - Fiberglass reinforced (FRP) dowels and steel (306) dowel bar baskets. | | | | Rejected |
| 0903-4 | MaxCell/Milliken&Company | MaxCell Innerduct | | Complete | | Withdrawn/No Action |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 0406-2 | MC Precast, Inc. | "Cellular Wall Panel" is a cellular wall panels are precast concrete panels made with cellular concrete. Portland cement, fine aggregat, protein based admixture, welded wire reinforcement. | | Complete | No Application |
|--------|---|--|--------|----------|--|
| 9809-1 | MC. Inc. (Hebel Building Systems) | Hebel Precast Autoclaved Aerated Concrete. (Sound Barrier Wall) | | Complete | Accepted |
| 0805-5 | McTech Group Inc. | UltraCure NCF™, UltraCure SUN™, UltraCure MAX™ | | Complete | Not a new product |
| 9408-5 | Merle Webb | Detector Loop (For Signals and Counting) | | Complete | No Application |
| 0612-1 | Metabolix, Inc./American Excelsior Company | "e-Staple™ - e-Staple is a 100% biodegradable | | Complete | Withdrawn/No Action |
| 0810-1 | Metal Foundations, inc. | "Metal Fin Pipe Foundation, MFPF" | | Complete | Withdrawn/No Action |
| 1108-1 | Meter-Treater dba MTI Surge | "MTI" | Nov-13 | Complete | No Application |
| 0509-1 | Metretek Inc. | "Invisiconnect" - Server software and cellular client | | Complete | Accepted |
| 1110-2 | MHT Lighting | "Induction Type Street Light" | | Complete | Accepted |
| 0308-2 | Midwest Canvas Corporation | "Summer Cure" Curing of concrete in summer months. | | Complete | Accepted via Spec Notified by Fax |
| 9506-2 | Midwestern Wholesales | Offset Block | | Complete | No Application |
| 1304-3 | Millerbernd Manufacturing, Inc. | "Millerbond Paint Application System" | | Complete | Accepted |
| 1206-6 | Milliken Company | "Milliken Concrete Cloth" | | Complete | Project to Project |
| 9710-4 | Mineral Resource Technologies | Class C Fly Ash | | Complete | Withdrawn |
| 0202-1 | Mineral Resource Technologies, Inc | ArmorCem | | Complete | Accepted |
| 1010-3 | Mintek Resources, Inc. | "Calciment® Lime Kiln Dust (LKD) | | Complete | Accepted |
| 9911-6 | Mitsubishi Chemical | ALPOLIC composite sign material | | Complete | Accepted |
| 0702-2 | Mitusubishi Chemical FP America Inc. | "Alpolic 350" - An aluminum composite laminate material that is available in various thicknesses. | | Complete | Withdrawn/No Action |
| 0310-1 | MMFX Steel Corporation | "Microcomposite (MMFX 2) Steel Rebar" | | Complete | Accepted |
| 9307-1 | Mobil Chemical | Trex (Timbrex) | | Complete | Withdrawn |
| 0308-3 | Mobile Colors Corporation | ""Magic Colors Corp." Removable Paint System. | | Complete | Site Specific |
| 0110-4 | Monty's Plant Food Company | Monty's 4-15-12 | | Complete | Withdrawn/No Action |
| 1001-6 | Morren Plastics (Represented by Diamond Roadway Products) | Universal Bracket Reflector System | | Complete | Accepted |
| 1001-5 | Morren Plastics (Represented by Diamond Roadway Products) | Diamond Block Reflector System | | Complete | Rejected |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 0812-1 | Motz Enterprises | "Flexamat" | Aug-14 | Complete | | Accepted |
|--------|-------------------------------|---|-----------------------|----------|---|--------------------|
| 0611-1 | Mulch & Seed Innovations, LLC | Cotton Fiber Matrix (CFM) - Straw, Cotton Based BFM Hydro mulch and has proprietary polymer and additives. Use for slope protection and temporary seed. | - | Complete | | Accepted |
| 0601-1 | Mulch & Seed Innovations, LLC | "GEO Skin Cotton Hydromulch" - GEO Skin Hydro Mulch is made of Straw and Cotton Bio Mass with Tacafire (Pam). | | Complete | | Accepted |
| 1102-3 | NAEX Corp. | "SD605" | | Complete | | Allow the Use |
| 1002-1 | NAEX Corp. | "Firecide" | | Complete | | No Application |
| 1303-3 | Natina Products, LLC | "Natina Steel" | Fee / See Comments | Complete | | Project to Projec |
| 0505-5 | NDS, Inc. | "Gravelbag, Snakebag 4, Snakebag 6, & Drain Donghnut" - Snake Bag-UV Monofilament Gravel Bag. UV Monofilament Fabric, Heat bonded at the seam | | Complete | - | No Applicatior |
| 1404-4 | Neenah Foundry Company | "R-8450 4" Dia Removable Bollard" - Removable Steel Pipe Bollard with Cast Iron Sleeve and Bolted Locking System | | Complete | | Project to Project |
| 0606-2 | Neenah Foundry Company | "Neenah Lift Mate" - Circular cast iron frame and platen lid, employing a patent pending ball and socket feature. | | Complete | | Accepted |
| 9602-1 | Neptco, Inc. | Arbortape (Staking and guying trees) | | Complete | | Accepted |
| 7905-1 | Neville Chemical Company | PaveBrite | | Complete | | No Status |
| 0505-6 | Newton Construction | "Jiffy Clip" - Plastic re-bar fastener. Nylon and Poly Propylene. | | Complete | | Accepted |
| 0307-5 | Nilex Corporation | "GeoRidge" A permeable plastic berm used in sediment control. | | Complete | | No Application |
| 1509-1 | Nomaco | "Nomaflex" - Nomaflex is a semi-rigid expansion joint filler for concrete construction, made with closed-cell polypropylene foam that provides superior moisture resistance and compression recovery as compared to asphalt-impregnated fiberboard, and is more rigid and less costly than sponge rubber or cork. Nomaflex is compatible with all known concrete joint sealants and generally offers a lower installed cost as compared to other expansion joint materials. | | | | Action Pending |
| 0707-1 | Nordloh Industries LLC | "AutoBlanket® Staple" - | | Complete | | No Application |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 0605-15 | North American Green | "SedimentSTOP" - Composed of 70% straw and | Complete | | No Application |
|---------|--------------------------|--|---|---|---------------------|
| 0003-13 | Notal Allerical Green | 30% cononut fibers evenly distributed between two jute nettings. | Complete | | |
| 0511-4 | North American Green | "P550" - Permanent, ultra high strength, three- dimensional matting structure incorporated with a 100% polypropylene fiber matrix, swen together on 1.5 inch centers. | Complete | - | Accepted |
| 0302-3 | North American Green | "P550 Composite Turf Reinforcement Mat" | Complete | | Accepted |
| 9408-2 | North American Green | North American Green C350 (Channel liner for erosion control and turf reinforcement.) | Complete | | Accepted |
| 0010-6 | Northwest Pipe | Poz-Loc Slip Base , Socket System | Complete | | No Application |
| 0010-5 | Northwest Pipe | SQ Post galvanized slip-base system | Complete | | Accepted |
| 0704-5 | NPC | "Flex-Rib Frame-Chimney Seal" - Rubber sleeve and stainless steel bands are expanded into place between the manhole frame and cone forming a permanent monolithic, watertight, flexible seal, effectively blocking all infiltration. | Complete | | Withdrawn/No Action |
| 1503-1 | NUCOR STEEL MARION, INC. | "NU-GUARD-31 GUARDRAIL BARRIER SYSTEM" - A 31" roadway barrier system consisting of steel components, including metal beam guardrail, u-channel posts, and connection hardware. | Office of Design Policy and Support- Beau Quarles- bquarles@dot.ga.gov | | No Application |
| 0910-3 | NUCOR Steel Marion, Inc. | "+NU-GUARD™ 27" | Complete | | Accepted |
| 0505-3 | Nyloboard, LLC | "Nyloprime" - Composite board made from recycled material and synthetic polymers. | Complete | | Withdrawn/No Action |
| 9806-1 | Nyloplast America Inc., | "Nyloplast" PVC Drainage Inlets and Drain Basins | Complete | | Accepted |
| 9312-2 | Nyoplas USA, Inc. | Nyplast Engineered Surface Drainage Products (Drain Basin, Catch Basin, & Surface Drainage) | Complete | | Accepted |
| 9605-7 | O.I.T. International | Dallas Roadway Product (Road Stabilization treatment) | Complete | | No Application |
| 0705-5 | Off the Wall Products | "Multi-Barrier MB42x45 LCB and MB42x72 JSS LCB" - Multiple interconnected polyethylene units | Complete | | No Application |
| 7707-4 | Old North Mfg. Co. | On-Flex | Complete | | No Status |
| 9909-2 | Oldcastle Precast | Waffle Box, Precast drainage structure | Complete | | Accepted |
| 9705-1 | Oldcastle Precast Inc. | Bebo | Complete | | Approved |
| 0705-3 | Oldcastle Precast, Inc. | "Split Box Action - Type I" - Two piece precast box culvert. | Complete | | Accepted |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

ee Status / Progress

Paid Report

| 0011-5 | Omega Paving & Construction,LLC | International Enzymes "Pave Zyme" | | Complete | | Withdrawn/No Action |
|--------|---------------------------------|---|-----------------------|---|---|--|
| 1509-2 | OMNTEC Mfg. Inc. | "OMNTEC" - Fuel Inventory, Leak Detection, Overfill and Control solution. | | | | No Application |
| 1312-3 | Onward Chemicals Pvt Ltd | "Fibrex™" Wire fibers to be used in concrete. | | Complete | | No Application |
| 9508-3 | Optimix, Inc. | Optimix Cold Patch | | Complete | | Withdrawn |
| 0104-5 | Orange Products, Inc. | Orange Slicker | | Complete | | Withdrawn/No Action |
| 0802-4 | Organic Growing Systems, Inc. | "TOP 4-2-2" Top Organic Fertlizer | | Complete | | Withdrawn/No Action |
| 1307-5 | OTW Safety | "MB42x72 JSS LCD" Longitudinal Channelizing Device / barrier that is blow molded HDPE plastic - Type 1 barricades | ł | Complete | | Withdrawn/No Action |
| 1307-4 | OTW Safety | "MB42x45 LCD" Longitudinial channelizing device / barrier that is blow molded HDPE plastic type 1 or 2 barricades | 1 | Complete | | Withdrawn/No Action |
| 1306-3 | OTW Safety | "OTW Safety Model MB350 Barrier" | | Complete | | Accepteded |
| 1310-5 | Owens Corning | "TruPave Engineered Paving Mat" Roadway underlayment fabric | Fee / See Comments | Office of Materials and Testing-Brennan Roney- broney@dot.ga.gov | | Field Test - Note date last spoken too. Field Test |
| 0405-8 | Owens Corning/Trumbull | "TruPave Paving Mat" is used to enhance the performance of the pavement by retarding reflective cracking and alligatoring. 60% fiberglass and 40%polyester Fabric | - | Complete | | Withdrawn/No Action |
| 9408-1 | Pacific Dia Metals Inc. | Ground-In Indention Rumble Strips | | Complete | | Accepted |
| 1004-7 | Paragon Noise Barriers | "Noise-D-Fence" | | Complete | | Accepted |
| 9710-3 | Parker International Ltd. | Radcon Formula #7 | | Complete | | No Application |
| 9710-2 | Parker International Ltd. | Radcote Mineral Silicate Paint | | Complete | | Withdrawn |
| 0307-7 | Pavetech International | "Pavecrete (concrete gray) repair material" Repairing cracking mid-slabs, thin bond repairs and uneven pavements. | - | Complete | | Withdrawn/No Action |
| 0307-6 | Pavetech International | "MasticOne" Polymer Mastic repair material. | | Complete | | Withdrawn/No Action |
| 0207-1 | Pavetech International | "Matrix 502" (Asphaltic Plug Joint) | | Complete | - | No Application |
| 0206-2 | Pavetech International | "ISAC (Interlayer Stress Absorbing Composite)" | | Complete | | Withdrawn/No Action |
| 9507-3 | Pavetech International | Matrix CMX | | Complete | | Withdrawn |
| 9506-7 | PaveTech International | Matrix 502 (Bridge Joint System) | | Complete | | Withdrawn |
| 0806-9 | Paveway Construction Inc. | Paveway STS | | Complete | | Withdrawn/No Action |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 1206-2 | Paveway Systems, Inc. | "Paveway Systems, Inc." Decorative asphalt or concrete overlay broadcast aggregate system for crosswalks | Fee / See Comments | Complete | Allow the use |
|--------|---|--|---------------------------|----------|-------------------------|
| 0908-2 | Pavon Corporation | "Paveon Joint Sealant" | | Complete | Withdrawn/No Action |
| 0203-5 | Pecora Corporation | Pecora 301 | | Complete | Accepted |
| 7911-1 | Pecora Corporation | Silicone Sealant | | Complete | No Status |
| 0607-1 | Pelletized Straw, LLC | "Hydrostraw" - Hydroseeding mulch with a specially formulated composition of natural or recycled straw fiber, tackifier and other additives; these materials are free from plastic materials or other non bio-degradable substances. | - | Complete | Withdrawn/No Action |
| 0602-2 | Penda Corporation | "Smart Ditch" - Thermoformed HOPE Plastic Ditch Liner in 7.5-8.0 foot lengths in various sizes and profiles. | | Complete | No Application |
| 9606-7 | Pennzoil Products Co. | PennzSupress D | | Complete | No Application |
| 1210-1 | PennzSuppress Corp. | "PennzSuppress" Soil Compaction increased. | Company / See Comments | Complete | Withdrawn/No Action |
| 1210-1 | PennzSuppress Corp. | "PennzSuppress" | | Complete | Allow the Use |
| 9509-4 | Percol Polymers | Elastic Cement | | Complete | No Application |
| 9509-3 | Percol Polymers | Alligator Glue | | Complete | No Application |
| 9509-2 | Percol Polymers | Concrete Healer | | Complete | No Application |
| 9807-1 | Permalok Corporation | Permalok Steel Pipe | | Complete | Accepted |
| 7804-1 | Permite Corp. | Phenoxy Zinc Rich Primer | | Complete | No Status |
| 1009-1 | PEXCO LLC - DAVIDSON TRAFFIC CONTROL PRODUCTS | FG300 Vertical Panel | | Complete | Not a new product |
| 1004-2 | PEXCO LLC - DAVIDSON TRAFFIC CONTROL PRODUCTS | "Butterfly Guardrail Reflector Button or Glue on" | | Complete | No Application |
| 1001-4 | PEXCO LLC - DAVIDSON TRAFFIC CONTROL PRODUCTS | "U-Flex 26"" | | Complete | Rejected |
| 0911-3 | PEXCO LLC - DAVIDSON TRAFFIC CONTROL PRODUCTS | "O-FRAME BARRICADE" | | Complete | No Application |
| 1306-1 | Philpott Rubber | "Cloth Inserted Abutment Rubber" | | Complete | No Application |
| 1605-1 | Phoscrete Corporation | "Phoscrete HC" - Phoscrete HC with MALP + Technology is a fiber-reinforced cementitious material designed for horizontal and form-and- pour concrete repairs. | | | New |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 0104-1 | Piedmont National Corporation/ 3M company/Bonding Systems Div. | 3M VHB Acrylic Foam Tape | Complete | Accepted |
|--------|--|--|--------------|-------------------------|
| 0903-2 | Piedmont Precast | "Redi-Rock Retaining Walls" | Complete | Accepted |
| 9605-2 | Pilecap, Inc. | Underwater Encapsulating System | Complete | No Application |
| 9905-1 | Piling Accessories Inc. | Piling Accessories Coupler | Complete | Withdrawn/No Action |
| 9501-7 | Plant Block Design Int. | Plant Block | Complete | Accepted |
| 1311-4 | Plastic Safety Systems, Inc. | "RoadQuake™ Temporary Portable Rumble Strip & RoadQuake 2-Folding Temporary Portable Rumble Strip" | Complete | Approved |
| 1104-3 | Plastic Safety Sytems, Inc. | "SafetyRail™" | complete | Accepted |
| 0908-6 | Plastic Safety Sytems, Inc. | "RoadQuake™ Temporary Portable Rumble Strip" | Complete | Accepted |
| 0502-1 | Plastic Safety Sytems, Inc. | "BAM™ Delineator" - A delineator created for installations where impacts are probable. | Complete | No Application |
| 0803-1 | Plastic Solutions, Inc. | "StormRax" - | Complete | No Application |
| 9607-1 | Poly Systems, Inc. | Culvert Renew | Complete | Accepted |
| 0007-2 | Polybackfill, Inc. | StructureSet | Complete | Accepted |
| 1202-1 | POLY-CARB, INC. | "POLY-CARB's MARK-55.9" | Complete | Rejected |
| 0405-3 | Poly-carb, Inc. | "Mark 77-3" is a permanent Anti-Graffiti System for concrete substrates made of Epoxy Urethane System. | Complete | Accepted |
| 0809-1 | Polycon Manufacturing | "Polycon PCMO (E-Krete)" | Complete | Withdrawn/No Action |
| 0212-1 | Polymer Group Inc. | "Strus 90/40" Unique fiber blend used for structural reinforcement in concrete. | Complete | Withdrawn |
| 1011-1 | Polytorx, LLC | "Helix" | Complete | Withdrawn/No Action |
| 0303-1 | Poly-Triplex Technologies, Inc. | "Poly-Triplex Liner System" CIPP for the rehab.of culvert pipe, manholes, pump stations, etc. | Complete | Accepted |
| 9705-3 | Port City Pipe, Inc. | American Hwy. Products Steel Expandable Manhole Risers | Complete | Accepted |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

ee Status / Progress

Paid Report

| 1404-5 | Potters Industries | "ULTRAGUARD" - A safety barrier line marking system. The intent of this system is to safely and efficiently apply 6-inch wide reflective paint lines on a vertical surface such as concrete bridge wall, Jersey barrier / K-rail traffic dividers, temporary barriers, moveable barriers, and/or W-beam/Tribeam/Box-beam guard rails. It may also be used for marking curbs, round-about, berms, etc. | | Complete | No application |
|---------|--|---|-------------------------|--|-------------------------|
| 0808-2 | Potters Industries | "VISIMAX-GLOMARC" | | Complete | Accepted |
| 8004-1 | Preco Industries, LTD | Plastic Rebar Chairs (Supports) | | Complete | No Status |
| 7912-3 | Preco Industries, Ltd. | Spiral Spacer | - | Complete | No Status |
| 1201-3 | Premier Construction Products Group | "PREVent-C shrinkage-reducing admixture" | 1 year after install | Office of Materials and Testing-Peter Wu- pwu@dot.ga.gov Office of Materials and Testing- JayPage-jpage@dot.ga.gov | Allow the use |
| 0605-13 | Premier Plastics, Inc. | "Road Runner Barricade" - The R-UT 66 "Road Runner" is a night weight plastic Type II barricade. | | Complete | No Application |
| 0210-10 | Prime Resins, Inc. | "Fast Fix 10" Rapid Setting Concrete Spall polyurethane repair material. | 1 | Complete | Withdrawn/No Action |
| 1505-5 | Prism Lighting Services, LLC | "Prism Lighting Services, LLC" - One person can raise the PIL with metal halide lamp (1000W equivalent to 95000 lm of brightness) to a height of up to 4.5 meters (15 feet), without using a metallic structure, in order to allow illumination over a vast area, in just a few seconds. | | Office of Construction-Andy Lindsey- alindsey@dot.ga.gov | Allow the Use |
| 0311-5 | Prismo USA Inc.'s (Formally Jarvis USA (Formally represented by Pavetech International)) | "Tyregrip" product that is an epoxy used to adhere small rock to the roadway surface for calming and road surface change warning purposes. | | Complete | Site Specific |
| 9707-1 | Proactive Environmental Research | Lead XTM (Lead abatement additive for sandblasting) | | Complete | Withdrawn |
| 1401-1 | Professional Pavement Products, Inc. | "Median-Alert" Black and yellow curb enhancer to help delination. | | Complete | Allow the use |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 1510-1 | Profile Products LLC | ID O Distis O - II Massis (BONATM) | | | | Allow the Us |
|---------|---|---|-----------------------|---|----------|---|
| | Trome Troducts LEG | "ProGanics™ Biotic Soil Media™ (BSM™) - ProGanics is a hydraulically applied product that is designed as an alternative to topsoil to accelerate development of depleted soils/substrates with low organic matter, low nutrient levels and limited biological activity. This Engineered Soil Media™ (ESM™) helps unleash soils to their fullest potential for vegetative establishment and more effective erosion control. ProGains is non-toxic with bark and wood fibers that have been phytosanitized to eliminate potential weed seeds and pathogens - prior to the introduce tion of soil building components. | | | | |
|)60E 14 | Profile Products LLC | "Terra-Tubes" - Engineered composite of | | Complete | | Withdrawn/No Action |
| 0605-14 | FIGHE FIGURES ELC | thermally refined wood fibers, man-made fibers and performance-enhancing polymers encased within cylindrical tubes composed of a heavy duty, knitted high density polyethylene meshes. | | Complete | | windrawith World |
| 1306-4 | Proflect LLC | "Proflect 360, Proflect 180, Proflect " reflective sheeting that is placed infront of the sign post | | Complete | | Allow the Us |
| 0512-4 | Propex Fabrics, Inc. | "Action Gro, Style 4865" - Polypropylene open weave fabric. | | Complete | | No Applicatio |
| 0512-3 | Propex Fabrics, Inc. | "PetroGrid, Style 4582" - Composite glass fiber grid and fabric pavement interlayer. | | Complete | | No Applicatio |
| 1104-1 | Prosoco, Inc. | "Sure Klean® Weather Seal Blok-Guard® & Graffiti Control | | Complete | | Accepted |
| 9609-1 | Protection Services Inc. | Big Foot Self Ballasting Channelizer | | Complete | | Accepte |
| 3001-1 | Proven Products, Inc. | PVC Flexo Post | | Complete | | No Statu |
| 1501-1 | Purus Plastics GmbH/Purus North America | "Ecoraster" - Ecoraster is a ground reinforcement and stabilization product with many cross industry utilizations. | | Complete | o Applio | cation Project to Projec |
| 0705-7 | QPC Fiber Optic, Inc. | "Stinger Modular System" - | | Complete | | Accepte |
| 1310-6 | Quantum Polymer Composites, LLC | "Ecorphalt" - Asphalt polymer modified. | Fee / See Comments | Office of Materials and Testing-Peter Wu- pwu@dot.ga.gov, Office of Materials and Testing, Sheila Hines-shines@dot.ga.gov | ##### | Field Test (passed lab testing) Lab Test Completed. Suggested to manufacturer to work with contractor |
| 0210-3 | R. C. Flagman, Inc. | "Remote Control Flagman" | | Complete | | No Application |
| 9811-2 | R. Hart Sales (Tri-America) | TA-500, Asphaltic emulsion sealant for detection loops | | Complete | | No Applicatio |
| 0204-14 | R. J. Watson | Unr-Tron Joint Sealant | | Complete | | Withdrawn/No Actio |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 0204-13 | R. J. Watson | Tron-Flex Elastomeric Concrete | - | Complete | | Withdrawn/No Action |
|---------|--|--|---|---|---|---------------------|
| 1206-5 | R.E.L.L. Corporation | "Type III Solid Manhole Riser" | | Complete | | Rejected |
| 1206-4 | R.E.L.L. Corporation | "Type II Solid Manhole Riser" | | Complete | | Rejected |
| 9601-2 | R.J. Watson Inc | Silicoflex Joint Sealant | | Office of Bridge Maintenance-Clayton Bennett- cbennett@dot.ga.gov Complete | | Withdrawn |
| 9808-1 | R.J. Watson Inc. | Pitchmastic P.L.C. PmB Water Proofing Membrane. (Spray on waterproofing membrane for concrete.) | 1 | Complete | | No Application |
| 0602-1 | R.J.Watson, Inc. | "Zedseal" - Co-Polymer Foam Expansion Joint Seal | - | Complete | | Withdrawn/No Action |
| 0902-4 | Radarsign, LLC | "Radarsign" | | Complete | | No Application |
| 7902-1 | Radcon Industries, Inc. | Radcon #7 | - | Complete | | No Status |
| 0410-2 | RAI Products | "Pro-Seal 6006" Loop Sealant | | Complete | | Accepted |
| 0108-4 | Raod Kare Ltd (Astucio (UK) | Asticio Solar Lite Intelligent Road Stud | | Complete | | Withdrawn/No Action |
| 0108-3 | Raod Kare Ltd (Astucio (UK) | Astucio Intelligent Flush Stud | | Complete | | Withdrawn/No Action |
| 1109-2 | Rausch Electronics USA, LLC | "Quick-Lock Point Pipe Repair System" | | Complete | | Project to Project |
| 0402-2 | Rayonier, Inc. | "Rayloam" is a stable organic product developed from "aged" primary sludge from the pulp making process that can be applied in road and highway construction projects where control of erosoin and management of stormwater runoff is desired and required for stablizing disturbed land areas of constructions sites before discharging directly into Georgia streams and water bodies. | ı | Complete | 1 | Withdrawn/No Action |
| 0004-1 | Recycled Rubber Resources, LLC | DURO-Trim | - | Complete | | Withdrawn |
| 0405-9 | Redmond Minerals | "Meltdown 20" is a high performance - low corrosive granular road deicer. Melts ice and snow extremely fast, melts to zero degrees, requires low spread rates. A food-grade liquide deicer and corrosive inhibitor. | | Complete | | Withdrawn/No Action |
| 1008-4 | Reeves Construction Company | "Fibermat - Crack Inhibiting Membrane" | | Complete | | Rejected |
| 0706-3 | Reflexite Americas | "Reflexite Resilience Channelizer Tape" - | | Complete | | Accepted |
| 9908-1 | Reflexite North America/Eastern Metal Sign | Roll Sign | | Complete | | Withdrawn |
| 7812-1 | Reichhold Chemicals, Inc. | ThermoFlex | | Complete | | No Status |
| 1001-7 | Reline America, Inc. | "Blue Tek" | | Complete | | Withdrawn/No Action |
| 7703-2 | Republic Steel Corp. | High Strength Quick Setting Concrete | | Complete | | No Status |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 9708-2 | Resist-A-Chem | Resist-A-Chem 7022F Microsilica Modified Concrete | | Complete | | Accepted |
|--------|-------------------------------------|--|-----------------------|----------|---|---------------------|
| 9708-1 | Resist-A-Chem | Resist-A-Chem 7021F Microsilica Modified Concrete | | Complete | | Withdrawr |
| 7805-1 | Revere Chemical Corp. | Miracle Seal | | Complete | | No Status |
| 0206-3 | Rhino Safety Barriers, LLC | "Rhino Barriers" | | Complete | | Accepted |
| 9604-2 | Rhone-Poulene, Inc. | Sipomer HS-LV (Primer for polyester concrete overlay) | | Complete | | No Application |
| 0007-1 | Rib LOC Pipe line Technologies | Expandapipe | | Complete | | Accepted |
| 1301-2 | RJ Watson, Inc. | "Polytron Elastomeric Concrete" | Fee / See Comments | Complete | | Withdrawn/No Action |
| 9605-4 | RJD Industries | Splice Seal (Concrete Reinforcement Protection System) | | Complete | | No Application |
| 0110-6 | Road Products, Inc. | Zelflex | | Complete | | No Application |
| 9804-1 | Road Systems Inc. | Fleat 350 Flared Energy Absorbing Terminal | | Complete | | Accepted |
| 9709-2 | Road Systems Inc. | SKT-350 Sequential Kinking Terminal | | Complete | | Accepted |
| 0210-8 | Road Systems, Inc. | "Beat-SSCC, box beam bursting energy absorbing terminal" | | Complete | | No Application |
| 9802-4 | Road Techs Inc Now CR Services, Inc | Raod Flex and Road Patch Fiberscreed and Fibercrete Robert D. Emfinger | | Complete | | Accepted |
| 9602-6 | Road Ware Inc. | Flexible Sealant | | Complete | | No Application |
| 9602-5 | Road Ware Inc. | Flexible Cement II | | Complete | | No Application |
| 9602-5 | Road Ware Inc. | System 60 Bridge Joint System URESEAL 10 Minute Mender Flexible Cement II | | Complete | | Accepted |
| 9602-4 | Road Ware Inc. | 10 Min. Flexible Cement | | Complete | | Withdrawn |
| 9602-3 | Road Ware Inc. | 10 Min. Concrete Mender | | Complete | | No Application |
| 9812-1 | Roadbind America, Inc. | RB Ultra Plus | | Complete | | No Application |
| 9505-3 | Roadway Safety Service, Inc. | React 350 (Crash Cushion) | | Complete | | Accepted |
| 0710-1 | Robert Page/Commercial Fabrics | "C-P.O.P." CPOP- Type C Silt Fence. Product tested 4 different ways - plus Standard Type C - 1)GDOT approved type C Fabric, Polypropylene netting, wooden post 4' center 2" x 2" 2)Same as above (difference is wood post (1.75" x 1.75") 3)GADOT fabric, polypeopylene netting, 4' x 1.25 steel post. | - | Complete | - | Accepted |
| 0011-3 | Rolanka International | Water Save Polymers | | Complete | | Allowed |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 0011-2 | Rolanka International | BioD Weed Mat | | Complete | | No Application |
|--------|-----------------------------------|---|---|----------|---|---------------------|
| 0011-1 | Rolanka International | BioDWatl & Bio D-Roll | | Complete | | Accepted |
| 9403-3 | Rolanka International | Biod-Mat 70 | | Complete | | Withdrawn |
| 9403-2 | Rolanka International | Biod-Mat 90 | | Complete | | Withdrawn |
| 0701-1 | Rolanka International, Inc. | "Bio-D-SiltCheck™" - Check dam/ditch check/sediment barrier made of 100% biodegradable coconut fiber. For more detail information, please see the attached package. | | Complete | | Withdrawn/No Action |
| 9409-3 | Roxford Fordell | Glare Screen | | Complete | | No Application |
| 0307-9 | Royston | "Rosphalt 50" Waterproofing system. | - | Complete | | Accepted |
| 7707-5 | Royston Laboratories, Inc. | UniDam | | Complete | | No Status |
| 9902-2 | Rubber Polymer Corporation | Rf 20/L:-17 Water Repellant | | Complete | | No Application |
| 0008-4 | Rubber Tough Industries, LLC | Rumble Strips | | Complete | | Withdrawn |
| 0008-3 | Rubber Tough Industries, LLC | Lane Maker | | Complete | | Accepted |
| 0311-3 | Rubber Wholesalers, Inc. | "Rubber Walk" A low impact previous rubber constructed from 100% recycled tire rubber, colored with an organic pigment and bonded with a single component MDI Urethane. | | Complete | | Site Specific |
| 0802-3 | Rumbling Highway Lines, LLC (RHL) | "Continuous integrated preformed plastic raised rumble strips (IPPRRS) in white or yellow)" | | Complete | | Withdrawn/No Action |
| 9802-5 | S.I. Storey Lumber Co. | Routed Timber Off set Block | | Complete | | Approved |
| 0208-4 | Safence, Inc. | "Safence" - Guardrail system (guardrail / tensioned wire rope barrier system) | | Complete | | No Application |
| 9504-2 | Safety Barrier Systems | Guardian Safety Barrier with 350 Highway Safety Kit. | | Complete | | Accepted |
| 0405-1 | Safety Barriers, Inc. | "Safety Barries's SB-1-TL Series" is a polyethethylene portable water ballasted barrier for workzone protection. | | Complete | | Accepted |
| 0206-4 | Safety Base, Ltd. | "Safety Base SB500 Series Breakaway Couplings" | | Complete | | No Application |
| 0209-1 | Safety Coatings, Inc. | "Loop Guard Four" | | Complete | | Accepted |
| 0602-3 | Safety Technologies | "Auto Flagger" | | Complete | | Project to Project |
| 9402-1 | SAIC | Falcon 2000 (Thermoplastic Powder Flame Spray) | | Complete | | No Application |
| 0911-2 | Saint-Gobain Technical Fabrics | "GlasGrid 8511TF" | | Complete | - | Withdrawn/No Action |
| 0910-1 | Sap-Seal Products, Inc. | "Sap Seal Caps" | | Complete | | No Application |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 0108-8 | Sargent Nutrients Inc. | Georgia Natural Compost | Complete | Accepted |
|--------|---------------------------------------|--|--------------|-------------------------|
| 1104-6 | Schock Bauteile GmbH | "Schock ComBAR" | Complete | Withdrawn/No Action |
| 0108-6 | Scrub Oak Technologies, Inc. | SAVA (Semi-Active Vibration Absorber) | Complete | No Application |
| 0105-5 | Seaboard Asphalt | Clippership SE-2000 Dustdown | Complete | Allowed |
| 1002-6 | Seaboard Asphalt Products Company | "Bond-X Green High Performance Cold Mix" | Complete | Project to Project |
| 0405-7 | Sealing Systems, Inc. | "Flex-Seal Utility Sealant" is to prevent inflow/infiltration in manholes or catch basins. Aromatic Urethane. | Complete | Withdrawn/No Action |
| 0405-6 | Sealing Systems, Inc. | "Infi-Shield" is an external seal that prevents infiltration in the grade adjustment ring area or joint section. EPDM rubber with non-hardening buytl mastic | Complete | Withdrawn/No Action |
| 0305-3 | SealMaster/Atlanta | "Liquid Road" Bituminous surface treatment for secondary roads, residential streets, country roads, and as a premium surface coating on off street darking areas. High solids polymer fiber. | Complete | Withdrawn/No Action |
| 0305-2 | SealMaster/Atlanta | "Master Seal" Clay Stabilized mineral Filled Asphalt emulsion pavement sealer. Clay stabilzed asphalt emulsion. | Complete | Withdrawn/No Action |
| 0508-3 | Secure Piers, LLC | "Helipost" - Is a 100% hot-dipped galvonized steal foundation that is torque-driven in the soil ready for load bearing. | Complete | Withdrawn/No Action |
| 0005-1 | Sekisui Jushi Corporation | Linear Pointer | Complete | Withdrawn/No Action |
| 0706-1 | Sekisui SPR Americas, LLC | "Spiral Wound Pipe Renewal" | Complete | Project to Project |
| 0704-2 | Seminole Precast Manufacturing, Inc. | "Temporary Low Profile Traffic Curb" - 27"W X 18"H x 144"L | Complete | No Application |
| 1102-4 | Sensys Networks | "Sensys Wireless Vehicle Detection System" | Complete | Withdrawn |
| 1012-1 | Sensys Networks | "Sensys Networks WVDS240" | Complete | Withdrawn/No Action |
| 0103-2 | Serrot Paving Products/ Polycon, Inc. | OSR-2000 | Complete | No Application |
| 0103-1 | Serrot Paving Products/ Polycon, Inc. | BD-2000 | Complete | No Application |
| 1311-2 | SES America, Inc. | "M5000" Series of small size Dynamic Message Sign specifically designed for toll indicators and travel time. | Complete | Not a New Product |
| 7705-1 | Shakespear | GALAXY | Complete | No Status |
| 0406-1 | Shakespeare Composite Structures | "Shakespeare Composite Structure" is a road lighting and luminary support. Fiber reinforced composites. | Complete | No Application |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

ee Status / Progress

Paid Report

| 1001-1 | Shell Canada, Ltd. | "Shell Thiopave™" | | Complete | Rejection |
|--------|--|---|---|----------|-------------------------|
| 9802-3 | Sherman Concrete Pipe | I.E.C.S. Concrete Gabions | | Complete | Withdrawn/No Action |
| 1411-3 | Sherwin-Williams (Memphis and Baltimore) | "TM2560 Durable High Build WB Traffic Paint - White" - Fast Drying Durable High Build Waterborne Traffic Paint. | | Complete | Accepted |
| 1411-2 | Sherwin-Williams (Memphis and Baltimore) | "TM2561 Durable High Build WB Traffic Paint - Yellow" - Fast Drying Durable High Build Waterborne Traffic Paint. | | Complete | Accepted |
| 1604-7 | Shur-Tite Products | "SHUR-TITE Concrete Traffic Barrier "Cup Mount" Delineator (Item SC1408/SC1417)" - The SHUR- TITE CTB Mount Delineator is a field proven, 8" or 17" tall, impact resistant recycled composite material delineator for mounting on concrete traffic barriers. | | | New |
| 1604-6 | Shur-Tite Products | "Shur-Curb Traffic Separator (Item SF0200)" - Shur-Curb Traffic Separator utilizes our proved Shur-Flex Sq2Rd Insert; a sturdy, non-metallic, one component piece that holds up to the rigors of roadway abuse. The curb is made from a proven, durable thermoplastic composition designed to last years in the field. It features quick and easy delineator post change-outs when necessary and is available in various post heights. Each Curb is supplied with two each - 3M raised pavement markers and can be bolted or epoxied to the road surface. Can be made in yellow or white. | | | New |
| 0904-3 | Shur-Tite Products | SHUR-TITE Guardrail Post Flat Maount Delineator (Item # SF2752) | | Complete | Accepted |
| 9811-3 | Sign Socks, Inc. | SIGNSOCK " Road Sign Covers | | Complete | Accepted |
| 0205-1 | Sign Support System Corporation | "Break Out" | | Complete | Withdrawn/No Action |
| 9507-5 | Signfix, LTD | Signfix | | Complete | No Application |
| 9605-8 | Sika Corp. | Sikagard 3020 Armatec (Corrosion inhibitor for rebar in concrete bridges) | | Complete | No Application |
| 1108-5 | Sika Corporation | "Sikatard 440" | - | Complete | Not a new product |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field

Status / Progress

Paid Report **Evaluation** Silt Saver "Silt Saver TLW10/15/22 Weighted Sediment Complete

| | | Retention Log" - A weighted Sediment Retention Log. The outside sleeve is made of the Silt Saver® high visibility, high flow material, which is utilized on the other Silt Saver products. Handles are provided on each end of the sleeve and 5 lbs. sand bags are inserted within the device for additional stability. The inner core filter media is pine straw. Pine straw has excellent flow, repels mold and does not absorb water. | | | | |
|--------|------------------|--|-----------------------|--|---|----------------|
| 1504-6 | Silt Saver | "Silt Saver LPS600A DOT/HF" - The Frame & Filter, as presented, is 16" high, 42" wide, and 42" Long. It has the same design as the current Silt Saver Frame & Filter (R100A & S200A). The frame & filter is made utilizing the same materials as the currently approved Silt Saver assembly. The frame is formed from the HMWPE material and the filter is made with our gray high efficient fabric and the green high flow fabric. | | Georgia Soil and Water Conservation Commission, Ben Ruzowicz-bruzowicz@gaswcc.org Office of Construction-Andy Lindsey-alindsey@dot.ga.gov; Office of Environmental Compliance-Daryl Williams- darylwilliams@dot.ga.gov | \$1000 Chec k Recei ved for 1504- 5 and 6 | Field Test |
| 1504-5 | Silt Saver | "Silt Saver LPR500A DOT/HF" - The Frame & Filter, as presented, is 16" high, 30" wide, and 46" long. It has the same design as the current Silt Saver Frame & Filter (R100A & S200A). The frame & filter is made utilizing the same materials as the currently approved Silt Saver assembly. The frame is formed from the HMWPE material and the filter is made with our gray high efficient fabric and the green high flow fabric. | | Georgia Soil and Water Conservation Commission, Ben Ruzowicz-bruzowicz@gaswcc.org Office of Construction-Andy Lindsey-alindsey@dot.ga.gov; Office of Environmental Compliance-Daryl Williams- darylwilliams@dot.ga.gov | \$1000 Chec k Recei ved for 1504- 5 and 6 | Field Test |
| 1312-2 | Silt-Saver, Inc. | "Pipe Stopper" Product to be placed in Pipe inlets to stop sediment form leaving construction site. | Fee / See Comments | Complete | | Allow the Use |
| 1311-5 | Silt-Saver, Inc. | "Staged Release Silt Fence (SRSF)" Silt fence with different stage flow fencing that is black and yellow green. | | Complete | | Rejected |
| 0610-3 | Silt-Saver, Inc. | "SS-800 Curb & Grate Inlet Filter Device" - Curb & Grate Inlet Protection Device | 1 | Complete | | No Application |
| 0610-2 | Silt-Saver, Inc. | "SS-300 Curb Inlet Filter Device" - Curb Inlet filters utilize heavy duty interconnected polymeric coils to support a highly effective non-woven polyester filter. | | Complete | | No Application |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 0610-1 | Silt-Saver, Inc. | "SS-400 Pedestal Top Inlets" - Inlet protection for | | Complete | | No Application |
|--------|------------------------------------|---|---|----------|-----|---------------------|
| 0040.5 | Cilt Course Inc | pedestal top inlets. "Belted Silt Retention Fabric" | | Complete | | Reject |
| 0210-5 | Silt-Saver, Inc. | | | <u>'</u> | | · · |
| 0610-4 | Silt-Saver, Inc.'s | "SS-500 Bottom Drain Attachment" - Temporary sediment basin filtration system. Bottom drain attachment works in conjunction with the SS-100A Silt-Saver Frame & Filter. When combined makes a sealed storm water filter draining from the bottom. | - | Complete | | No Application |
| 1104-2 | SiltShield LLC | "SiltShield" | | Complete | | Withdrawn/No Action |
| 9907-1 | Singleton Construction | The Silt Saver | | Complete | 1 1 | Accepted |
| 7912-4 | Skyline Structures | Steel Strain Pole | | Complete | 1 1 | No Status |
| 0202-2 | SMI Steel-Southern Post Company | T-Post | | Complete | 1-1 | No Application |
| 1411-1 | SNF Inc. | "Aquasorb KB" - Superabsorbent anionic polyacrylamide polymer. It is a crosslinked copolymer of acrylamide and potassium acrylate that is water insoluble. | | Complete | | Allow the Use |
| 9512-3 | Soil Bond International | Clay Pack (Primary sub-grade material) | | Complete | - 1 | No Application |
| 1312-1 | Soil Retention Products, Inc. | "Drivable Grass®" A permeable, plantable, flexible concrete pavement system for parking lots, fire access, culvert outlets, walking paths, and access easements. | | Complete | | No Application |
| 0312-1 | Soilworks LLC | "Soilworks LLC" soil stabilization and dust control on unpaved roads, parking lots, mine tailings, construction sites, driveways, trails, etc. | | Complete | | Accepted |
| 0608-1 | Soilworks, LLC | "Durasoil® Synthetic Organic Dust Control" - Durasoil is an environmentally safe clear liquid engineered for dust control. It can be applied in any condition. | | Complete | | Accepted |
| 1401-2 | Solar Bright Limited | "Solar Bright Limited" Black ice reflective pavement marker (rpm) unit | | Complete | | No application |
| 1209-1 | Solar Cap Lighting (Infinity Inc.) | "YH-DD1 Solar Roadway Marker" Solar powered road safety marker. | | Complete | | No Application |
| 9806-3 | Solar Outdoor Lighting, Inc. | Solar powered lighting for highway signs | | Complete | | No Application |
| 0207-3 | Sound Fighter Systems, LLC | "LSE Noise Barrier Wall System" | | Complete | | Accepted |
| 0311-1 | Southeast Culvert, Inc. | "Polymer Coated Corrugated Steel Pipe" Thick polymer coating laminated to both sides of the steel sheet. | - | Complete | | Accepted |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 0010-2 | Southeast Resins, Inc | Final Fixx CRS (Concrete Repair Systems) | | Complete | No Application |
|--------|--|---|---|----------|-------------------------|
| 0203-7 | Southeast Resins, Inc. | SR-2000 Concrete Repair | | Complete | Accepted |
| 1004-3 | Southern Manufacturing | "Internally Illuminated Street Name Sign All LED Models" | | Complete | Accepted |
| 1604-5 | Southern Manufacturing and Fabrication | "ITS Commander" - Remote Power Management system, designed to improve system reliability. Promptly sends signals of any abnormalities thus allowing routine monitoring and providing ability to remotely control outlets to reboot equipment. | | | New |
| 9805-1 | Southern Pine Lumber Company | American Ecoboard, Inc. | | Complete | Withdrawn/No Action |
| 9506-6 | Southern Precast Inc. | Hy-Span™ Bridge System (Culverts) | | Complete | Accepted |
| 9610-2 | Southwestern Pipe, Inc. | Poz-Loc® Slipbase System | | Complete | No Application |
| 9901-1 | Specialty Materials (Chem-Lime, Cheney Lime) | Lime Kiln Dust | | Complete | Accepted |
| 9505-1 | Sport Court, Inc. | Sport Court of the South (Sports Flooring) | | Complete | No Application |
| 1003-7 | Spot Devices Inc. | "Rack Mount Network Controller Model SC320RM" | | Complete | No Application |
| 1003-6 | Spot Devices Inc. | "Flashing LED Sign - Model SB420" | | Complete | Project to Project |
| 1003-5 | Spot Devices Inc. | "Rectangular Rapid Flashing Beacon - Model SB430" | | Complete | Project to Project |
| 1003-4 | Spot Devices Inc. | "Round Beacon-Spot Device Model SB410" | | Complete | Project to Project |
| 1003-3 | Spot Devices Inc. | "SC315 Network Controller" | | Complete | No Application |
| 1003-2 | Spot Devices Inc. | "In-Road Warning Light - Spot Device Model RS320" | | Complete | Project to Project |
| 1003-1 | Spot Devices Inc. | "SC320 Network Controller" | | Complete | No Application |
| 9506-8 | Spotflex USA Inc. | Spotflex (Permanent Pavement Markings) | | Complete | Withdrawn |
| 1404-3 | Sprayroq, Inc. | "SprayWall" - A two part polyurethane resin chemistry that can be applied for corrosion protection or structural rehabilitation of underground infrastructure. | | Complete | No Application |
| 0008-2 | SSL | MSE Plus, Retaining Walls | - | Complete | Withdrawn/No Action |
| 1303-2 | SSL, LLC | "MSE Plus Wire Walls" | | Complete | Project to Project |
| 1303-1 | SSL, LLC | "MSE Plus Panel Walls" | | Complete | Rejected |
| 0908-5 | S-Square Tube Products | "NEX® Sign Post System" | | Complete | Accepted |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 0212-6 | S-Square Tube Products | "New Mailbox System." Single, double, & multiple mailbox support. | | Complete | | No Application |
|--------|--|--|--------------|--|---|---------------------|
| 0101-3 | S-Square Tube Products | Nex Sign Support System | | Complete | | No Application |
| 0511-5 | St. Gobain Tech. Fabrics | "Glasgrid" - The reinforcement mesh is a black knitted, glass fiber strand grid, coated with an elastomeric polymer with a self-adhesive backing. The mesh nominal opening size is either 0.5" x 0.5", or 1" x 1". | 1 | Complete | | No Application |
| 1011-4 | Stallion Systems, Inc. | "Lane Sensor System" | | Complete | | Withdrawn/No Action |
| 0011-8 | Standard Concrete Products, Inc | Right of Way Markers | | Complete | | Accepted |
| 0011-7 | Standard Concrete Products, Inc | Pre-cast Concrete Temporary Barrier | | Complete | | Withdrawn |
| 0011-6 | Standard Concrete Products, Inc. | Pre-Cast Grade Rings for Grade Adjustments | | Complete | | Withdrawn |
| 0304-1 | Star Inc. | "Star Macro-Deck" Sealant for all types of concrete. | | Complete | | No Application |
| 0311-2 | Statewide Road Construction | "Universal Land Mat" A mat constructed of used truck tire treads used as a construction exit to prevent tracking of mud, dirt, debris, etc. onto public highways. | | Complete | 1 | No Application |
| 9510-3 | Stonhard, IncEpoplex Division | EPOPLEX LS5 (Traffic paint for concrete and asphalt) | | Complete | | Withdrawn |
| 1306-2 | Stopaq BV (part of Berry Plastics Corporation) | "Stopaq" "*Polyken VE*" | See Comments | Office of Materials and Testing-Brennan Roney- broney@dot.ga.gov Office of Bridge Design-Ben Rabun-brabun@dot.ga.gov | | Field Test |
| 1004-4 | Strata Systems, Inc. | "MicroGrid and StrataGrid (SG150, SG200, SG250, SG500, SG600, SG550, SG700) | | Complete | | Withdrawn/No Action |
| 9906-2 | Strongwell | Polycast / Pre-sloped Trench Drain System | | Complete | | Accepted |
| 0804-2 | Subac Underwater Cement | "Subac Underwater Cement" - Hand applied cement-based concrete for underwater applications | | Complete | | Withdrawn/No Action |
| 1603-1 | Sun Bright Coatings | "Skunk Rust" tm - Skunk Rust is a water-based, electrochemical, product that removes soluble salts and reacts with ferric oxide to produce an abrasion resistant and electrically inert surface. | | | | New |
| 0610-6 | Superior Products International II, Inc. | "Enamo Grip" - Two-part polyurethane enamel that forms a hard and durable coating film that demonstrates unsurpassed semi-gloss retention, color retention, and chalk resistance when used in exterior applications. | - | Complete | 1 | No Application |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Manufacturer Product Name / Description

Estimated Time Contact Info for Lab/Field

Evaluation

| 0610-5 | Superior Products International II, Inc. | "Moist Metal Grip" - Two-part epoxy designed for | | Complete | No Application |
|--------|---|---|-----------------------|---|---|
| | | application to wet or dry surfaces. Excellent adhesion epoxy that contains an anti-corrosive additive. | | | |
| 0102-4 | Superior Products International, Environmental Industrial Applied Coatings, Inc. (Old name:Coastal Coating Solutions) | Rust Grip | | Complete | Accepted & No Application |
| 7912-5 | Superior Products, Inc. | Super Seal III | | Complete | No Status |
| 1204-1 | Surtreat Holding LLC | "SURTREAT™ TPS II" | Fee / See Comments | Complete | Withdrawn/No Action |
| 1407-1 | SW FeeSaver dba SW Products | "The Marlee Float™ Skimmer" - Skimmer/surface drain for use in temporary sediment basins and permanent BMPs. | | Complete | Accepted |
| 0601-2 | Swarco Futurit Ges.M.B.H. | "LaneLight" - Led in pavement signalling device/system. | | Complete | Project to Project Site Specific |
| 9911-4 | Swarco Industries, Inc. | Rumbler, Reflective Rumble Strips. | | Complete | Withdrawn |
| 1101-2 | SynTech Products Corporation | "E.D.C. (Extreme Dust Control) | | Complete | Withdrawn/No Action |
| 1101-1 | SynTech Products Corporation | "EC 46" | | Complete | Withdrawn/No Action |
| 1408-2 | Synteen & Luckenhaus Textile Technologies GmbH | "STARGrid G-PS100 (paving grid) - Woven fiberglass yarns into a high strength grid, coated with a bitumen adhesive, and used in asphalt overlay projects. | | Office of Materials and Testing-Peter Wu- pwu@dot.ga.gov, Office of Materials and Testing, Sheila Hines-shines@dot.ga.gov | Field Test |
| 1601-9 | Synteen Technical Fabrics, Inc. | "STF P12" - STF P12 geogrid is composed of polypropylene resin which is extruded into a stable geogrid structure. STF P12 geogrid is inert to biological degradation and resistant to naturally encountered chemical, alkalis, and acids. | | | Field Test |
| 1601-8 | Synteen Technical Fabrics, Inc. | "SF12" - SF12 is a biaxial geogrid composed of high molecular weight, high tenacity multifilament polyester yarns, woven into a stable network | | | Field Test |

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

NPE# Manufacturer Product Name / Description Estimated Time Contact Info

 Estimated Time
 Contact Info
 Fee
 Status / Progress

 for Lab/Field
 Paid
 Report

| 1601.7 | Cuntoon Tooknigal Fahrian Inc | "TE120" TE120 is a biovial googrid composed of | | | | Field Tes |
|--------|---|--|-----------------------|----------|---|--------------------|
| 1601-7 | Synteen Technical Fabrics, Inc. | "TF120" - TF120 is a biaxial geogrid composed of high molecular weight, high tenacity multifilament polyester yarns, woven into a stable network placed under tension. The high strength polyester yarns are PVC coated and are inert to biological degradation and are resistant to naturally encountered chemicals, alkalis and acids. | | | | FIBIO TES |
| 9504-1 | Synthetic Industries | Fiber Grids | | Complete | | Withdrawi |
| 9308-1 | Synthetic Industries (Construction Products Division) | POLYJUTE (Open weave Geotextile) | | Complete | - | No Application |
| 9702-2 | Syro, Inc. A Trinity Industries Co. | MPS-350 III | | Complete | | No Application |
| 0704-4 | Tag International, Inc. | "MLSB Mini-Hump" - Portable/Permanent Speed Hump | | Complete | | No Application |
| 0905-1 | Tagalucci Group, LLC | "The Orbit" Sign Hanger | | Complete | | Accepted |
| 0208-3 | Tamaqua Cable Products Corporation | "Power Duct" | | Complete | | Accepted |
| 1502-1 | TAPCO | "BlinkerRadar" - Speed sensor driver feedback sign. | | Complete | | Withdrav |
| 1402-3 | TAPCO | "DirecTime™" A unit that controls two way communication solution for controlling and monitoring traffic control devices. | | Complete | | Project to Projec |
| 1203-2 | TAPCO | "BlinkerBeacon™ Solar LED Beacons" | | Complete | | Allow the Use |
| 1110-1 | Тарсо | "ITS Blinker Signs" | | Complete | | Project to Project |
| 0407-5 | TAPCO | "Blinker Paddie" is an attention grabbing, hand held LED enhanced traffic paddle. MUTCD approved. Rechargeable AC/DC adaptable battery. | - | Complete | | Accepted |
| 0407-4 | TAPCO | "Day-Viz" is a MUTCD approved. High tech traffic signs feature bright flasing LED's that maximize their brightness during the daytime. Automatic dimming feature during dusk. Solar powered panel and box. | - | Complete | | Accepted |
| 0407-3 | TAPCO | "Original Blinker Stop-Blinker Signs" is MUTCD approved. LED enhanced solar powered traffic signs. | | Complete | | Accepted |
| 1205-5 | TAPCO Traffic & Parking Control Company, Inc. | "RRFB-XL" | Fee / See Comments | Complete | | Accepted |
| 0110-2 | TAPCO Traffic & Parking Control Company, Inc. | V-LOC Socket System | | Complete | | Accepted |
| 0008-6 | TC MiraFi | Mirafi Bitutex-Composite | | Complete | | No Application |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 0805-3 | Tech-Crete LLC | "Radcon Formula # 7 Plus" | | Complete | | No Application |
|--------|-----------------------------|---|---|----------|---|---------------------|
| 0604-1 | Tech-Crete LLC/Hawkins Inc. | "Radcon Formula #7" - Radcon Formula #7 is a biochemically modified sodium silicate solution that is spray applied to cured concrete. As process the product penetrates and reacts with tag concrete forming a subsurface barrier, waterproofing pores, capillaries and large cracks against ingress of water and contaminents protecting the concrete for life. | - | Complete | - | No Application |
| 9608-1 | TechStar, Inc. | TechStar W-Seal | | Complete | | No Application |
| 9501-1 | Tel-Duct Corp. | Tel-Duct Multiple Duct | | Complete | | No Application |
| 1209-2 | Tellabs | "Passive Optical Network" | | Complete | | Withdrawn/No Action |
| 0808-1 | Tenax Corporation | Tenax RoaDrain | | Complete | | Withdrawn/No Action |
| 1002-5 | Tenax USA & MAT, Inc. | "Green Guard TRM System (GGTS)" | | Complete | | Not a new Product |
| 1601-3 | TenCate Geosynthetics | "Mirafi® RS280 <i>i</i> - When superior performance, flexibility and versatility are necessary, Mirafi® RS280 <i>i</i> geosynthetics make the difference for varying application needs including: base course reinforcement and subgrade stabilization for road, runway and railway construction; embankment stabilization on soft foundations; reinforcement for mechanically stabilized earth (MSE) structures; liner support, voids bridging, reinforcement over soft hazardous pond closures and other environmental market applications. | | | | Field Test |
| 1601-2 | TenCate Geosynthetics | "Mirafi® RS380 <i>i</i> - When superior performance, flexibility and versatility are necessary, Mirafi® RS380 <i>i</i> geosynthetics make the difference for varying application needs including: base course reinforcement and subgrade stabilization for road, runway and railway construction; embankment stabilization on soft foundations; reinforcement for mechanically stabilized earth (MSE) structures; liner support, voids bridging, reinforcement over soft hazardous pond closures and other environmental market applications. | | | | Field Test |

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

| 1601-1 | TenCate Geosynthetics | "Mirafi® RS580 <i>i</i> - When superior performance, flexibility and versatility are necessary, Mirafi® RS580 <i>i</i> geosynthetics make the difference for varying application needs including: base course reinforcement and subgrade stabilization for road, runway and railway construction; embankment stabilization on soft foundations; reinforcement for mechanically stabilized earth (MSE) structures; liner support, voids bridging, reinforcement over soft hazardous pond closures and other environmental market applications. | | | Field Test |
|--------|-------------------------------------|---|---------------------------|--|--|
| 1112-2 | TenCate Geosynthetics North America | "Mirafi®PGM-G4" | See Comments Nov. 2021 | Office of Materials and Testing-Sheila Hines- shines@dot.ga.gov | Field Test - Note date last spoken too. Field Test Several unsuccessful field test. |
| 1604-8 | Tensar International Corporation | " TriAx TX 130S Geogrid" - TriAx TX 130S geogrid is a product manufactured in Georgia, whose function is to stabilize the unbound aggregate layer of a roadway section, via lateral confinement of the aggregate. TriAx is manufactured from punched polypropylene, which is then oriented in three substantially equilateral directions, so that the resulting ribs have a high degree of molecular orientation. | | | New |
| 1601-4 | Tensar International Corporation | "TriAx TX160 Geogrid" - TriAx TX160 geogrid is a product manufactured in Georgia, whose function is to stabilize the unbound aggregate layer of a roadway section, via lateral confinement of the aggregate. TriAx TX160 is manufactured from punched polypropylene, which is then oriented in three substantially equilateral directions, so that the resulting ribs have a high degree of molecular orientation. | | | Field Test |
| 1510-5 | Tensar International Corporation | "TriAx Geogrid" - TriAx geogrid is a product manufactured in Georgia, whose function is to stabilize the unbound aggregate layer of a roadway section, via lateral confinement of the aggregate. TriAx is manufactured from punched polypropylene, which is then oriented in three substantially equilateral directions, so that the resulting ribs have a high degree of molecular orientation. | | | Action Pending |
| 0501-1 | Terra Novo | " EarthGuard Fiber Matrix" /Liquid blend of soil stabilizers applied in combination with fiber/mulch for erosion control | - | Complete | Accepted |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 0104-4 | Terrabind International Inc./ Rayonier-Specialty Fernandina Mill Pulp Products | TBI 66TM Stabilizer | | Complete | | No Application |
|---------|--|--|--------|--|---|---------------------|
| 0511-2 | TGM Signs | "Miller Post Plate Guard" - Base plate attachment for type 7 DOT sign post used on traffic control signs - with neoprene boot to prevent trip hazard. | | Complete | 1 | No Application |
| 1403-1 | The D. S. Brown Company | "V-Seal 300 and V-Seal 400 Expansion Joint Systems" - Preformed, extruded EPDM seal that can be bonded to concrete, steel or elastomeric concrete with a quick-setting epoxy. | | Complete | | Accepted |
| 1112-1 | The Fort Miller Co., Inc. | "Super-Slab®" | Nov-14 | Office of Materials and Testing-Jay Page- jpage@dot.ga.gov Office of Materials and Testing-Peter Wu-pwu@dot.ga.gov | | Project to Project |
| 0406-3 | The Hollaender Manufacturing Co. | "Speed-Rail® Interna-Rail®" is a structural slip-on aluminum pipe fitting. Aluminum Alloy 535. | | Complete | | Withdrawn/No Action |
| 0004-2 | The J.D. Russell Company | Reflex Rubber Expansion Joint | | Complete | | Accepted |
| 0310-2 | The National Paving & Contracting Co. | "Perma-Patch" Permanent cold patch asphalt repair material. | | Complete | | Accepted |
| 0906-2 | The Rain Line Corporation | "Lane Alert" rainline | | Complete | | Rejected |
| 1305-2 | The Reinforced Earth Company | "GeoMega" | | Complete | | Project to Project |
| 9712-1 | The Scientex Corporation | ADAPTIR™ | | Complete | | No Application |
| 0302-4 | The Turfgrass Group, Inc. | "TifBlair Certified Centipede" Roadside grassing, low-maintenance grassing areas, erosion control areas, around and under guard rails. | | Complete | | No Application |
| 0203-3 | The Yodock Wall Co. | Yodock Traffic Control Device with T3 Kit | | Complete | | Accepted |
| 0705-6 | The Yodock Wall Company, Inc. | "Yodock Traffic Control System: Models 2001, 200/M, 200/SL" - Plastic water ballasted interconnected channelizer. It has been a positive interlock between units. The 200/SL has been tested both anchored and freestanding. | - | Complete | - | No Application |
| 0204-15 | The Yodock Wall Company, Inc. | Yodock Traffic Control System | | Complete | | Accepted |
| 0203-1 | The Yodock Wall Company, Inc. | Yodock Traffic Control Device Model 2001 & 2001 M (barrier) | | Complete | | Accepted |
| 9401-1 | Tracy Hall and Assoc. (Arnco Corp) | Perma-Guard Duct (Pre-installed Cable in Duct for secondary street lighting.) | | Complete | | No Application |
| 0911-1 | Traffic Calming USA | "Traffic Print" | - | Complete | | Accepted |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field

Evaluation

| 0708-3 | Traffic Calming USA | "BrickPrint" - Hot-applied stamped synthetic asphalt that is colored "throughout" which | | Complete | Accepted |
|---------|---|--|-----------------------|----------|-------------------------|
| | | replicates brick paving but is laid 3/4 inch thick onto existing asphalt or concrete surfaces. | | | |
| 0204-01 | Traffic Distributor Links, IncBunzl Extrusion Tacoma, Inc. Now 06/2007 company Filtrona Extrusion | Flex-Guide 300 Curb System | | Complete | Accepted |
| 0006-1 | Traffic Maintenance Attenuators, Inc. | U-MAD TMA Truck Mounted Attenuator | | Complete | Accepted |
| 0008-1 | TrafFix Devices Inc. | Scorpion 10,000 TMA - Truck Mounted Attenuator | | Complete | Accepted |
| 1005-3 | TrafFix Devices, Inc. | "Traffix Weed Mat | | Complete | Withdrawn/No Action |
| 9507-2 | Transafe Products Co. | Saddle Marker Reflector | | Complete | No Application |
| 1307-1 | Transpo | "Color-Safe™" MMA used for crosswalks | Fee / See Comments | Complete | Withdraw/No Action |
| 1001-3 | Transpo | "Bodan Highway - Rail Crossing Surface" | | Complete | No Application |
| 1310-3 | Transpo Industries | "Transpo T-18 MMA Polymer Concrete Overlay System" | Fee / See Comments | Complete | Withdraw/No Action |
| 1310-2 | Transpo Industries | "T-17 MMA Polymer Concrete Patching Material" | | Complete | Withdraw/No Action |
| 1310-1 | Transpo Industries | "Transpo T-48 Epoxy Polymer Overlay System" | Fee / See Comments | Complete | Withdraw/No Action |
| 1404-2 | Transpo Industries, Inc. | "Break-Safe®" - Omni-directional breakaway sign support. | | Complete | No Application |
| 7909-8 | Transpo-Materials, Inc. | Silikal - Concrete Polymer | | Complete | No Status |
| 0711-1 | Tri-American | "TA-500 Loop Sealant" - Single component asphaltic emulsion sealant designed to fill and seal inductive loop shots; modified polymer that offers great flexibility and adhesion for asphalt & concrete slots | | Complete | Accepted |
| 9610-1 | Triangular Silt Dike Co., Inc | Triangular Silt Dike | | Complete | Accepted |
| 9610-1 | Triangular Silt Dike Co., Inc | Triangular Silt Dike | | Complete | Accepted |
| 1510-6 | Trinity Highway Products, LLC | "SQR-LOC Perforated Traffic Post" - Perforated square steel sign posts. | | | Not a New Product |
| 1310-4 | Trinity Highway Products, LLC | "SYTP (Steel Yielding Terminal Post) Retrofit" Product is a steel post with an HDPE spacer to replace wood posts in tube sleeves for energy absorbing guardrail end treatment. | | Complete | No Applicatior |
| 1001-8 | Trinity Highway Products, LLC | "MDS Bridge Railing" | | Complete | Accepted |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 0000 0 | Trinita Highway Dagdoota III C | LIFADTM (Lishwind Fragress Abaselinas Davisable | Complete | Accepted |
|--------|--|--|---|-------------------------|
| 0806-8 | Trinity Highway Products, LLC | HEART™ (Hybrid Energy Absorbing Reusable Terminal) | Complete | Ассеріес |
| 0101-5 | Trinity Industries, Inc. | Dent Breakaway Bolt | Complete | Accepted |
| 9905-2 | Trinity Industries, Inc. | T.R.A.C.C. Attenuating Crash Cushion | Complete | Accepted |
| 9411-4 | Trinity Industries, Inc. | SYRO ET-2000 (Crash end treatment) | Complete | Accepted |
| 0502-4 | Trinity Industries, Inc.'s | "CASS (Cable Safety System)" - NCHRP Report 350 compliant high tension cable barrier system, comprised of 3 pre-stretched cables installed within slotted, galvanized steel C-channel CASS Posts, and is designed to be installed in roadway medians or in roadway shoulders. | Complete | Accepted |
| 0109-1 | Trinity Industries, LLC | King Block | Complete | Accepted |
| 9704-8 | Trinty Industries, Inc. | ADIEM-350 (Crash Cushion for concrete barriers) | Complete | Approved |
| 7704-1 | True Temper Corp. | T-Core | Complete | No Status |
| 1506-3 | Tvilight B.V. | "Tvilight B.V." - Tvilight's has invented a solution what provides "Light on Demand" based on sensor technology. When there is no human presence detected, the light will dim to a pre-defined level. But when there is human presence detected, the lights will light up to a wanted level. | Office of Maintenance-Larry Barnes- lbarnes@dot.ga.gov | Field Test |
| 0108-1 | U.S. Bridge, Div. Ohio Bridge Corp | Waren Truss Bridges | Complete | Withdrawn/No Action |
| 7701-1 | U.S. Grout | Iron-Crete | Complete | No Status |
| 9607-2 | U.S. Highway Products, Inc. | Fiber-Brite (Fiberglass reinforced plastic signs) | Complete | No Application |
| 7801-1 | U.S. Steel Corp. | Fibercon | Complete | No Status |
| 0407-2 | U.S. Traffic Corporation | "Powerback 2000 ITS" is a 1500 watt battery back up for traffic intersection control, including inverter, battery, switch assembly, battery cable, ands enclosure if required. | Complete | Withdrawn/No Action |
| 0407-1 | U.S. Traffic Corporation | "Powerback 1250" is a 875 watt battery back up system for traffic intersection control including inverter, battery, switch assembly, battery cables, and enclosure if required. | Complete | Accepted |
| 0104-3 | U.S. Traffic Corporation dba Display Solutions | Sunray 390 and Sunray Mini Full Matrix | Complete | Withdrawr |
| 0104-2 | U.S. Traffic Corporation dba Display Solutions | Sunray VM 300 | Complete | Accepted |
| 1205-2 | Ultraliner, Inc. | "Ultraliner PVC Alloy Pipeliner" | Complete | Not a new product |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| | | | Evaluation | | | |
|--------|-------------------------------|---|------------|----------|--------------------|---------------------|
| 0604-7 | UltraTech International, Inc. | "Ultra-BasinGuard®" - A highly effective "Catch Basin BMP" designed to filter sediment, oil and debris from stormwater runoff. The device is a simple to install, cost effective means of removing pollutants from stormwater as it flows into the storm drain. | - | Complete | | Withdrawn/No Action |
| 0604-6 | UltraTech International, Inc. | "Ultra-Dewatering Bag®" - A cost effective filtration device designed to capture sediment, oil and debris from water. Made with a pervious geotextile material, the product is simple to install and very efficient as filtering and removing sediment, floating debris, suspended solids and small quantities of hydrocarbons from water. | | Complete | 1 | Withdrawn/No Action |
| 0604-5 | UltraTech International, Inc. | "Ultra-Drain Guard®" - The Ultra-DrainGuard is a highly effective "Catch Basin Insert" designed to filter sediment, oil and debris from stormwater runoff. The device is a simple to install, cost effective means of removing pollutants from stormwater as it flows into the storm drain. | + | Complete | | No Application |
| 0604-4 | UltraTech International, Inc. | "Ultra-Storm Wattle®" - Sometimes referred to as fiber rolls or fiber logs, StormWattles can be used instead of silt fence to reduce erosion control at construction sites. The units stop sediment and other debris from entering retention ponds, lakes and other water bodies. Ultra-Storm Wattles are made with wheat straw, and bound into a tight tubular roll. | | Complete | 1 | Accepted |
| 9811-4 | Union Camp Corporation | Unitol DKG/Stable-X | | Complete | | No Application |
| 1512-1 | Unique Paving Materials Corp. | "UNIQUE® High Performance Fast Set Mortar" - A blend of hydraulic cement, graded silica sand and performance-enhancing additives. | | | \$500 Chec k | Field Test |
| 7803-1 | United Coatings | Monocryl Canyon Tones | | Complete | | No Status |
| 9508-5 | United States Gypsum | Airtrol Geobinder | | Complete | | Withdrawr |
| 0701-3 | Unitex | "Pro-Poxy 400" - All weather epoxy acrylate hybrid anchoring gel. | | Complete | | Rejected |
| 9404-3 | Universal Structures, Inc. | Road Sound Barrier Wall/Glare Shield | | Complete | | Withdrawn/No Action |
| 1502-3 | URETEK USA, Inc. | "URETEK Deep Injection Process" - Method for increasing the bearing capacity of foundation soils for built structures, including roadway pavements and airport runways, using lightweight, expanding structural polymers. | | Complete | | Project to Project |

NPE#

Georgia Department of Transportation

NPE Status Report --- Listed Alphabetically by Company Name

Product Name / Description

Estimated Time Contact Info for Lab/Field Evaluation

| 9512-4 | USG Corp. Research Center | USG Sight and Sound Screen | | Complete | | Accepted |
|---------|------------------------------|--|---|---|---|---|
| 0206-5 | U-Tech | "Weedender" | | Complete | | Allow the use at discretion of contractor |
| 0101-4 | Valley Rubber LLC | Val-Safe-Block | | Complete | | Accepted |
| 1402-2 | Versilis Inc. | "SwiftGate™" Arrow units to help change lanes on the interstate. | | Complete | | No Application |
| 0602-4 | Volm Bag Company, Inc. | "Erosion Control Filter Bag" - The bag is 17"x30" made with Raschel warp knitted lockstitch fabric containing UV Inhibitor and Color Fastness. The fabric is manufactured from High Density Polyethylene, 80% fabric closure with an Apparent Opening Size no larger than 1.5 mmxl.5mm.1/4" drawstring knitted directly into bag opening. Rolled seam stitched with 480 Denier Polyester sewing yarn for strength. | - | Complete | 1 | Withdrawn/No Action |
| 9509-7c | W.J. Ruscoe Co. | PS-2007 Non Sag Joint Sealant | | Complete | | Accepted |
| 9509-7b | W.J. Ruscoe Co. | PS-2005 Joint Sealant | | Complete | | Withdrawn |
| 9509-7a | W.J. Ruscoe Co. | PS-2000 Detector Loop Sealant | | Complete | | Accepted |
| 0105-2 | W.R. Grace | Grace Structural Fiber | - | Complete | | Accepted |
| 7703-1 | W.R. Grace & Co. | Darex 240 | | Complete | | No Status |
| 0011-9 | W.R. Meadows, Inc. | Seal Tight Safe Seal 3405 | | Complete | | Withdrawn |
| 7707-3 | W.R. Meadows, Inc. | Seal Tight | | Complete | | No Status |
| 0109-2 | Water's Edge Technology, LLC | Stabilator Erosion Prevention System | | Complete | | Accepted |
| 1503-2 | Watershed Geosynthetics, LLC | "HydroTurf™" - A turf reinforced concrete revetment system designed to provide armoring of hydraulic structures against high velocities & shear stresses. | | Office of Materials and Testing-Brennan Roney- broney@dot.ga.gov | | PS Vendor Management Form and W-9 |
| 1404-1 | Watson Bowman Acme | "Wabo®H Seal - Wabo®H Seal is a pre-compressed flexible expansion joint seal manufactured from open-ell polyether urethane foam with a factory applied traffic grade silicone membrane coating designed to provide protection against moisture and water intrusion on horizontal surfaces. The joint seal is capable of providing a minimum of plus or minus 50% movement and accommodates moderate variations in width of opening, complex directional change transitions and resist ultraviolet degradation. | | Complete | | Accepted |