

<u>NPE#</u>	<u>Manufacturer</u>	<u>Product Name</u>	<u>Description</u>	<u>Estimated Time for Lab/Field Evaluation</u>	<u>Contact Info</u>	<u>Fee Paid</u>	<u>Status / Progress Report</u>	<u>Comments</u>	Date Received	Date of Letter or Status Change	Date of last NPE Meeting	Comments2
1107-3	3M Company	"3M Scotch-Weld HoldFast 70"	"3M Scotch-Weld HoldFast 70"	--	Complete	--	Accepted	--	May-07	1/17/2013	8/18/11	
7910-1	3M Company	3M Brand Galvinizing	Culvert Bolting, Guard Rail Bolting, General Bridge and Structural Bolting, sign Bolting, etc. (6-3/8" x 1" or greater)	--	Complete	--	No Status	--	May-12			File Labeled: PE-7909
8002-1	3M Company / Traffic Control Devices Dept.	Loop Sealant	Loop Sealant (No Scanned NPE)	--	Complete	--	No Status	--	Jan-08			File Labeled: PE-8002
0704-3	A.W Cook Cement Products, Inc.	Cook Brand Rapid Cure Repair	Rapid setting cement / sand grout.		Complete				Jun-07			
9512-5	ABT, Inc.	"PolyDrain" (Surface Drainage System)	PolyDrain (Surface Drainage System) (No Scanned NPE)	--	Complete	--	No Application	--	Aug-03	2/20/1996	1/25/1996	Product is site specific and will be considered at a later time if a need arises.
7707-1	Acme Highway Products Corp.	Acmaseal	Bridge joint seal.	--	Complete	--	No Status	--	Feb-07			File Labeled: Misc. 7-77-A

7809-1	Acme Highway Products Corp.	Fiberglass Dowel Bars	Concrete paving.	--	Complete	--	No Status				Apr-12		File Labeled: Misc. 9-78	
0307-1	ACO Polymer Products, Inc.	"S100K Powerdrain"	"S100K Powerdrain" 4" internal, Polymer Concrete Trench.	--	Complete	--	Accepted			9/10/2003	Mar-07	8/21/03	The Road Design Office is Evaluating at current time 01/12/04	
0307-2	ACO Polymer Products, Inc.	"S300K Powerdrain"	"S300K Powerdrain" 12" internal, Polymer Concrete Trench.	--	Complete	--	No Application			9/10/2003	Apr-07	8/21/03	The Road Design Office is Evaluating at current time 01/12/04	
0307-3	ACO Polymer Products, Inc.	"K100S Trench Drain"	"K100S Trench Drain" 4" Internal, Polymer Concrete Trench.	--	Complete	--	No Application			6/9/2004	May-07	5/20/2004	The Road Design Office is Evaluating at current time 01/12/04	
0307-4	ACO Polymer Products, Inc.	"FG200 Fiberglass"	"FG200 Fiberglass" 8" internal, Heavy duty fiberglass trench drain.	--	Complete	--	No Application			6/9/2004	Jun-07	5/20/2004	On 12/11/03 Anna called to set up a product installation time at the We have located a test site for the Nillex product. The project is at I-85 North / Old Peachtree Interchange just one exit past Discover	
1612-1	Acrypave Manufacturing	"Tuffseal"	"Tuffseal" - is a Portland-based Polymer Micro-Overlay(PMO) which is primarily used as a pavement preservation material.				Action Pending			12/21/2016		3/8/2017	2/16/2017	
1302-1	Active Minerals International, LLC	"ACTI-GEL 208"	A highly purified hydrous magnesium aluminum silicate made from a patented process that creates pure, uniformly sized, red-shaped mineral particles. Acti Gel is an inert mineral that doesn't break down and is a high	Nov-13	Complete	--	No application			Jan-13		11/14/2014	9/4/2014	

9601-1	ADDCO Manufacturing	"The Signal DTS-2000" (Construction work zone sign)	The Signal DTS-2000 (Construction work zone sign) (No Scanned NPE)	--	Complete	--	No Application		Sep-03	2/20/1996	1/25/1996	Product is site specific and will be considered at a later time if a need arises.
9510-1	ADS	"N-12" (Smooth Lined Corrugated Polyethylene Pipe)	Storm drain, cross drain, culvert, side drain.	--	Complete	--	Accepted		Nov-12	11/3/1995	10/25/1995	Change Std. Drawing 1030P and allow product for use as alternate for side drain pipe
0908-4	Advanced Traffic Marking	ATM 500 HP Yellow & White	Highway marking tape in the form of rolls, symbols, etc. For use on all road surfaces.		Complete		No Application		Jan-11	1/4/2011		
0102-2	Advance Traffic Markings	"ATM 280 Hide-A-Line"	Installs quickly and easily over existing marking for a safe and economical rerouting of traffic. Bonds to all road surfaces and existing markings.	--	Complete	--	Accepted		Feb-06	4/4/2001	2/15/2001	"Accepted" on a project to project basis...at discretion of Engineer. Black Out Tape ATM 280 Hide-A-Line removable preformed polymer tape construction grade Series 200 Tape that can be placed
9307-3	Advanced Drainage System	N-12™ (Smooth lined Corrugated Polyethylene (PE) Drain Pipe)	Storm drains, culvert	--	Complete	--	Accepted		Apr-10		11/10/1993	As alternate for side drainpipe under residential driveways. Minimum cover over pipe changed from 24 inch to 18 inch for side drain pipe.; Backfill changed from Type I, Class II-B Soil or better to
1010-1	Advanced Drainage Systems, Inc.(ADS) / Nyloplast	"N-12 HP and Sani-Tite HP - Profile wall Corrugated Polypropylene pipe (PP)"	N-12 HP and Sani-Tite HP follows: ASTM F2736 - Standard specification for 6 to 30 inch (152 to 762 mm) Polypropylene (PP) corrugated single wall and double wall pipe and ASTM F2764 - standard specification for 30 to 60	Nov-14	Complete	--	Accepted	Accepted for use on Georgia DOT Construction and Maintenance Projects per GDOT Specifications and Drawings	Sep-10	9/30/2015	8/25/2015	WITHDRAWN/NO ACTION 06-03-15
0010-7	Advanced Traffic Markings	"ATM Rumble Strips"	ATM Rumble Strips - Installation in highway work zones to alert drivers and slow down traffic used in conjunction with horizontal signage for improved safety without the added time and expense of installing	--	Complete	--	No Application		Apr-12	9/8/2008	8/21/2008	8-21-08 - reconsidered - dept does not employ use of rumble strips.Request info from other states. Current methods more economical.

1906-3	Aerix Industries	Aerlite	Foaming agent used for production of Low Density Cellular Concrete (LDCC)	Office of Materials and Testing-Peter Wu-pwu@dot.ga.gov			Project to Project		5/29/2019	7/8/2020	8/8/2019	
1911-3	AeroAggregates LLC	UL-FGA G15	Ultra-lightweight aggregate fill made from 100% recycled glass				Withdrawn / No Action	Site Needed	Dec-19	5/7/2024	2/6/2020	
1510-3	AG-Green (Gainesville Waste and Recycling)	"AG-Blend"	Organic compost.		Office of Materials and Testing-Reggie Murph-rmurph@dot.ga.gov	\$500 Check Received 9/6/2016	Rejected		10/1/2015	12/4/2015	11/19/2015	Field Test location Floyd/Bartow PI#0004915 Meeting on site with Tensar, GDOT and contractor 01-10-17 Ian Rish to monitor and keep updated on field test location. 02-01-17
1711-1	Aggrow Wattle Tech, LLC	Aggrow Wattle	Polyester outer mesh filled with certified weed seed free and certified sustainable grown giant Miscanthus filter media.		Complete		No Application		2/26/2018			
0804-1	Agro America and Trolinging Pipe Renovation Systems	Sure Grip and Trolining	Manholes, Lift stations, wet well, bow & open culverts, tunnels, tanks digesters and treatment plants.		Complete		Project to Project		Jul-10			
1812-1	AIMS International	LifeRail	Stainless Steel Reinforced FRP MASH TL -4 retrofit bridge rail				No Application		Dec-18	1/23/2019	2/14/2019	Steve Gaston advice that there is no application for this product.
9805-2	AKAM (USA) NCHRP 350 Report.	"Briffen Wire Rope Safety System"	Briffen Wire Rope Safety System (No Scanned NPE)	--	Complete	--	Approved --		May-08	6/4/1998	5/28/1998	NCHRP 350 Report Received.

9410-1	Alan Block Corporation	Retaining Walls	Retaining Walls (No Scanned NPE)	--	Complete	--	Accepted	--	Feb-12	11/1/1994	10/20/1994	Bridge Design currently evaluating
0303-3	Alcoa	"Reynobond"	"Reynobond" Sign blanks and panels, cladding for exterior and interior applications.	--	Complete	--	Accepted	Work Zones and Temporary Applications	Aug-08	12/11/03	05/15/03	
0106-1	Alcovy-20	"Poultry Gold"	Erosion control.	--	Complete	--	Accepted	--	Jan-08	8/29/2001	8/16/2001	
0909-1	Aldis, Inc.	GridSmart Spectra 360	Single camera stop-bar detection, featuring a wide-angle lens, industrial hardened intel processor.		Complete		Withdrawn/No Action		Dec-09	12/15/2010		
1211-1	Aldis, Inc.	"GridSmart@"	Vehicle video tracking and detection system with optional data collection and reporting module.	Nov-13	Complete		Accepted		Nov-12	11/14/2014	9/4/2014	
9903-1	All Sign Products Inc.	"30" Translucent Stop sign"	For use wherever a 30" x 30" or 36" x 36" Stop sign is currently used. Particularly those difficult installations where the stop sign can become silhouetted from behind by sunlight or other bright light as the translucent back plate	--	Complete	--	Accepted	--	Sep-06	5/31/2001	5/17/2001	As alternate to 30" x30" Stop Sign"
1812-5	Allen Block Corporation	AB Fence System	The AB Fence is a mortarless concrete block fencing system. Dry-Cast Concrete blocks are stacked in a post and panel configuration.				Office of Bridge Design Steve gaston- sgaston@dot.ga.gov	Withdrawn/No Action	Jan-18	2/15/2019	2/14/2019	

9310-1	Allied Highway Sales (Allied Tube and Conduit)	Square Fit and Quick Punch Sign Post	Small sign supports.	--	Complete	--	Rejected	--	Aug-10	6/16/1905	Action Pending 1/27/1994 ; Product was Accepted and GDOT Std. Spec 911 was amended to in include square sign posts.	
9310-1	Allied Highway Sales (Allied Tube and Conduit)	Square Fit and Quick Punch Sign Post	Small sign supports.	--	Complete	--	Accepted	--	Jul-10	6/16/1905	Action Pending 1/27/1994 ; Product was Accepted and GDOT Std. Spec 911 was amended to in include square sign posts.	
0510-3	Allied Plastics, Inc.	"Multicade"	"Multicade" - Collapsible Triangular Shape Multipurpose Barricade	--	Complete	--	Withdrawn/No Action	--	Mar-12	12/19/2005	11/17/2005	
1405-1	Alloway Stamping/Stamfield Tags LLC	"Stanfield Tags LLC"	Valve tags designed to safely identify equipment with an a-frame backing, finger and wire control balls in lieu of other attachment accessories enabling operator to rotate tag with easier accessibility as well as reduce		Complete		Allow the use		May-14	9/2/2014	8/14/2014	GDOT Special Provision Section 590 Fiber Reinforced Polymer (FRP) Composite Material As of June 9, Letter
1604-1	Allureglow USA	"Allureglow USA AA-6585-LM-SY Paint "	100% Acrylic Photoluminescent Waterbased Yellow Line Marking Paint.		Complete		No Application		4/4/2016	6/9/2016	5/31/2016	
1604-2	Allureglow USA	"Allureglow USA AA-6585-LM-WG Paint"	100% Acrylic Photoluminescent Waterbased White Daytime/Green Glow Line Marking Paint.		Complete		No Application		4/4/2016	6/9/2016	5/31/2016	
1604-3	Allureglow USA	"Allureglow USA Dual Tech Stop Sign"	Photoluminescent and Retro-Reflective Signage.		Office of Traffic Operations-Keith Murphy- kmurphy@dot.ga.gov	\$500 Check Received 10/11/2016	No Application		4/4/2016	6/9/2016	5/31/2016	

1604-4	Allureglow USA	"Allureglow USA Dual Technology/Road Signage"	Photoluminescent and Retro-Reflective Road Signage.		Complete		Withdrawn/No Action	Withdrawn/No Action per Larry Barnes 10-19-16	4/4/2016	10/21/2016	5/31/2016	
1406-2	Allureglow USA, LLC	"Allureglow Dual Technology Road Marking System"	Photoluminescent & Retro-Reflective Road Line Marking System Comprised of Photoluminescent Paints and Super High Reflective Spheres.		Complete		No Application	Awaiting Fee Project # _____ Approx. Date Set _____	Jun-14	8/13/2015	8/14/2014	
0209-4	Alpine Stormwater Management Company	"Verti-Pro™"	Median Inlets - For sediment control, use on drop inlets in swales, road ditches, rear lot drop inlets. Temporary use until surrounding areas are to final stabilization.	--	Complete	--	Accepted	--	Jan-11	12/18/2002	11/19/2002	the Urban Design Review/Recommendation
0408-1	Ambex Concrete Technologies, Inc.	"Ambex Anchoring Capsules"	"Ambex Anchoring Capsules" are cementitious encapsulated grout.	--	Complete	--	Maybe an alternate	to Epoxy Resin Adhesive for placement of rebar	Sep-12	10/4/2005	8/18/2005	
9409-2	American Aggregates	Granite Rock Dust (Alternate to chemical fertilizers)	Granite Rock Dust (Alternate to chemical fertilizers) (No Scanned NPE)	--	Complete	--	No Application	--	Dec-10	11/1/1994	1994	Action Pending 10/20/1994 ; Can not find the No Application letter.
9912-1	American Electronic Sign	"Vehicle Mounted Changeable Message Sign."	Vehicle Mounted Changeable Message Sign.	--	Complete	--	No Application	--	Sep-03	3/22/2000	2/17/2000	Product does not meet all Specs. for message boards.
9912-2	American Electronic Sign	"Guardian Trilux-1 PCMS Jr. , Changeable Message Sign"	Changeable message sign to provide advisory messages in work zones or incidents to vehicles. Used for traffic control, traffic management and event management.	--	Complete	--	No Application	--	Oct-03	3/22/2000	2/17/2000	Product does not meet all Specs. for message boards.

9410-4	American Excelsior	"Trilock"	Various forms of erosion control in drainage ditches, waterways, shoreline, and outfall areas.	--	Complete	--	Accepted		May-12	2/10/1996	2/20/1996	Field Test 2/2/1995 Must meet requirements GDOT Std. Spec. 692.
9909-1	American Excelsior	"Curlex Sediment Log"	Curlex Sediment Log	--	Complete	--	Accepted		Nov-11	9/12/2000	9/1/2000	Pending 2/24/00 Accepted as alternate to haybales.
0104-6	American Excelsior Co.	"Recyclex TRM"	To provide permanent surface support underneath vegetation and/or surface structural support for vegetation root systems.	--	Complete	--	Accepted		Mar-09	12/12/2001	12/12/2001	QPL-49 GDOT Std. Spec 710
0210-2	American Excelsior Company	"Silt TRAP"	Silt TRAP is an alternate to traditional silt fence. SilTRAP differs in that it not only stops and collects stray sediment, it also prevents erosion from taking place in installed areas. SiltTRAP does not have amany of the	--	Complete	--	No Application		Apr-11	12/18/2002	11/19/2002	Product does not meet Georgia Standard Specification Section 150
0308-1	American Excelsior Company	"Curlex NetFree"	"Curlex NetFree" Excelsior erosion matting.	--	Complete	--	No Application		Dec-09	12/1/2003	8/21/03	This Product falls under section 832.2.02 of the GDOT specifications.
0810-3	American Excelsior Company	AEC Premier Coconut	ACE Premier Coconut erosion control blanket consists of 100% coconut fibers. The fibers are evenly distributed throughout the entire area of the blanket		Complete		Rejected		Oct-08			
1205-4	American Green Technology/YuanMing Lighting	"American Green Technology"	(LED Street Lighting)	--	Complete	--	Accepted		Feb-08	5/30/2012	5/16/12	

1004-5	American Molded Plastics	"Flex-D, Flex-DS Delineators"	"Flex-D, Flex-DS Delineators" (No NPE scanned)	--	Complete	--	Accepted	--	Jul-08	6/12/2012	5/16/2012	will consider product again after field test has been completed.
1812-4	American Pipeliners, Inc.	Premier Pipe USA CIPP	Cut down on infiltration and flow capacity in pipes.				Accepted		Dec-18	2/25/2019	2/14/2019	
0701-4	American Polymer Corps	Bonduit	Bonduit conduit adhesive is a two part rapid cure resin system designed to bond polyethylene, PVC, fiberglass, metal and composites.		Complete				Mar-07			
0901-1	American Polymer Corps	Graffiti Solution System AP 100 Clear	GSS is a patented 2 layer Permanent anti-graffiti coating and graffiti removal process that offers a 10 year limited performance warranty, outstanding easthetic performance.		Complete		Accepted		Jul-10			
0410-1	American Signal Company	"CMS-GP-432T" full matrix changeable message sign that is mounted on a trailer or truck	"CMS-GP-432T" full matrix changeable message sign that is mounted on a trailer or truck. This product currently is smaller than the specified CMS.	--	Complete	--	No Application	--	Oct-01	12/28/2004	11/18/2004	
0002-1	American Signal company (Interstate Supplies of Georgia)	"CMS GP232 Truck Mounted Changeable Message Sign."	Vehicle mounted dynamic message sign (pickup or flat bed) for incident management, work zone traffic control, etc. Also moving work zone management (sweeping, pavement striping, etc.)	--	Complete	--	No Application	--	Jan-06	3/23/2000	2/17/2000	Product does not meet all Specs. for message boards.
1704-3	American Wick Drain	"Site Drain Strip 6000" Geocomposite Strip Drain	"Site Drain Strip 6000" Geocomposite Strip Drain. Geocomposite with HIPS formed core fully wrapped in nonwoven filter fabric.				Field Test		4/6/2017	5/31/2017	5/18/2017	

9911-1	American Wood Fibers	"Wood Flour, filler for Asphalt Mixes"	Wood Flour, filler for Asphalt Mixes	--	Complete	--	Withdrawn	--	Mar-12			More information from applicant requested
9705-2	Ameron International	"Ameron Pole Products"	Ameron Pole Products (No Scanned NPE)	--	Complete	--	Accepted	--	Aug-10	6/9/1997	11/25/1997	
0110-7	Amity Plastics Limited	"Plastic Guardrail Posts"	Guardrail post.	--	Complete	--	No Application	--	Sep-02	3/7/2002	2/21/2002	
9802-1	Amoco Fabrics & Fibers Co.	"SuperGro"	Erosion control, vegetative establishment.	--	Complete	--	Accepted	--	May-03	3/16/1999	3/4/1999	Std. Spec. 713
9406-1	Amoco Fabrics and Filters Co.	Amoco Recycled Plastic Fence Post	Fencing.	--	Complete	--	Withdrawn	--	Jan-08	9/7/1994	1995	Field Test 8/24/1994 ; Field Test initiated on S.R. 169 in District 5. Field Evaluation in June of 94 reported that product was performing well. ; No information on why product was withdrawn.
1202-2	AP/M PERMAFORM	"CentriPipe™"	CentriPipe™ (Centrifugally Cast Concrete Pipe) is a cost-effective, NO DIG solution for the structural lining of both corrugated metal and reinforced concrete culverts and storm draining utilizing pneumatic SpinCasting™	--	Complete	--	Accepted	--	May-04	1/28/2013	2/23/12	Status updated Sept. 3, 2013
0512-1	Apex Resources	"EcoGel"	"EcoGel" - Water Retention Agent - Used in Hydraulically applied mulches.	--	Complete	--	Withdrawn/No Action	--	Dec-02	3/9/2006	2/21/2006	

1408-1	Applied Construction Solutions, LLC	"ProForm"	A petroleum base release agent which prevents build up on form surfaces.		Complete		Accepted		Aug-14	11/14/2014	11/13/2014	Withdrawn/No Action 08-30-16
0506-2	Applied Polymer Systems	"Floc Logs"	"Floc Logs" - A semi-hydrated polyacrylamide blend block. Size 13.5 in. x 8 in. x 4 in. Color varies with different logs.	--	Complete	--	Used at discretion of contractor.		Feb-07	6/29/2010	5/20/2010	
1008-1	Applied Polymer Systems	"FLOC-FLAP"	"FLOC-FLAP" (No NPE scanned)	--	Complete	--	No Application / Discretion of the Contractor		Apr-08	9/27/2010	8/19/2010	
9802-6	Applied Polymer Systems	"APS Silt Stop "PAM""	APS Silt Stop "PAM" (No Scanned NPE)	--	Complete	--	Accepted		Oct-04	NA	8/5/1998	Action pending 2/26/1998 ; Field Tested 5/28/98 by Construction -- Pending final approval of specification -- Research Project in Progress. 8/5/97
0006-3	Applied Polymerics	"Polycon "BD-2000 / E-Krete"	A total bridge deck micro-overlay system that can be applied to bridge decks exhibiting deterioration in the form of spalling, coarse aggregate popouts, provide a barrier coating, and provide a skid resistance	--	Complete	--	Withdrawn/No Action		Dec-07	8/25/2000	8/17/2000	Bridge Deck Overlay System. Test Section currently installed on I-475 Bridge over I-75 North of Macon.
9704-4	Applied Polymerics, Inc.	"Elastic Cement A/C"	Potholes, alligatored areas, crack sealing of asphalt.	--	Complete	--	No Application		Feb-06	6/9/1997	5/28/1998	Product does not offer economical advantage.
9704-5	Applied Polymerics, Inc.	"Percrete"	Pothole repair, spalls, non-movng cracks, stablization of areas.	--	Complete	--	No Application		Mar-07	6/9/1997	5/28/1998	Product does not offer economical advantage

9704-6	Applied Polymeric, Inc.	"Elastic Cement EC"	Fast curing, low down time, reliable, patch repair in high traffic areas/	--	Complete	--	No Application	--	Apr-07	6/9/1997	5/28/1998	Product does not offer economical advantage
9411-2	Aqua Lock	"Aqua Lock" (Waterproofing poured concrete or concrete block structures above or below grade.)	To waterproof poured concrete or concrete block structures - above and below grade.	--	Complete	--	Withdrawn	--	Jul-12	2/10/1995	8/5/1998	Lab Test 2/2/1995 ; No record of lab test being done or any further correspondence with company.
1506-1	Aqua Patch Road Materials LLC	"Aqua Patch"	Water activated cold mix asphalt. Performance is equivalent to hot mix asphalt. Use in winter or rain. Easy to use...just add water.		Office of Materials and Testing-Peter Wu-pwu@dot.ga.gov; Office of Maintenance-Larry Barnes-lbarnes@dot.ga.gov		Accepted	Field Test installed 3-29-16 SR 42 - Clayton County North of I-285	6/16/2015	10/11/2016	8/25/2015	
9703-1	Aqua Surface Tech. Canada, Inc.	"AquaSurTech D45"	Direct to aluminum because of superior adhesion. Direct to wet concrete because of breathability and vapor transmission. Direct to PVC fabrics because of adhesion.	--	Complete	--	Withdrawn	--	Apr-04	6/9/1997	5/28/1997	Department uses water based bridge paint.
9408-3	Aquatire, Inc.	Erosion Control Tirecloth	Stream erosion, road ditch maintenance, slope revegetation, gully and soil erosion, erosion of high impact trails and paths, wave protection for road, dam or dike faces. Emergency ground cover.	--	Complete	--	No Application	--	Jul-09	11/1/1994	10/20/1994	Product will be re-evaluated if a need develops.
9602-2	Aquron Corp.	"Aquron CPT-2000 (Preserves embedded steel, stops penetration of oil and grease.)"	Aquron is a deep penetrating concrete sealer/preservative, which neutralizes internal corrosives in new and aged concrete, and waterproofs concrete from salt in ocean or snow removal environments.	--	Complete	--	Withdrawn	--	Jun-05	NA	8/5/1998	Lab Test 3/26/1996 ; No response from manufacturer for request of sample.
1907-1	Arcosa Lightweight	Arcosa Lightweight Aggregate	Expanded clay lightweight aggregate				Not a New Product		Jun-19		8/19/2019	

1406-6	Arizona Chemical, LLC	"Sylvaroad™ RP 1000"	A liquid additive with high flash point (>250°C) specifically produced from a refined natural product to return binder properties of aged asphalt binder and mix.		Complete		Looking for Pilot field test - Lab testing mix design verification - passed Field Test Waiting on contractor to arrange test	\$500 Check Rec'd 9-17-14 Project # _____ Approx. Date Set _____ Per Sheila Still looking for a site 08-16-16.	Jun-14	8/26/2014	8/14/2014	
7907-1	Armco Steel	Culvert Pipe	Drainage for highways - Calvert.	--	Complete	--	No Status		Feb-11			File Labeled: PE-7906
0101-8	Armorcast Products Company	"HD20 Load Rated Manhole Assembly"	H-20 load rated manhole assemblies for full traffic, (street or highway) applications.	--	Complete	--	Withdrawn		Dec-04			Review by Traffic Operations and Bridge Design No additional information sent.
0604-2	Armorcast Products Company	"Armorcast Detectable Warning Panels & Tiles"	"Armorcast Detectable Warning Panels & Tiles" - Detectable Warning Panel "Wet Set" and Tiles "retro fit" made in compliance with all Federal, DOT and GADOT stds.	--	Complete	--	Accepted		May-07	6/28/2006		
1309-3	Armtec	"Durisol"	Sound Barrier (Wall) -- Single and double sided absorptive concrete noise barrier post and panel system.		Complete		Rejected	As an absorptive sound wall. Durability Test on the Wood/Concrete outer layer --?? Check with Bridge Design -- Ben Rabun	Sep-13	10/5/2015	9/15/2015	WITHDRAWN/NO ACTION 06-
9801-1	Asphalt Materials, Inc.	"T-Bond HMA Joint Tape"	Longitudinal and transverse joints in HMA surfaces; joints between concrete and HMA.	--	Complete	--	Withdrawn		Apr-03	NA	8/3/2000	No further contact with company.
1912-1	Associated Asphalt	StellarFlex FR Asphalt Binder	StellarFlex FR is a highly polymer modified asphalt binder that meets the FAA requirements for the P-404 "Fuel Resistant Asphalt Pavement" specification. The product is graded as a PG 88-22 or higher. It is extremely resistant				Withdrawn / No Action		Dec-19	1/13/2025		

0112-1	Atlanta Corrugating Company, LLC (Southeast Culvert Inc.)	"Max Flow Spiral Rib Pipe"	Storm drain pipe, side drain pipe, slope drain pipe for use in areas currently allowed by the Department to be corrugated metal pipe.	--	Complete	--	Accepted			9/10/2003		Action Pending 2/21/02 ; Review Bridge and Structural Design	
									Oct-03		8/21/2003		
0801-2	Atlantic Traffic Supply, LLC	Arrow Disk	The product emphasizes the selected arrowboard future by outlining the arrow with a fluorescent, reflective orange disk.		Complete		Rejected						
									Aug-13				
9503-7	Automotive Safety Transport, Inc.	"Glare-Guard"	Permanent headlight glare screen, to be mounted on concrete barrier in order to block headlight glare.	--	Complete	--	Accepted			6/17/1996		Field Test 4/20/1995 ; Don't bother with specification until need for a project.	
									Apr-08		6/6/1996		
1712-1	AW Cook Cement Products, Inc.	PCS Performance Cement solutions.	Portland cement based overlay for concrete and asphalt roadways and shoulders.				Action Pending			2/20/2018			
1705-2	AXI-SHIELD UK Ltd	"AXI-SHIELD"	"AXI-SHIELD" is a rapid deployment screen that is erected to prevent "Rubbernecking" from onlookers at the scene of an accident. The system blocks the view of drivers passing by and therefore reduces the likelihood of				Action Pending			5/5/2017	8/22/2017	8/17/2017	8/17/2017
9704-1	Aztec Concrete Accessories	"Aztec EZ Lok Slab Bolster"	For supporting, reinforcing steel and providing accurate clearances off formwork during concrete pours.	--	Complete	--	Accepted			1/14/1998		Subsequent to the Department revising the Standard Specifications.	
									Nov-05		11/25/1997		
9704-2	Aztec Concrete Accessories	"Aztec EZ Chair"	For supporting and accurately spacing reinforcing steel off formwork during concrete pours.	--	Complete	--	Approved			1/14/1998		Accepted 11/25/1997 ; Subsequent to the Department revising the Standard Specifications. ; Need Specification	
									Dec-05		8/6/1998		

7708-2	B & H Engineering	Plastakes	Surveying stakes.	--	Complete	--	No Status		Sep-02		File Labeled: Misc. 8-77-B
9501-5	B.S. Technologies	"Ploysbeto"	Highways/roads as a substrated layer between the sand or gravel and the hard surface to obtain an intermediary compressive strength to avoid cracking of the pavement (concrete or asphalt).	--	Complete	--	No Application		Nov-04	5/25/1995 4/20/1995	Product is site specific and will be considered at a later time if a need arises
1907-3	BarChip, Inc.	BarChip 48	Macro-synthetic fibers for concrete reinforcement				existing specification		Jul-19	1/15/2025	
0010-1	Barrier Systems, Inc.	"Abosrb 350 Crash Cushion"	Abosrb 350 Crash Cushion (No Scan NPE)	--	Complete	--	Accepted		Oct-10	8/29/2001 8/16/2001	Accepted as an alternate to sand barrels in temporary conditions.
0201-1	Barrier Systems, Inc.	"TAU-II Crash Cushion"	Rapid harding hydraulic cement.	--	Complete	--	Accepted		Nov-03	9/17/2002 8/15/2002	Action Pending 2/21/02
0407-6	Barrier Systems, Inc.	"Safeguard Gate System"	"Safeguard Gate System" is heavily reinforced galvanized steel barriers. Permanent barriers for emergency vehicles and maintenance crews access & egress. Needs no electrical power, manually operated.	--	Complete	--	Accepted		Jul-10	11/1/2004 8/19/2004	
0407-7	Barrier Systems, Inc.	"Safeguard Link System"	"Safeguard Link System" is a positive barrier separation in short-term construction work zones. Can be linked together. Easily moved by hand or can be towed by a pickup truck.	--	Complete	--	Accepted		Aug-12	7/27/2006	Committee decided that product may be used as an alternate to Epoxy for anchoring rebar or dowels in concrete or rock on GDOT projects

0504-1	Barrier Systems, Inc.	"Barrierguard 800"	"Barrierguard 800" -Steel Safety Barrier tested and approved to NCHRP 350 test level 4, approximately 540 mm (21.5) in width and 800 mm (31.5") high one 12 mm (40') section weights 1080 kg (2,400 lbs).	--	Complete	--	Accepted			7/27/2006			
									Nov-06		5/19/2005		
0903-3	Barrier Systems, Inc.	X-Tension Guard Rail End Terminal	The X-Tension guard rail end terminal is a Redirective system at the first post.		Complete		Accepted						
									Oct-09				
0911-6	Barrier Systems, Inc.	Safe-T-Curve	Safe-T-Curve is a concrete or steel reactive Tension system quickchange Movable barrier anchored on each end with a wide flange back support section from the universal TAU-II crush cushion.		Complete		Approved			7/10/2010			
									Jun-10				
1109-1	Barrier Systems, Inc.	"Raptor"	The Raptor is a unique safety device designed to reduce the severity of errant vehicle impacts with utility poles and trees. The Raptor has been tested to NCHRP 350 Test Level 1 as a non-redirective crash cushion.	--	Complete	--	Accepted			11/16/2011			
									Mar-10		11/8/11		
1210-2	Barrier Systems, Inc.	"Orion"	The Orion portable steel barrier is a longitudinal barrier tested to NCHRP Report 350 Test Level 3. It is comprised of standard thrie beam and w-beam panels with internal support frames.	--	Complete		Not a New Product			Jul-10	12/10/2012	11/08/12	
9501-8	Base Marketing Inc.	"Base Seal Liquid Soil Stabilizer"	Soil stabilization in the construction of road bases, parking lots, landfills, and runways.	--	Complete	--	No Application						Lab Test 4/20/1995 ; Based on Lab Test Committee determined that this product is an improvement over existing soil stabilizers used by the Department.
									Feb-05		3/8/1996		
0706-4	BASF Construction Chemical, LLC	PS 1473	PS 1473 is a Rheology Controlling Admixture designed to improve the response to vibrations of low - slump concrete mixture used for paving applications,		Complete								
									Oct-07				

1002-8	BASF Corporation	"Styrofan 1186"	"Styrofan 1186" (No NPE scanned)	--	Complete	--	Withdrawn/No Action	--	Apr-05	6/7/2010	5/20/2010	Approved for Reinke Pasco in 6/29/10 (Date of last meeting 5/20/10)
1105-1	BASF Corporation	"Rheomac 300D"	"Rheomac 300D" admixture is an integral crystalline capillary waterproofing admixture for concrete. It is designed for use in above- and below-grade applications.	--	Complete	--	No Application	--	Feb-05	6/15/2011	5/19/11	??SR85 Project?? Ask Sheila about the project report to be placed in this file and recommendation to the committee.
1907-2	BASF Corporation	Master X-Speed 55 Admixture	Strength enhancing admixture for concrete				Lab Test		Jun-19	1/7/2020	11/7/2019	
0005-4	Bay Saver, Inc.	"Bay Saver Separation System"	Bay Saver Separation System is an economical and highly effective passive flow system used to remove suspended solids, petroleum hydrocarbons, and gross debris from stormwater runoff.	--	Complete	--	No Application	--	Nov-08	12/8/2003	11/20/2003	
0505-4	Beaty Fertilizer Company, Inc.	"10-24-12 Fertilizer"	"10-24-12 Fertilizer" - Total Nitrogen - 18% Available Phosphate - 24 % Potash - 12% 9.4% Ammonium Nitrogen and 8.6% VREA Nitrogen	--	Complete	--	Withdrawn/No Action	--	Mar-07	6/2/2005	5/19/2005	
0210-6	Bekaert	"Pave Trac"	Pave Trac is a woven hexagonal mesh manufactured of eutectic 95%Zn-5%Al alloy (Bezinal) coated steel, transversally reinforced at regular intervals by alternately torsioned flat bars interwoven in the mesh.	--	Complete	--	Accepted	--	Aug-11	12/20/2006	11/19/2002	Committee Determined that ASTM F 949 will not be given enhanced approval. An ASTM F 949 pip must be installed on a GDOT Project to complete the field test phase.
1206-7	Bekaert	"Dramix"	Hooked end steel fibers. These fibers are utilized to reinforce concrete applications such as pavements, shotcrete (soil nailing), and precast (Pipes).	Fee / See Comments	Complete	--	Withdrawn/No Action	Waiting on Company to proceed with Field Test / Awaiting Lab/Field Test Fee -- Due to no response from manufacturer since January 2013	Feb-06	10/20/2014	8/09/12	

9901-2	Bekaert Corporation	"Dramix Steel Fibers"	Reinforcement for concrete and shotcrete	--	Complete	--	Accepted		May-04	3/10/1999	3/4/1999	Reinforcement Steel Fibers for Shotcrete.
1307-2	Belgard Hardscapes/Georgia Masonry Supply	"Eco-Holland™"	Brick paving system to allow for roadway drainage for rapid water dispersement	--	Complete		No Application	In process of Indemnity Agreement on Encroachment -- Meg Pirkle -- Follow up with Larry Barnes	Jul-13	10/1/2015	8/8/2013	Site found 5 south of McRae, GA. Once found, the manufacturer requested a site near Atlanta for ease of reviewing site. Maint. Liason now looking for site near Atlanta. Site found in
0210-9	Belzona Polymerics, LTD	"Belzona 4111 Magma-Quartz"	Concrete repair where high compressive strength and very high adhesion are required such as spalled areas on bridge expansion joint faces.	--	Complete	--	Withdrawn/No Action		Nov-13	12/18/02	11/19/2002	Lab Test completed 04/10/03
0207-2	Bentofix Technologies, Inc.	"Bentofix thermal lock clay liner"	Hydraulic barrier used for liquid containment storm water detension basins, ponds, lagoons, swales, wetlands.	--	Complete	--	No Application		Apr-08	9/5/2002	8/15/2002	Product does not meet with GDOT specified design policy for sound walls that sets wind load requirement at 28 lb/sf. (8/24/06) Sent out to Urban Design & Road and Bridge Design for review & possible
0001-2	Best Management Products Inc. (East Jordan Iron Works, Inc.)	"Snout Oil & Debris Stop"	In storm water catch basins or in-line water quality structures to prevent floatable pollutants from exiting the structure.	--	Complete	--	No Application		Dec-03	2/25/2000	2/17/2000	
9404-5	Better to See You.. Inc.	Electroluminescent Vest (Night Time or Low Light Visioning systems)	Night time or low light visioning systems.	--	Complete	--	No Application		Mar-09	9/7/1994	8/24/1994	Current safety vest used by Department is performing adequately.
0908-3	Big R Bridge	Super-Cor	Super-Cor's larger annular corrugation 15" pitch and 5.5" depth provide nine times the stiffness of conventional 6" x 2" Structural plate.		Complete		Accepted		Jun-10			

1304-1	BioDirt, Inc.	"Upgrade"	Upgrade is a unique liquid fertilizer containing quick and slow release nitrogen, phosphorus, and potassium. Upgrade also contains a proprietary blend of products that aid in root establishment and seed	Fee / See Comments	Complete	--	Project to Project	State GDOT Agronomist to review field test site in Sept. 2014	Apr-13	12/15/2014	9/4/2014	
0902-1	Bio-Green USA, LLC	Bio-Green	An all natural bio-based fertilizer that is 100% Safe for environment.		Complete		Rejected		Oct-09			
0708-2	BirdMaster	Bird Bellows	Bird Bellows is an effective barrier that provides a defense against roosting and nesting pest bird such as pigeons.		Complete		No Application		Nov-07			
1008-3	BK Enterprises, Inc.	"ELITE Graffiti Remover"	"ELITE Graffiti Remover"	--	Complete	--	Allow Use --		Jun-08			Sept. 2010 Field Test installed on Randall Road in McDuffie County.-- Rejected once field test was reviewed
1108-6	Block USA, Georgia Division	"Allan Block Fence"	A mortarless concrete block fencing system. Dry cast block is stacked in a post and panel configuration.	--	Complete	--	Accepted --		Feb-09	1/14/2013		
1507-3	Blue Earth EPS	"UPS Stealth"	Blue Earth provides battery back up systems lead acid free 98% efficient.		Complete		Project to Project	0 Check Received 11/16	7/17/2015	8/12/2016	8/25/2015	
0912-2	Bonle International Comopany, Ltd.	"Bright Portal Resources LLC"	Raised Pavement Markers BSL-05D and BSL-03 made of poly carbonate, poly crystalline silicon super bright LED lights, visible over 1/2 mile, (4"x 4" x 3/4").	--	Complete	--	Withdrawn/No Action --		Dec-13	2/26/2010		2/18/2010

9606-3	Borode, Inc.	"Road Atlas (Adjustable Form for Bridges)"	The Road Atlas is a device used as formwork in bridge construction. It is reusable because it is made of fiberglass, and it is infinitely adjustable (within its ranges) in its width and height so that it can be used with	--	Complete	--	No Application		Apr-11	9/6/1996	8/26/1998	Contractors are allowed to use this product.
7706-1	Breakaway Safety Structures	Transpo-Safety, Inc.	Signs, light poles, impact absorption devices on r/w.	--	Complete	--	No Status		Jan-07			File Labeled: Misc. 6-77
1611-2	Brentwood Inc.	"StormTank M"	StormTank M- underground stormwater storage for infiltration, detention, and re-use application.				Action Pending		11/3/2016	3/8/2017	2/16/2017	
0810-2	Bridge Preservation, LLC	BDM	Two Component cold liquid spray applied water proofing membrane.		Complete		No Application		Dec-10			
9607-3	Brite-Line Industries, Inc.	Deltaline XRP (Extended Reflective Performance Pavement Marking Tapes)	As inlay on new asphalt or surface applied where high levels of reflectivity are required to ensure safety, and where traffic is generally free-rolling.	--	Complete	--	Withdrawn		Apr-09	NA	8/5/1998	Action Pending 8/28/1996 ; Field Test ; By Maintenance to be coordinated by this office. This office was to notify as to location and quantity of needed for evaluation.
9608-2	Brite-Line Industries, Inc.	"Vibraline"	Vibraline (No Scanned NPE)	--	Complete	--	No Application		Jul-10	NA	NA	Action Pending 8/28/1996 ; By Maintenance to be coordinated by this office. This office was to notify as to location and quantity of needed for evaluation.
0204-2	Brite-Line Technologies, Inc.	"Drop-On-Line"	Replacement of or instead of other durable markings where wet retro-reflectivity is of concern.	--	Complete	--	Withdrawn/No Action		Oct-07	5/29/2002	5/16/2002	

9509-1	British Gas Corp.	"Pipe Bursting"	Pipe bursting is used to replace existing water, sewer or gas mains; drainage pipes and pipelines; and utility conduit with new pipe.	--	Complete	--	Withdrawn/No Action	--	Dec-09	11/3/1995	7/15/1998	Action Pending 10/25/1995 ; Need Specification ; Requested additional information on this product but we may not have received it. 7/15/98 Add Specification for this product.
9509-8	Bromall Enterprises	Ceramic Insulation	Rooftop insulation.	--	Complete	--	No Application	--	Sep-11	11/3/1995	10/25/1995	Department does not have a specific use for this product, but will be considered if a need arises.
0203-4	Bryson Products, Central Fabricators	"X-Post"	Direct substitute for existing wood and steel post options.	--	Complete	--	No Application	--	Sep-06	9/18/2002	8/15/2002	
0204-16	Bryson Products, Central Fabricators	"Type I Alternate Guardrail End Treatment"	Alternate Guardrail End Treatment.	--	Complete	--	Accepted	--	Sep-07	1/7/2003	11/19/2002	Need test site. 01/12/04
9508-2	Bryson Products, Inc.(Interstate)	"B.E.S.T Beam Eating Steel Terminal"	A guard rail type end terminal installed tangent to the roadway.	--	Complete	--	Accepted	--	Aug-09	11/3/1995	11/25/1997	Action Pending 11/3/1995 ; Must show product meets NHCRP 350. -- Meet NHCRP 350
0204-5	Bryson Products, Interstate Steel	"Fleat - MT 350"	Median guardrail barrier terminal system.	--	Complete	--	Accepted	--	Jan-08	5/29/2002	5/16/2002	Product "Air Plus" is listed on QPL-13.
9809-9	BTW	"Recycled Plastic Fence Posts"	Reusable protection for frequently impacted flat concrete walls or inside radius walls on curves.	--	Complete	--	Accepted	--	Sep-11	9/1/1999	8/26/1999	Alternate to Wood Fence Posts.

1001-2	Camera, MG² Inc.	"Camera Lowering System"	Custom lowering device designed to support and lower CCTV surveillance cameras and other pole mounted devices to ground level for maintenance or replacement.	--	Complete	--	Withdrawn/No Action	--	Feb-03	2/26/2010	2/18/2010	
0005-2	Cammco Inc.	"Plastic Blockout"	Plastic Blockout is a 5x6 with a groove cut in it to fit the 6" wide flange beam. The blockout can be used to retro-fit the replacement of the 6" wide flange blockout.	--	Complete	--	Accepted	--	Sep-08		8/17/2000	No Application 6/8/2000 ; Product being evaluated by Road Design;
1610-4	Cantsink Manufacturing	"Helical Pile & Helical Anchor"	"Helical Pile & Helical Anchor" a steel anchor/pile consisting of a lead section with helix and optional extensions				Accepted		10/12/2016	11/28/2016	11/17/2016	
0508-2	Cape Fear Systems, III, LLC	"Alert-Tile"	"Alert-Tile" - Rigid surface applied detectable warning system for wheelchair ramps. Made from proprietary resin composite with excellent wear and slip resistance.	--	Complete	--	Accepted	--	Aug-09	9/28/2005	8/18/2005	
0107-1	Capital Services	"ProCrete NH"	Used as a "header" material at joint edges to absorb impact and prevent spalling of concrete.	--	Complete	--	Withdrawn	--	Feb-08			(5/6/2003) No material sent in.
9803-2	Capital Services of New York Inc.	"EVAZOTE (gray)"	Expansion/contraction pre-formed joint sealer and / or pressure relief seal for bridges, parking decks, waste water treatment plants, airports and other commercial structures.	--	Complete	--	Accepted	--	Dec-06	7/6/1999	7/6/1999	Two year Field Test. This product may have been installed on a Bridge project by COBB County D.O.T in December 1998
9811-1	Capital Services of New York Inc.	"METAZEAL Expansion"	Expansion/contraction pre-formed joint sealer and / or pressure relief seal for bridges, parking decks, waste water treatment plants, airports and other commercial structures.	--	Complete	--	Accepted	--	Nov-12	1/13/1999	11/19/1998	Product requires a two-year field evaluation. This product may have been installed on a Bridge project by COBB County D.O.T in December 1998

1908-4	Carbon Cure	Carbon Cure	Carbon Cure is leading a global movement to reduce the carbon footprint of the built environment, using recycled CO2 to improve the manufacturing process of the world's most abundant man-made material: concrete.				Withdrawn/No Action			1/13/2025			
									Aug-19		11/7/2019		
1804-7	Carolina Composite Structures	Dyna - Wall	Dyna-Wall is made from a proprietary Advanced Composite Material (ACM) which is similar to concrete without the sand or gravel aggregates.				Office of Bridge Design Donn Digamon- ddigamon@dot.ga.gov		Withdrawn/No Action		5/18/2018		
									Apr-18		5/16/2018		
9603-1	Carolina Eastern Warehouse	"Liquid Lime (Hydro seeding additive)"	To be used in hypo-seeping as needed to improve the PH.	--	Complete	--		Accepted	--		6/2/1999		Lab Test 3/28/1996 ; Accepted as a Non-Pay Item.
									Dec-07		10/28/1996		
0308-4	Carpi USA	"Seal-A-Bridge"	"Seal-A-Bridge" A geocomposite that provides waterproofing and stress absorption.	--	Complete	--		No Application	--		12/08/03		Need to set up test site 01/12/04
									Mar-11		11/20/03		
9512-2	Carson-Brooks Plastics, Inc.	"Multi-Duct System"	High strength-to-weight ratio, high stiffness-to-weight ratio, stress free parts to eliminate warpage, non-porous surface, foam core provides impact absorption, plus sound and health insulation.	--	Complete	--		No Application	--		6/17/1996		Action Pending 1/25/1996 ; Product is site specific and will be considered at a later time if a need arises.
									May-03		6/6/1996		
1705-1	Carsonite Composites	12" AccoustaShield	"12" AccoustaShield" The structural plank components of the Carsonite Sound Barrier shall be constructed on a durable, UV resistant, continuous glass fiber reinforced, flame retardant, thermosetting composite material					Field Test		5/1/2017	8/22/2017	8/17/2017	8/17/2017
0006-2	Carsonite International	"The Sound Barrier"	The Sound Barrier system for use along highways, mass transit lines, residential roads and other high traffic areas.	--	Complete	--		Accepted	--		NA		Same as currently approved Sound Barrier from Carsonite but minus crumb rubber fill.
									Jan-10		8/17/2000		

9711-1	Carsonite International	"Optishield (Above ground race way for fiber optic cable."	Protect fiber-optic cable for traffic management devices. Re: Changeable message boards and video cameras for above ground application.	--	Complete	--	No Application	--		1/14/1998		Department utilizes multiple cell conduit buried for fiber optic cable installations.
									Jan-03		11/25/1997	
9411-3	Carsonite International Corp.	"Carsonite Sound Barrier System"	Noise mitigation along highway, rail or transit corridors. Barrier against splash from snow removal. Barrier against "gawking".	--	Complete	--	Accepted	--		11/3/1998		Action Pending 2/2/1995 ; Bridge Design ; Conditions of Acceptance: Posts and Foundations need to be in conformance to GDOT Std. Details.; GDOT Std. Spec. 624 revised to incorporate this wall
									Aug-12		9/12/1997	
9903-2	Cascade Distribution Ltd.	"Enviro Berm"	Enviro Berm (No Scanned NPE)	--	Complete	--	Withdrawn	--		NA		Action Pending ; Field Test ; Replaces Straw bale an Ditch Checks ; No response
									Oct-06		3/24/2000	
9411-1	Cascadia Technologies, Inc.	"Enduraseal 300"	Asphalt rejuvenator.	--	Complete	--	No Application	--		1/29/1997		Lab Test 2/2/1995 ; Product does not meet GDOT Std. Spec. 824.01
									Jun-12		1/29/1997	
1511-1	Castek, Inc. (A Transpo Industries Company)	"T-17 MMA Polymer Concrete Patching Material"	T-17 is a 100% reactive, rapid setting, solvent-free methacrylate (MMA) polymer concrete system that can be used as a repair for patching, grouting and structural repairs.			Office of Maintenance- Michael Keene- mkeene@dot.ga.gov	\$500 Check Received 4/5/16	Project to Project	Field test - 04-18-16 I -75 @ Frey Road SB Bridge deck. Monitor for one year. (04-08-17).	11/18/2015	2/19/2016	2/11/2016
9501-6	Cavity Pier Wall Systems	"Cavity Pier Noise Barrier for Highways"	Noise barrier for highways.	--	Complete	--	Accepted	--				Product must meet GDOT Std. Spec. Sect. 624.
									Dec-04		4/20/1995	
0301-1	CDS Technologies, Inc.	"CDS Stormwater Treatment Unit/CDS Unit"	"CDS Stormwater Treatment Unit/CDS Unit" Designed to separate soiled form liquids using a non-blocking indirect screening.	--	Complete	--	Withdrawn/No Action	--		6/10/2013		Red Panel installed at end of Kennedy Drive in Jan. 2003 Contact Rick Deaver/David J. to see if they know of a school site for the Yellow/Green Samples.
									Aug-04		02/20/03	

0210-4	Central Fabricators, Inc.	"Regent-C"	W-Beam Guardrail.	--	Complete	--	Accepted	--		12/20/2002		Field Test / Lab Test back in 11/19/02 --Requesting sample & "Field Test" product--James Magnus to find location.
									Jun-11		11/19/2002	
0103-3	Central Fiber Corporation	"Spraymatt"	Primarily used as a bonded fiber matrix (Type II) hydromulch cover system designed to be used in extreme erosion conditions where "roll-out" erosion blankets are not applicable.	--	Complete	--	Accepted	--				Field Test underway on Homer Bypass; listed in QPL 62
									Aug-07		8/1/2001	
1102-6	CENTRIA	"Eco Sound Barrier"	"Eco Sound Barrier"	--	Complete	--	Accepted	--			6/13/11	
									Jan-04		12/17/2012	
0801-1	CeraTech, Inc.	Redi Max	A versatile, green-sustainable, high-performance structural concrete with high early strenghts.		Complete		Rejected					
									Mar-10			
7901-1	Certamite Corporation	CS-45	Bridge decks (possibility of the gel expanding and causing cracking)	--	Complete	--	No Status	--				File Labeled: PE-7829
									Oct-05			
0102-1	Chem Rex Inc.	"Masterflow 1205 Cable Grout"	Grouting of post tensioned bridges. To provide corrosion protection for highly stressed steel cables by filling the grout duct with a true non-bleeding, non-shrinking, grout that has high resistance to chloride attack.	--	Complete	--	Withdrawn/No Action	--			2/15/2001	Check with concrete/myron Accepted on a project to project basis.
									Jan-05		2/23/2001	
0603-1	Chemical Resource Corp.	"DOT Pothole Filler"	"DOT Pothole Filler" - CRC - Pothole filler is a blend of asphalt and polymers to create liquid rubberized pothole filler. CRC-Pothole Filler sets by mixing the CRC ACTIVATOR with CRC Pothole Filler. CRC Pothole Filler	--	Complete	--	Withdrawn/No Action	--			6/5/2006	Field Test showed no clear advantage over current emergency marker practices.
									Jan-07		5/18/2006	

0101-7	Cogent Enterprises, Inc.	"Cordonator"	Stackable, palletized lights can stay attached during recovery, two part assembly for longer life cycle advantage. Most reflective road marker.	--	Complete	--	Withdrawn	--					Nov-04			Not equivalent to channelizers currently used. No sample sent.
1107-4	Cold Mix Manufacturing Corp.	"Greenpatch"	"Greenpatch"	--	Complete	--	Not a new product	--					Jun-07	11/17/2011		No letter sent due to this product being added to frontage road field test site on short notice
0507-5	Cold Spring Granite Company	"Truncated Dome Pavers" -	"Truncated Dome Pavers" - Natural granite pavers available in 4 different sizes and thicknesses and 9 different colors. Raised domes specified by the ADAAG (American Disabilities Act Accessibility Guidelines).	--	Complete	--	Accepted	--					Jun-09	9/28/2005	8/18/2005	
0302-2	Colebond, Inc.	"Enkamat 7003"	"Enkamat 7003" is a 3 dimensional nylon geomatrix of nylon filaments thermally joined together at their intersections to form an open structure of entangled filaments which has 95% open area and large holding capacity	--	Complete	--	No Application	--					Nov-04	03/11/03	02/20/03	Need to find a Field Test Site 01/12/04
9501-2	Collins and Aikman Floor Coverings	"Power-Stop" (Parking Bumper)	Parking bumper.	--	Complete	--	Accepted	--					Jul-03	2/10/1995	2/2/1995	Considered as alternate to concrete stops.
0710-1	Commercaill Fabric.	C-P.O.P	Same as type 1 with middle weight pre-assemble, very easy to install.	--	Complete	--	Accepted	--					Sep-07			
0405-2	Commercial Fabrics	"PolyPost"	"PolyPost" is a 4 feet tall triangular post with side 1.5"X1.5"X1.5" stud post made from recycled material with steel inserts for superior durability.	--	Complete	--	Reject	--					Mar-08	6/8/2004	5/20/2004	

0505-7	Commercial Fabrics	"Poly-Wattle"	"Poly-Wattle" - DOT A Approved Silt Fence Filled with Recycled polypropylene yarn.	--	Complete	--	Accepted		Jun-08	6/1/2005	5/19/2005	
1802-1	Commercial Metal Company (CMC South Carlina)	ChromX (9100, 4100 & 2100)	ChromX 9100 & 4100 reinforcing bar are uncoated corrosion resistant reinforcement (crr) and ChromX 9100, 4100 & 2100 are high strength rebars		Bridge and Structural Design-Clayton Bennett clbennett@dot.ga.gov		Withdrawn/No Action		Feb-18	5/16/2018	5/16/2018	
1807-3	Composite Access Products	Molded Fiberglass Reinforced Thermo-Plastic	Reduces theft for recycle metal; reduces infiltration & inflow, Lightweight, and corrosion resistant.		Office of Design Policy and Support- Holly Cross- hcross@dot.ga.gov		Rejected		Jun-18	11/13/2018	11/8/2018	
9502-2	Composite Technologies	"PFM" (Polymer-Fiber Matrix, Traffic Sign)	Traffic signs: Regulatory, school, warning, construction, street, recreational.	--	Complete	--	Withdrawn		Apr-05	5/25/1995	3/23/2000	Action Pending 4/25/1995 ; Field Test ; Lab Test ; Department requested material for tests, but no further information on Committee Action exits.
9502-3	Composite Technologies	"PFM" (Polymer-Fiber Matrix, Indoor sign.)	Specialty Signs: office/Industrial signs, safety signs.	--	Complete	--	No Application		May-05	5/25/1995	4/20/1995	
8005-1	Con/Chem	Con/Crete	Con/Crete - Epoxy overlay material for bridge decks. It consists of A&B parts plus filler.	--	Complete	--	No Status		Jan-07			File Labeled: PE-8005
0001-1	Concrete Impressions, Inc. (Precast Concrete Technology, Inc.)	"mprecon Sound Barrier or Screenwall."	Soundwall system.	--	Complete	--	Withdrawn/No Action		Nov-03	2/25/2000	2/17/2000	Textured Sound Wall aspect of Product Approved. System Approval pending review by Bridge Design

1008-2	Concrete Innovation Services	"Whisper Wall"	"Whisper Wall" (No NPE scanned)	--	Complete	--	Rejected		May-08			
1804-5	Concrete Moisture Solutions, Inc.	Barrier One	Porosity inhibitor, Certified Shrinkage Reducer, Certified Corrosion Inhibitor, Certified ASR Inhibitor, Sodium Silicate Free, VOC Free, Creates Impermeable Concrete, Increases Strength, and Promotes Long Term		Office of Materials and Testing-Rick Douds-rdouds@dot.ga.gov		Field Test		Apr-18	3/18/2024	5/16/2018	Email dated 6/15/2022 approved for use on Bridge #3, Span 2 LT; PI 0007691
0010-8	Concrete Precast Systems	"Whisper Wall"	Highway noise abatement barrier.	--	Complete	--	Approved		May-12	12/5/2000	11/16/2000	Review by Bridge Design
0109-3	Consolidated Resource Recovery	"Organic Soil Builders, Premium Compost"	Erosion control berm and blanket material.	--	Complete	--	Accepted		Feb-11			(5/6/2003) Per submittal to pass spec.
0405-5	Construction Products	"Armour Tile"	"Armour Tile" is a tile used to meet the ADA requirements that has domes per the GA DOT specification.	--	Complete	--	Accepted		Jun-08	6/8/2004	5/20/2004	
9307-2	Contech Construction	Contech HC-CL	Contech HC-CL (No Scanned NPE)	--	Complete	--	Accepted		Mar-10		7/15/1993	As alternate to corrugated steel pipe.
9408-6	Contech Construction Products	A-2000 PVC Sewer Pipe	Storm drain, sanitary sewer, underdrain, edgedrain and slope drain.	--	Complete	--	Accepted		Oct-10	12/1/1994	10/20/1994	With limited applications. May be used as alternate for: Slope drains provided a positive lock is used.; Side drain pipe up to 36" in diameter under the allowable fill for residential driveways

9409-1	Contech Construction Products	KWH Pipe	KWH Pipe (No Scanned NPE)	--	Complete	--	Accepted		Nov-10	10/20/1994	Accepted for renovating pipes and the Department will initiate a specification to cover this product.
9503-1	Contech Construction Products Inc.	"Ultra Flow (Spiral rib pipe)"	Storm sewers, cross drains, side drains, slope drains, bridge culverts.	--	Complete	--	Approved		Oct-06	8/6/1998	Accepted 4/20/1995 ; For use where corrugated metal pipe being used.
9911-2	Contech Construction Products Inc.	"Plastic Stab Joints for Corrugated Steel Pipe"	Plastic Stab Joints for Corrugated Steel Pipe	--	Complete	--	Accepted		Apr-12	12/5/2000	Pending 3/24/00
9911-3	Contech Construction Products Inc.	"Metal Stab Joints for Corrugated Steel Pipe"	Metal Stab Joints for Corrugated Steel Pipe	--	Complete	--	Accepted		May-13	11/16/2000	Use limited to grades less than 10% and cannot be used in slope drain application.
0210-7	Contech Construction Products, Inc.	"A 2000 PVC Storm Drain Pipe"	"A 2000 PVC Storm Drain Pipe"	--	Complete	--	Accepted		Sep-12	11/19/2002	Request Additional Information -- Including NCHRP-350 Approval.--NCHRP-350 has been rec.'d
1010-2	Contech Construction Products, Inc.	"DuroMaxx - Steel Reinforced Polyethylene Pipe"	"DuroMaxx - Steel Reinforced Polyethylene Pipe"	Nov-14	Complete	--	Withdrawn/No Action		Oct-10	4/30/2015	Changed to Accepted with letter dated 4/21/15.
1910-3	Contech Engineered Solutions	Slotted Drain	Slotted Drain is fabricated from corrugated steel pipe. The pipe is cut along a longitudinal axis and a trapezoidal or straight-sided grate with reinforcing spacer plates is welded in place to form a 1 3/4" wide opening. The slot collects				No Application		Sep-19	2/6/2020	

9605-3	Corrosion Proof Products	Magnum Series 9000 FRP Composite Rebar (Fiberglass Rebar)	Structural reinforcement *Ideal for reinforcing Portland cement and Polymer concrete used in environments where chemical or saltwater corrosion occurs or nonmagnetic and nonconductive materials are required.	--	Complete	--	No Application	--		6/17/1996		Field Test 6/17/1996 ; Information forwarded to the Research and Development Branch for further evaluation.
									Jul-09		8/5/1998]	
9411-6	Cortec Corporation	"Sound Off" Noise Barrier	Highway noise walls/barriers	--	Complete	--	No Application	--		8/19/1998		Action Pending 2/2/1995 ; The Office of Urban Design gave favorable recommendation concerning the approval of this product & Bridge Design is currently evaluating.
									Nov-13		8/5/1998	
9412-1	Cortec Corporation	"Cortec VCI- 386 Coating"	Metal coating, interior-exterior corrosion prevention, paint application.	--	Complete	--	Withdrawn	--				Action Pending ; Lab Test 2/2/1995 ; No further correspondence with company.
									Mar-03		8/5/1998	
9412-2	Cortec Corporation	"Cortec VCI- 375 Primer"	Cortec VCI- 375 Primer (No Scanned NPE)	--	Complete	--	Withdrawn	--				Action Pending ; Lab Test 2/2/1995 ; No further correspondence with company.
									Apr-03		8/5/1998	
9412-3	Cortec Corporation	"Cortec VCI- 365 Cor Mastic"	A long-term liquid coating providing optimal corrosion protection for metals exposed to outdoor environments as well as metals immersed in fresh and salt water.	--	Complete	--	Withdrawn	--				Action Pending ; Lab Test 2/2/1995 ; No further correspondence with company.
									May-03		8/5/1998	
1903-2	Cortina Safety Products	TraiBlazer XL Vertical Panels/ Part Number 03-768-DG	Vertical Panel / Diamond Grade Sheeting 15 lbs - 20 lbs - 30 lbs Rubber Base	Office of Construction- Todd Wood-wood@dot.ga.gov			Not a New Product			5/1/2019		
									10/18/2018		5/9/2019	
0002-4	Crafco Inc.	"Crafco "Poly Patch" Hot pour asphalt repair material for potholes and large cracks."	Crafco "Poly Patch" Hot pour asphalt repair material for potholes and large cracks.	--	Complete	--	Approved	--		2/25/2000		Product to Field Tested at City of Madison Airport. Runway overlay project, and Rockdale County Airport - Madison & Oxford, GA
									Apr-07		2/17/2000	

0304-2	Crafco Inc.	"Techcrete"	"Techcrete" The repair of spalls and potholes in portland cement concrete pavements.	--	Complete	--	Accepted			06/30/03		05/15/03	Submit under QPL-27; Rapid Setting Patching Material under a new subsection "Vertical and Overhead Patches."
0309-2	Crafco Inc.	"Crafco Chem-Crete Pavix"	"Crafco Chem-Crete Pavix" Water based dual crystal forming permanent internal waterproofing moisture and chemical removing as well as a surface repelling system.	--	Complete	--	No Application			9/18/2008		8/21/2008	Performed poorly in GDOT lab tests.
0309-3	Crafco Inc.	"Superseal Low-Mod"	"Superseal Low-Mod" Low-Modulus single component used for sealing joints.	--	Complete	--	No Application			12/15/2004			Submit under QPL-61; Reinforcement Steel Rolling Mills as an alternate to epoxy coated rebar.
0709-1	Crafco Inc.	High Friction Surface	Epoxy polymer Overlay System that provides multi-purpose high fricture surface for asphalt concrete or portland cement concrete pavement and other surfaces.		Complete		Accepted						
1406-4	Crafco, Inc.	"Matrix 501"	Pre-measured, pre-packaged hot applied bridge expansion joint system.				Withdrawn/No Action	Awaiting Fee Project # _____ Approx. Date Set _____ Follow up with email to Clayton Bennett link to filing cabinet.		Jun-14	6/5/2015	4/30/2015	
1406-5	Crafco, Inc.	"HP Concrete Cold Patch"	Used for repairing potholes, spalls, cracks and other confined voids and distresses over 1" wide and greater than 1/2" deep.		Complete		Not a New Product			Jun-14	8/26/2014	8/14/2014	We have done various laboratory mix design verification. It is now up to the contractors involved to actually place the mix in a test section. They appear to be hesitant base on cost of this product.
1406-3	Crafco, Inc.	"Mastic One"	Hot applied, pourable, aggregate filled, polymer modified asphalt pavement repair mastic.		Complete		Accepted			Jun-14	8/26/2014	8/14/2014	

0208-2	Crafco, Inc. (Formally represented by Pavetech International)	"Matrix Blue Bridge Expansion Joint System"	It is designed specifically to replace small movement bridge joint systems.	--	Complete	--	Withdrawn/No Action	--	Jul-09	9/5/2002	8/15/2002	For Lighting applications. Specifications are located in section 682.
0212-3	Creative Building Products	"Dura Bull (steel guard rail blockout safety delineator)"	"Dura Bull (steel guard rail blockout safety delineator)" Plastic reflective unit placed on large steel guard rails.	--	Complete	--	No Application	--	Apr-03	3/4/2003	02/20/03	No letter sent -- Awaiting Georgia Tech Guardrail Post Reflector Study. Special Provision # 916
0212-4	Creative Building Products	"Dura Bull (Wood guard rail highway blockout safety delineator)"	"Dura Bull (Wood guard rail highway blockout safety delineator)" Plastic reflective units that go on wood guard rails.	--	Complete	--	No Application	--	May-03	3/5/2003	02/20/03	No letter sent -- Awaiting Georgia Tech Guardrail Post Reflector Study. Special Provision # 916
0212-5	Creative Building Products	"Dura Bull (Steel guard rail post safety delineator-pedestrian)"	"Dura Bull (Steel guard rail post safety delineator-pedestrian)" Polyethylene roadside reflector on guard rails for the protection.	--	Complete	--	No Application	--	Jun-04	3/5/2003	02/20/03	GDOT has no requirements or specs for mailbox systems.
9605-9	Creative Building Products	"Dura-Bull Blockout"	Solid recycled plastic blockout for spacing the quadrail from the quadrail post.	--	Complete	--	Accepted	--	Jan-11	1/14/1998	11/25/1997	Meets NCHRP 350, and GDOT STD. Spec 641.
1805-5	Creative Pultrusion, Inc.	Superpile Fiberglass Reinforced Polymer Pipe Piles	Superpile Composite Pipe Pile is manufactured with electrical grade fiberglass and high impact, high strength polyurethane resin. The combination of the advanced resin and high strength glass produces a superior strength,		Office of Materials and Testing-Adebola Adelokun-aadelakun@dot.ga.gov		Withdrawn/No Action		May-18		8/30/2018	
1805-6	Creative Pultrusion, Inc.	Superloc Fiberglass Reinforced Polymer (FRP) Sheet Piling	Superloc Composite Sheet Pile System, a FRP composite system, is manufactured by the pultrusion process and is designed and manufactured to provide a solution for deteriorated waterfront structures subjected to		Office of Materials and Testing-Adebola Adelokun-aadelakun@dot.ga.gov		Withdrawn/No Action		May-18		8/30/2018	

1309-1	Cree, Inc.	"Cree LEDway Series"	LED Luminaire for Lighting roadways, streets, freeways, and alleyways.		Complete		Not a new product	Brent Story / Bo Quarles / Walter Taylor - Meet GDOT Specification * ____ *	Sep-13	11/6/2014	9/4/2014		
1309-2	Cree, Inc.	"Cree XSP Series"	LED Luminaire for lighting roadways, streets, freeways, and alleyways.		Complete		Not a new product	Brent Story / Bo Quarles / Walter Taylor - Meet GDOT Specification * ____ *	Sep-13	11/6/2014	9/4/2014		
1805-1	CreteDefender, Inc.	CreteDefender P2 ("Permanent Protection")	CreteDefender P2 is a water-carried concrete treatment that chemically reacts with the free lime in concrete to penetrate the pore and capillary structure.		Office of Materials and Testing-Rick Douds-rdouds@dot.ga.gov		Lab Test			5/14/2019		8/30/2018	
1504-9	Crown Technology, LLC	"Crown UFO's Wet Reflective/Audible Striping System"	Wet reflective and/or audible highway striping consisting of GDOT spec thermoplastic and regularly spaced raised reflectors and glass beads bonded together in a single pass application.				Field Test	Field Test installed 08-16-16 I-285 East at Jonesboro Road Exit Ramp Monitor for 2 years. (08-16-18)	Apr-15	6/1/2015	5/14/2015		
1704-7	Crown Technology, LLC	"Thermoplastic Marker Adhesive"	"Thermoplastic Marker Adhesive" for adhesive raised pavement markers to the roadway.				Lab Test and Field Test		4/11/2017	5/31/2017	5/18/2017		
0501-3	Crystal Stream Technologies	"Crystal Stream Storm Water"	"Crystal Stream Storm Water" - Storm water pollution removal system using hydrodynamic separation and filtration.	--	Complete	--	No Application	--		3/23/2005		3/22/05 A No Application letter was sent. Product reviewed again on May 19 which led to current letter.	
									May-03		2/17/2005		
1311-1	Cryzal	"MEGALUX"	Long life luminous roadway markers -- Wired or solar powered options		Complete		No application		Nov-13	11/4/2014	9/4/2014		

1706-5	CSL Silicones Inc.	SI-COAT 528 AG Remarkable	Suitable for use in applications where a surface needs to be protected from graffiti, as most marking media can easily be removed from the coated surface with water. SI-COAT is suitable for use over metal, concrete, brick, stone, wood, fiberglass and pre-existing coatings. SI-COAT also had excellent		Office of Maintenance- Michael Keene- mkeene@dot.ga.gov	500\$ Check Received on 9/28/17	Accepted		7/14/2017	12/28/2018			
1706-6	CSL Silicones Inc.	"SI-COAT 532 AG Remarkable"	Suitable for use in applications where a surface needs to be protected from graffiti, as most marking media can easily be removed from the coated surface with water. SI-COAT is suitable for use over metal, concrete, brick, stone, wood, fiberglass and pre-existing coatings. SI-COAT also had excellent		Office of Maintenance- Michael Keene- mkeene@dot.ga.gov	500\$ Check Received on 9/28/17	Accepted		7/14/2017	12/28/2018			
1805-2	CTS Cement Manufacturing	Komponent	Komponent is an expansive CSA-cement based additive that is combined with local ASTM C150 Type I, II, IV, or V portland cement to create shrinkage-compensating concrete, Low shrinkage concrete and non-shrnk		Office of Materials and Testing-Gary Wood-gwood@dot.ga.gov		Field Test			5/30/2018		5/16/2018	
1402-1	Cushion & Barrier LLC	"Dragnet™ "	Veical Arresting Barrier for Work Zones		Complete		Project to Project		Feb-14	4/7/2014		3/27/2014	
1002-4	Custom Vinyl Extrusions	"Omni Rigid Posts"	Omni Rigid Posts is designed to be used by DOTs and engineers/contractors. Functional alternative to traditional steel or wood T-posts widely used for attaching silt fencing, woven, or non-woven fabrics for sediment or	--	Complete	--	Withdrawn/No Action	--		2/26/2010		2/18/2010	
0404-1	Cyro Industries	"Paraglas Soundstop® Ready fit noise barrier panel"	"Paraglas Soundstop® Ready fit noise barrier panel" is a transparent noise barrier panel in a prefabricated steel fram assembly designed to be compatible with post used for standard concrete or steel, post	--	Complete	--	No Application	--		12/28/2004		11/18/2004	Accepteded as a temporary portable barrier with speeds of 45 mph or less. This Product is also being submitted under QPL-34 as a Type III Barrier.
0805-1	D & D Emulsions, Inc.	3D-C New Style	Recycled Fabric Environmentally Friendly Reinforced, Green poly Recycled material.		Complete				Aug-07				

9605-5	Dandy Products	"Beaver Dam"	All curb and gutter inlets. Keeps silt sediment and construction debris out of the stormwater systems.	--	Complete	--	No Application		Sep-09	6/17/1996	6/6/1995	Special attention by maintenance forces required. for proper application of product.
9605-6	Dandy Products	"Dandy Bag"	All curb and gutter inlets. Keeps silt sediment and construction debris out of the stormwater systems.	--	Complete	--	No Application		Oct-10	6/17/1996	6/6/1996	Special attention by maintenance forces required. for proper application of product.
0505-8	Daubert Chemical Company, Inc.	"Tectyl 506"	"Tectyl 506" - Solvent cutback corrosion preventive compound used for and against corrosion in long-term indoor or outdoor exposure.	--	Complete	--	Withdrawn/No Action		Jul-09	6/3/2005	5/19/2005	
9507-4	Davidson Plastic Corp.	"Flex-Guide Delineator Post"	Roadside delineation, can be installed by one person with a manual driver.	--	Complete	--	No Application		May-08	11/3/1995	10/25/1995	Need NTPEP evaluation and the Department has eliminated use of one piece designs from Specs.
9509-6	Davidson Plastics Corporation	"PCBM High Impact Barrier Reflector"	PCBM High Impact Barrier Reflector	--	Complete	--	Withdrawn		May-10	11/3/1995	3/24/2000	Action Pending 10/25/1995 ; Request was made for material to conduct six-month evaluation, but no record of test exists. ; Field Test 8/5/1995 ; Contact Roger Moore of District 7 Sign Shop
0806-2	Dayton Superior Corp	Tower Chair	Rebar Support		Complete		Meets		Sep-08			
0806-3	Dayton Superior Corp	Slab Bolster Upper(PSBU)	Post Tension Tendon Support		Complete		Meets		Sep-08			

0806-5	Dayton Superior Corp	Tower Chair	Individual plastic rebar support		Complete		Meets			Sep-08		
0806-6	Dayton Superior Corp	Strong Back Bolster (PSBB)	Rebar Support		Complete		Not a New Product					
0806-7	Dayton Superior Corp	Slab Bolster (PSB)	Contains plastic rebar support		Complete		Not a New Product					
0905-2	Deacero	Gauge	Field Fence 532/12 16ga		Complete		Withdrawn/No Action			Aug-13		
0802-1	Decker Supply Company	Illuminated Street Signs	Product allowany agency to upgrade their existing signage to an internal illuminated system with reduced maintenance and power costs.		Complete		Accepted			Aug-13		
9504-3	Deepee Coatings Inc.	"Plasto 054 (Permanent pavement markings)"	For permanent pavement markings, cross walk markings, center lines, edge lines, stop bars, safety sign markings.	--	Complete	--	Withdrawn	--	8/18/1995		8/5/1998	Field Test 7/20/1995 ; 8/8/95 letter was returned and no other contact has been made with this company 7/16/98
0101-6	Deery American Corp.	"Deery American Level & Go Mastic"	For the permanent repair of spalled, uneven structurally sound concrete or asphalt pavements that are subjective to heavy traffic. Including bridge decks.	--	Complete	--	Accepted	--	2/23/2001		2/15/2001	Accepted via Special Provision --- Similar to NPE # 9802-4 & NPE # 0008-5 See Fiberscreed File. Ref.# NPE 9802-4 & 0101-6
										Oct-04		

0008-5	Deery American Corporation, Inc.	"Recessed Repair Mastic"	Deery Mastic Materials are recommended for the permanent repair of extra wide pavement cracks, spalled joints, uneven pavement surfaces, potholes, corner slab breaks, and edge joints. For sealing cracks prior to	--	Complete	--	Accepted	--	Aug-10	2/23/2001	2/15/2001	See Fiberscreed File. Ref.# NPE 9802-4 & 0101-6
0802-6	Deery American Corporation, Inc.	Deery ThermaCrete Level and Go	Hot applied, polymeric, gray colored, cementitious repair mastic, composed of high quality presoftened resin binders, modifiers and closely graded aggregate.		Complete		Withdrawn/No Action		Sep-13			
0509-2	Degussa Corporation	"Protectosil CIT"	"Protectosil CIT" - Protectosil CIT is a clear surface-applied corrosion inhibitor that penetrates deep to protect steel reinforced concrete. Protectosil CIT's organofunctional chemistry repassivates steel and interrupts	--	Complete	--	Withdrawn/No Action	--	Dec-10	12/19/2005	11/17/2005	
0708-5	Dent Breakaway Industries	Dent Fuse Plate	A fuse plate that is mounted into the web section of a wide flange post or I -Beam post.		Complete		Accepted		Dec-07			
0602-5	De-Tech Manufacturing, Inc.	"(HDR) Heavy Duty Rubber Preformed Detection Loop" -	"(HDR) Heavy Duty Rubber Preformed Detection Loop" - Preformed detection loop.	--	Complete	--	*Approved	--	Dec-06	3/9/2006	2/21/2006	
0502-2	Digital Markings, Ltd.	"FastMark"	"FastMark" - Stick down preformed thermoplastic road marking material requiring no heat for installation. Available in white, yellow, blue, red, and other colors.	--	Complete	--	Withdrawn/No Action	--	Jul-05	3/22/2005	2/17/2005	
1803-2	Digiwest, Inc.	BlueMAC	Roadside Bluetooth MAC address collection probes for traffic studies.		Office of Transportation Data-Nzemeke Simonia Nsimonia@dot.ga.gov		Field Test		Mar-18	5/23/2018	5/16/2018	

0201-3	Donald E. Sychra,	"Georgia Panels A and B"	Panel A will be used around drainage structures. Panel B will be used on the surface of the road subgrade.	--	Complete	--	Accepted	--	Jan-04	11/9/2006	8/29/2002	Accepted for worksite erosion control best management practice code Sd2, Inlet Sediment Trap
1406-1	DowAksa Carbon Wrap	"Carbon Wrap Systems"	Externally bonded fiber reinforced polymer system intended for repair and strengthening of reinforced and pre-stressed highway bridge structures.		Complete		Accepted		Jun-14	6/9/2015	4/30/2015	Installed April 28, 2015
1203-1	DSI Corp.	"iBind"	Composition of mineral porcelante and activating agent or amorphous silica.	--	Complete		Withdrawn/No Action	--	Jul-05	5/30/2012	5/16/12	
1004-1	DuPont Powder Coatings USA	"Nap-Gard® 7-2719 Green Rebar FBE"	"Nap-Gard® 7-2719 Green Rebar FBE" (No NPE scanned)	--	Complete	--	Not a new product	--	Mar-08	9/13/2010	5/20/2010	
1201-1	DuPont Powder Coatings USA	"Nap-Gard Green Rebar 7-2750"	Fusion bonded epoxy powder coating.	--	Office of Bridge Maintenance-Clayton Bennett- cbennett@dot.ga.gov		Not a New Product	--	Jan-03	3/2/2012	2/23/12	Still looking for Field Test Site per Clayton Bennett 02-02-17
1806-1	Dura-Line	MicroDucts and Future Path	MicroTechnology is a term given to the practice of reducing the structure size in outside plant infrastructure. MicroDucts are small conduits (from 0.2" OD to 0.9 OD) developed as a solution to house fiber cables that were		Office of Traffic Operations-Keith Murphy- kmurphy@dot.ga.gov		Field Test		May-18	8/31/2018	8/30/2018	
1510-4	Durant	"Stat-A-Flex"	Two part polyester resin sealant formulated for encapsulating and sealing electrical signal wire in any road surface.		Complete		Accepted	Field test installed on 07-12-16. Monitor for one year. (07-12-17)	10/16/2015	12/4/2015	11/19/2015	

1011-3	Duratek Precast Technologies, Inc.	"Precase Concrete Sound Barrier Wall"	Precast concrete post and panel system.	--	Complete	--	Withdrawn/No Action	--	1/31/2011			
									Feb-12		11/18/2010	
0110-1	Durham Geo	"TR-3000 Storm Water Sampler"	TR-3000 Storm Water Sampler Storm water sampler to meet Section 167 - Water Quality Monitoring for National Pollutant Discharge Elimination System (NPDES) Permit No. GAR100000.	--	Complete	--	Withdrawn/No Action	--				Committee does not evaluate these products.
									Mar-11		11/15/2001	
9503-3	DWT Innovative Recycling Corp.	"Pothole Repair Kit"	Patching potholes for both asphalt and concrete roads -- up to 10 year lifetime.	--	Complete	--	Accepted	--	1/15/1999			Field Test 5/20/1995 ; As alternate to current pothole patching methods.
									Dec-06		6/6/1996	
7812-3	E. I. DuPont De Nemours & Co., Inc.	Imron Sealants	Joint Seals	--	Complete	--	No Status	--				File Labeled: Misc. 14-78
									Sep-04			
1011-2	E3 Technology, Inc.	"RoadMaxx"	All natural, environmentally friendly enzyme based liquid. RoadMaxx is a low cost organic soil stabilizer used to build a more durable road at decreased cost whether it be a dirt road, chip seal, or asphalt covered road.	--	Complete	--	Withdrawn/No Action	--	1/31/2011			
									Jan-12		11/18/2010	
0807-2	Earth Saver Inc.	Strew Wattles (Fiber Rolls)	Approximately 9" Diameter by 25' in length straw filled tube. Encapsulated in photodegradable mesh poly net.		Complete		Accepted					
									Sep-08			
9407-3	Earth Systems Inc. (Quaney Plastics and Mold Manufacturing Company, Inc.)	Earth-Loc Retaining Walls	Earth retention and slope management along the side of highways, roads and bridges.	--	Complete	--	Withdrawn	--	8/19/1998			Action Pending 8/24/1998 ; Letter to applicant requested additional information on product for evaluation by Bridge Design. No record if information was received.
									Apr-08		8/5/1998	

1104-5	Earthlok LLC	"Earthlok"	Earthlok Soil Stabilizer is an electrochemical that creates an immediate ion exchange with the clay particle immediately upon contact. The ionic exchange changes the molecular structure of the clay particle from a broad	--	Complete	--	Withdrawn/No Action	--	Jun-06	6/15/11	5/19/11	
1301-1	Easi-Set Industries	"J-J Hooks"	J-J Hooks is a precast concrete barrier that is used for roadside safety and traffic redirection for temporary and sometimes permanent conditions at bridges and approaches to bridges or cuts in the roadway during construction	--	Complete	--	Not a New Product	--	Jan-13	3/7/2013	2/14/2013	Status updated Oct. 20, 2014
0412-1	East Coast Erosion Blankets, LLC	"ECSC-2"	"ECSC-2" Erosion protection and the establishment of vegetation w/24months of turf reinforcement. Used in moderate to heavy flow rainfall and runoffs, and on slopes up to 1:1 grade. This is made of a straw and coconut mix.	--	Complete	--	Accepted	--	Jan-02	3/22/2005	2/17/2005	
0101-2	East Jordan Iron Works (Formally GNR Technologies)	"Infra Riser"	Infra Riser	--	Complete	--	Accepted	--	Jun-03	3/7/2007	7/15/2013	After field test (requested in Feb. 2001) showed product did not meet GDOT requirements because of compression and manhole cover shifting down to the concrete manhole.
9606-1	Eastern Metal/USA (Action West)	"Flashing STOP/SLOW Paddle Signs"	Flagging in low visibility or visually competitive environment,	--	Complete	--	Accepted	--	Feb-11	9/6/1996	8/28/1996	Meet current MUTCD and 2100 mm Shaft.
9606-2	Eastern Metal/USA (Action West)	"Work Zone Alarm"	Protection of workers inside workzone from vehicle entry danger via audible alarm.	--	Complete	--	Withdrawn	--	Mar-11	9/6/1996	8/28/1996	Waiting on report from Research on work area intrusion alarm systems.
9404-6	Eastern Metal/USA Sign	Impact Resistant Delineators	10" square: barrel or barrier mounted retro-reflective material to replace steady burn or flashing warning lights. Other sizes for variety of delineator functions.	--	Complete	--	Withdrawn	--	Apr-09	9/7/1994	1995	Field Test 8/24/1994 ; No information if field test was conducted. ; No Information on when product was withdrawn.

1805-9	E-Chem, LLC	EPC-Overlay	100% Solids solvent free, moisture insensitive, high performance, multi-purpose epoxy polymer concrete overlay system (3/4" - 10" cross sections) this is an alternative to polyester concrete overlays		Bridge and Structural Design-Clayton Bennett clbennett@dot.ga.gov		Field Test			May-18	9/10/2018	8/30/2018	
1412-4	EcoStrate SFS Inc.	"EcoStrate Traffic 025"	EcoStrate Traffic 025 Products are for substrate and signs applications that are used on a highway system or other areas regulated with the Department of Transportation.		Complete		No Application			Dec-14	6/24/2015	2/12/2015	
1507-1	Ecoturf Midwest Inc.	"Ecoduty Degradable Stakes"	100% Oxo-Biodegradable Stakes in sizes of 4" and 6".		Complete		Withdraw/No Action	If no contact by 11-15-16, Withdraw/No Action Per Todd Wood 10-13-16		7/2/2015	11/15/2016	8/25/2015	
1507-1	Ecoturf Midwest Inc.	Ecoduty Degradable Stakes	Ecoduty stakes are used to anchor erosion blankets, turf, protective covers, landscape fabrics, jute matting and netting		Complete		Withdrawn/			11/15/2016			
9906-3	Ecrail of Florida, Inc.	"Ecrail / High Strength Non-Metallic Hand Rail"	High strength non-metallic hand rail and other elongated structural elements.	--	Complete	--	Accepted	--		Jan-07	8/27/1999	8/26/1999	Alternate for Ferrous Metal handrail, decision pending for alternate to Aluminum Handrail
1908-2	Eden Innovations, LLC	EdenCrete PZ	EdenCrete Pz is a liquid admixture which improves the durability, ductility, and strength of concrete mixes using pozzolans to replace a portion of the cement.				Field Test			Aug-19	9/9/2019		
1506-2	EdenCrete Industries Inc.	"EdenCrete 500"	EdenCrete 500 is a Carbon Nanotube enriched liquid additive that increases the strength and durability of concrete thereby improving its resistance to shrinkage, failures resulting from compressive and flexural forces,				Lab Test and Field Test	CSNHS-M003-00 (308) Carroll County Waiting to install the field test at this location for Portland cement concrete pavement (GDOT		6/17/2015	12/7/2015	8/25/2015	

1506-2	EdenCrete Industries Inc.	"EdenCrete 500"	EdenCrete 500 is a Carbon Nanotube enriched liquid additive that increases the strength and durability of concrete thereby improving its resistance to shrinkage, failures resulting from compressive and flexural forces.				Allow the Use	Allow the use for 24 hour accelerated strength concrete. See QPL #14	6/17/2015	12/7/2015	8/25/2015	
1504-2	EJ	"Fiber Reinforced Polymer GDOT 5001 M Grate"	Fiber reinforced polymer drainage grate.		Complete		Rejected		Apr-15	9/16/2016	08/16/16	
1504-3	EJ	"Auctile Iron GDOT 5001 M Frame and Grate"	Hinged ductile iron frame and grate assembly to replace current 5001 M specification.		Complete	\$1000 Check Received for 1504-5 and 6	Withdrawn/No Action		Apr-15	1/4/2017	8/16/2016	Beau wants to reject based on EJ pulling the field test because they were not happy with the installation. 09-14-16
1504-4	EJ	"Self Level"	Two-piece cast iron frame designed to "float" and settle with either P.C.C. or A.C.C. pavement.		Complete	\$1000 Check Received for 1504-5 and 6	Rejected		Apr-15	9/16/2016	8/16/2016	PS Vendor Management Form and signed W-9 Requested in Letter dated 3/1/16 Fee returned on 03-21-16
1701-4	EJ	"Ductile Iron GDOT 5001 M Frame and Grate"	"Ductile Iron GDOT 5001 M Frame and Grate"		Office of Design Policy- Todd Wood - twood@dot.ga.gov	500\$ Check Received on 2/18/17	Accepted	(3) 5001Ms were placed on Tuesday 11.21.17. Pictures of the installation are in the file.	1/27/2017	1/8/2019	5/18/2017	
1808-1	EJ	Composite Frame and Cover	Used in areas where manholes are frequently inspected. Composite covers are much lighter than iron and easier to handle.		Office of Design Policy and Support- Holly Cross- hcross@dot.ga.gov		Rejected			11/13/2018		
1808-2	EJ	Storm Surge	Cast Iron manhole ring and cover. Cover has a lockable arm to catch in the frame when storm surge tries to dislodge the cover.		Office of Design Policy and Support- Holly Cross- hcross@dot.ga.gov		Accepted		Aug-18	12/22/2018		
									Aug-18			11/8/2018

1808-3	EJ	V-1327 Cover with Bass Logo and EPIC	Cast Iron Manhole Cover		Office of Design Policy and Support- Holly Cross- hcross@dot.ga.gov		Accepted			7/26/2022		Aug-18	11/8/2018	
1808-4	EJ	41326211, 41326311, 41326411	Cast Iron Rings/Frames		Office of Design Policy and Support- Holly Cross- hcross@dot.ga.gov		Accepted			7/26/2022		Aug-18	11/8/2018	
1205-3	Electro-Matic Products, Inc.	"Electro-Matic LED Lighting Solutions"	Solid State Lighting - LED Street Lighting	--	Complete		Accepted	--		Jan-08	5/30/2012	5/16/12	Accepted on a case by case basis as an alternate to be used on standard lighting applications.	
9410-2	Electro-Tech	"ET 101RK 12" LED Signal (RED) (Replace standard 12" traffic Signals)	ET 101RK 12" LED Signal (RED) (Replace standard 12" traffic Signals) (No Scanned NPE)	--	Complete	--	No Application	--		2/10/1995			Field Test 2/10/1995 ; Cannot find No Application letter	
1504-8	Electrotechnics Corporation	"ELTEC (a.k.a) Rectangular Rapid Flashing Beacon (RRFB)"	Pedestrian crossing (warning) system-solar powered.		Complete		Accepted			Apr-15	6/1/2015	5/14/2015		
1610-5	Elevate Infrastructure, LLC	"Elevate Precast Counterfort Retaining Wall System"	"Elevate Precast Counterfort Retaining Wall System" This innovative patent-pending precast counterfort system is designed to support future embankment consisting of existing clay/soil backfill.		Office of Bridge Design-Steve gaston- sgaston@dot.ga.gov		Project to Project			10/19/2016	4/17/2017	11/17/2016		
0209-5	Empire Acoustical	"Silent Screen"	"Silent Screen" - Absorptive wall panel with NCR and STC greater than or equal to the minimum required by the special provision section 624. Designed for 80 mph (28 psf) wind load or greater, which is acceptalbe.	--	Complete	--	Withdrawn/No Action	--		12/18/2002			Hydroseeder is best for this job. This offers no clear advantage over hydroseeding.	
										Feb-11		11/19/2002		

0904-2	EMSEAL Joint Systems Ltd.	Bridge Expansion Joint System	Cellular Polyurethane foam impregnated with hydrophobic 100% acrylic, water based, factory coated with highway-grade.		Complete		Accepted		Jul-15			
0708-1	ENCAP, LLC	PAM-12	PAM-12 is a recycled paper byproduct made into a spreadable mulch granule.		Complete		Withdrawn/No Action		Aug-13			
1508-1	eNdoto Corp.	"R US Reflector"	High power prismatic reflectors available in 4 different profiles. Round, rectangle, trapazoid, and narrow rectangle.		Complete		Withdrawn/No Action	Wait one year. Withdrawn/No action 12-4-16	8/18/2015	12/5/2016	11/19/2015	
9401-2	Energy Absorption Systems	Triton Barrier™ (Crashworthy Portable Longitudinal Barrier.)	Crashworthy portable longitudinal barrier.	--	Complete	--	Accepted		Apr-04	11/28/1994	10/20/1994	Accepted as a temporary portable barrier for use under following conditions: Work zones 45 mph or less.; used in lieu of cones or plastic drums.; Work Zones of short duration regardless of speed where
9401-3	Energy Absorption Systems	Barrier Gate™ (Emergency Access opening Median Barrier)	Emergency access/opening for median barrier. Provides crashworthy barrier when closed, congestion mitigation.	--	Complete	--	Accepted		May-04	11/28/1994	3/24/2000	Action Pending 10/20/1994 ; (Field Test Started 1-96 on I-85) Initial field evaluation indicates that product adapts well with existing concrete barrier. Some concern with ability of traffic to safely move
9407-1	Energy Absorption Systems	Cushionwall™	High-frequency impact areas such as severe curves or exit ramps, protecting errant vehicles by redirecting safely around curve.	--	Complete	--	No Application		Feb-08	9/7/1994	8/24/94	Product is site specific and will be considered at a future time if a critical location is identified.
9503-8	Energy Absorption Systems	"NEAT"	End treatment for BSI moveable concrete barrier.	--	Complete	--	Approved		May-09			Wait on NCHRP 350 Results.

9510-4	Energy Absorption Systems	"LMA" Low Maintenance Attenuator	Protection for concrete blunt ends where historically high impact frequency creates the need for low maintenance, low refurbishment cost system.	--	Complete	--	Withdrawn		Feb-14	2/20/1996	3/24/2000	Action Pending 1/25/1996 ; Wait on NCHRP 350 Results. ; Contact manufacturer for status of Test. No Further contact with company .
7811-1	Energy Absorption Systems, Inc.	Tire Cade	Warning barricades.	--	Complete	--	No Status		Jun-01			File Labeled: Misc. 11-78
1802-2	Enersphere Communications LLC	ePole	ePole is an integrated small cell site solution that includes a modular and hollow composite pole manufactured for Enersphere under contract by Highland industries.		Office of Traffic Operations-Keith Murphy- kmurphy@dot.ga.gov		No Application		Feb-18	5/16/2018	5/16/2018	
9411-5	Engelhard Corp.	Metamix™ (High Reactivity Metakaolin (HRM) Pozzolanic Mineral Admixture)	For use in high performance concrete applications.	--	Complete	--	Accepted		Oct-12	7/31/1996	6/6/1996	Lab Test 2/2/1995 ; Product must continue to meet requirements outlined in AASHTO M296 Class N.
0512-2	Engineered Tire Structures, Inc.	"EcoFlex, E Wall, E Pave, E Rosion Control"	"EcoFlex, E Wall, E Pave, E Rosion Control" - Specially procesesed whole waste truck & OTR tires are used with carefully selected aggregate material (like sand, crushed recycled concrete or 3-4" cobble) and selected	--	Complete	--	No Application		Jan-03	3/9/2006	2/21/2006	
0705-4	Ennis Paint Company	Imprint	A decurative system consisting of a hot applied polymer resin surfacing material that is imprinted to produce a brick/paver type permanent finish that will de-bond or break loose from the sub-pavement.		Complete		Accepted		Aug-07			
0204-4	Ennis Paint, Inc.	"Flame Tape"	Road marking.	--	Complete	--	Accepted		Dec-07	12/08/03	11/20/03	

1805-8	Ennis Paint, Inc.	Stimsonite Model 201 Lens Cradle with C40 Replaceable Lens	Polycarbonate cradle casting which is attached to a replaceable prismatic retroreflector for reflecting light from a single or opposite direction.		Office of Materials and Testing-Rick Douds-rdouds@dot.ga.gov		No Application			3/18/2024		Evaluation through NTPEP RPM/Snow Plowable marker
									May-18		8/30/2018	
0402-3	Ennis-Flint {Formally: Flint Trading (2012-2011) Integrated Paving Concepts, Inc. (2011 and back)}	"DuraTherm"	"DuraTherm" (Formally: "Street Print Dura Therm Inlaid Thermoplastic") is a highly decorative inlaid thermoplastic with dramatic patterns and colors. No maintenance burden and last 3 times longer than normal	--	Complete	--	Accepted	--		11/14/2006		Site Specific Product to be evaluated on a Project to Project Basis
									Jun-07			
1108-4	Eventiv, Inc.	"Guideline™ "	Temporary Paint	--	Complete	--	Rejected	Failed Field Test		9/27/2011		
									Dec-08		9/4/2014	
0405-11	EnviorTech Services	"EnviRoad Thaw 20"	"EnviRoad Thaw 20" is a very viscous deicing liquid designed for application to stockpiles of salt, sand and other aggregates. 30% magnesium chloride solution blended with a higher concentration of agriculturally	--	Complete	--	Withdrawn/No Action	--		9/28/2004		
									Nov-07		8/19/2004	
9506-1	Enviro Group, Inc. (Monsey Products Company)	"Landcover Formula 480"	As an equivalent or replacement for temporary erosion mats or blankets, our product works great on sandy soils in preventing erosion and growing grass. Retains heat and condensation for accelerated seed germination.	--	Complete	--	Withdrawn	--		8/18/1995		Lab Test 6/20/1995 ; No Record of any lab test on this product.
									Dec-10		8/5/1998	
0507-1	Enviroad, L.L.C.	"Earthbind 100"	"Earthbind 100" - Earthbind 100 is a high quality, versatile soil stabilization and dust control product made from environmentally safe paraffinic resins.	--	Complete	--	Withdrawn/No Action	--		9/28/2005		
									Mar-08		8/18/2005	
9802-2	Enviro-Guard LLC	"Quick-Guard Silt Anchor/Gauge"	Quick-Guard Silt Anchor/Gauge (No Scanned NPE)	--	Complete	--	Accepted	--		3/9/1999		Product Allowed without specification.
									Jun-03		3/4/1999	

9910-1	Environmental Anchor Resources	"Patch-It, Epoxy pot hole repair"	Patch-It, Epoxy pot hole repair	--	Complete	--	No Application	--		Jan-12		Manf. working with Mavin Zundel Maintenance No field test material received.
9502-6	Environmental Manufacturing Inc.	"Repave"	Permanent, immediate asphalt cold patch material.	--	Complete	--	Withdrawn	--		Aug-06	9/22/1997 5/25/1995	Field Test 4/20/1995 ; Unsuccessful in contacting company.
9803-3	Environmentally Safe Solutions	"Evercrete DPS"	Evercrete has historically been used internationally as a "problem solver" wherever there is a severe moisture or leaking problem with old or new concrete. The manufacturer is in a dozen or more countries as well as the	--	Complete	--	No Application	--		Jan-07	6/4/1998	Action Pending 5/28/1998 ; by Concrete Lab. Product in Lab for testing. 7/98 : Product sent to Concrete section for testing 10/98
9704-3	Environmentally Safe Solutions, Inc.	"Duramer Polymers and Elastomers"	Water barrier seal-coating for wood, concrete and masonry, asphalt-ultra for wood, concrete and masonry, asphalt-ultra corrosive resistant coating metals	--	Complete	--	No Application	--		Jan-06	6/9/1997 5/28/1997	Product does not fulfill a real need for Dept.
9703-2	Envirosafe Manufacturing Corp.	"Algae / Mildew Retardant"	A fluid applied coating that forms a shield to retard the growth of algae and mildew. This is a finished product that is ready for use.	--	Complete	--	No Application	--		May-04	5/28/1997	Product does not fulfill a real need for Dept.
9703-3	Envirosafe Manufacturing Corp.	"Nu Look Concrete Cleaner"	A fluid applied coating that removes dirt, oil, stains, etc. from concrete: restoring the new look finished product and ready for use..	--	Complete	--	No Application	--		Jun-04	6/9/1997 5/28/1997	Product does not fulfill a real need for Dept.
9703-4	Envirosafe Manufacturing Corp.	"Rust / Stain Remover"	A unique formulation that removes rust, grease and oil stains from concrete. This is a finished product and ready for use.	--	Complete	--	No Application	--		Jul-05	6/9/1997 5/28/1997	Product does not fulfill a real need for Dept.

9703-5	Envirosafe Manufacturing Corp.	"Enviro-Clean Degreaser / Cleaner"	A unique, industrial strength chemical cleaner and degreaser that unites safety, effective cleaning and environmental awareness in a special formulation that is time-proven and job tested. This is a	--	Complete	--	No Application	--	Aug-05	6/9/1997	5/28/1997	Product does not fulfill a real need for Dept.
9703-6	Envirosafe Manufacturing Corp.	"Efflorescence Remover"	A fluid applied coating that removes efflorescence from brick and block. This is a finished product that is ready for use.	--	Complete	--	No Application	--	Sep-05	6/9/1997	5/28/97	Product does not fulfill a real need for Dept.
9703-7	Envirosafe Manufacturing Corp.	"Trojan Masonry Sealer"	Penetrating masonry sealer that penetrates 2-4" for all masonry, block, brick and slabs. Trojan has a lifetime warranty.	--	Complete	--	No Application	--	Oct-05	6/9/1997	5/28/1997	Product does not fulfill a real need for Dept.
0912-1	Enviroscape ECM, Ltd.	"Vertipro"	Poly propylene geotextile type III covering an aluminum frame with collapsible and replaceable vertical support legs.	--	Complete	--	Withdrawn/No Action	--	Nov-13	2/26/2010	2/18/2010	
0405-10	Envirotech Services	"EnviRoad Thaw 10"	"EnviRoad Thaw 10" is a high performance low corrosive liquid deicer for direct application to the pavement to melt ice and snow. 30% magnesium chloride blended with a higher concentration of agriculturally engineered corn	--	Complete	--	Withdrawn/No Action	--	Oct-07	9/28/2004	8/19/2004	
1705-5	Envirotx	"CBSMS-1S (E-Gard)"	"CBSMS-1S (E-Gard)" - Emulsion of water, liquid asphalt, petroleum resins, maltenses, distillate and emulsifiers.				Action Pending		5/17/2017	8/24/2017	8/17/2017	8/17/2017
1812-3	ePave, LLC	ePave	ePave primary use is as a surface coating (Pavement preservation product) on asphalt and concrete pavements. It could also be used on bike lanes and decorative surfaces.		Office of Materials and Testing-Peter Wu-pwu@dot.ga.gov	\$500 Check Received 4/27/19	Field Test		Dec-18		2/14/2019	

0708-4	Epoplex	Safe-T-Grip	A 2 componenet 100% solids epoxy hybrid resin which has a top dressing of highly skid-resistant aggregate such as Bauxite.		Complete		Accepted			Jun-07				
1102-5	EPOPLEX	"EPOPLEX LS65"	"EPOPLEX LS65"	--	Complete	--	Approved	Specification Will be Published - Oct. 2013 - Must Submit for QPL Process		Dec-05	6/13/11		5/19/11	
0309-1	Epoplex, Div. of Stonhard	"LS90"	"LS90" 2 to 1 ratio polyurea pavement marking durable material.	--	Complete	--	Accepted	Submit for QPL-90 with GDOT Specs		Apr-11	12/08/03		11/20/03	01/08/03 spoke with Dan Dwyer. He wants to put down a field test here at the OMR office in about Feb. when it is 40 degrees F plus weather.
9310-4	E-Poxy Industries	Novulcrete	Novulcrete (No Scanned NPE)	--	Complete	--	Accepted	--		Nov-01			2/20/1996	Field Test 11/10/1993 ; Installed 8/3/1995 ; Accepteded under GDOT Std. Sect. 449.
9310-5	E-Poxy Industries	Evazote 380 E.S.P.	Evazote 380 E.S.P. (No Scanned NPE)	--	Complete	--	Accepted	--		Dec-01			2/20/1996	Field Test 11/10/1993 ; Installed 8/3/1995 ; Accepteded under GDOT Std. Sect. 449.
0405-12	Ergon	"EnviRoad Prime (CPC-1)"	"EnviRoad Prime (CPC-1)" is a polymer modified Cationic Asphalt Emulsion.	--	Complete	--	Withdrawn/No Action	--		Dec-07	9/28/2004		8/19/2004	
0405-13	Ergon	"EnviRoad Base (CBS-1)"	"EnviRoad Base (CBS-1)" is a polymer modified cationic Asphalt Emulsion. Soil/base stabilization.	--	Complete	--	No Application	--		Jan-08	10/8/2004		8/19/2004	

0202-4	Erosion Control Supply Source Inc.	Soil Master	Erosion control, slope stabilization, dust abatement, sand control.	--	Complete	--	No Application		May-05	3/21/2002	2/21/2002	
1003-9	Erosion Runner LP	"SedCatch Sediment Cage"	"SedCatch Sediment Cage" (No NPE scanned)	--	Complete	--	Withdrawn/No Action		Feb-07	6/7/2010	5/20/2010	
1003-9	Erosion Runner LP	"SedCatch Sediment Basket"	"SedCatch Sediment Basket" (No NPE scanned)	--	Complete	--	No Application		Jan-07	6/9/2010	5/20/2010	
1312-4	Erosion Supply Company, Raleigh, NC	"ESC Skimmer"	A sediment pond surface skimmer that reduces the sediment leaving a pond by draining the water from the surface on the pond.		Complete		Accepted	Per GSWCC Erosion and Sediment Manual	Dec-13	10/23/2014	9/4/2014	
1005-1	Erosion Tech, LLC (a Leggatt and Platt Company)	"Scour Stop"	"Scour Stop" (No NPE scanned)	--	Complete	--	Withdrawn/No Action		Oct-09	6/7/2010	5/20/2010	Represented by Hanes Company
0101-1	Erth Products, LLC	"Erth Food Organic Composted Fertilizer"	Erth Food Organic Composted Fertilizer	--	Complete	--	Accepted		May-03	3/7/2002	221/2002	Soil Berms, Soil Fill, and shoulder fill
1007-1	Everett Bass Co Erosion Control	"Everett Bass Co Erosion Control"	"Everett Bass Co Erosion Control" (No NPE scanned)	--	Complete	--	Not a product Design Only / No Application		Mar-07	9/21/2010	8/19/2010	Pls feel free to contact Rick

9601-3	Evergreen	"Retaining-Sound Wall Rock Revetment"	Retaining-Sound Wall Rock Revetment (No Scanned NPE)	--	Complete	--	Withdrawn/No Action	--	Nov-03	5/30/1997	1/25/1996	Information has been forwarded to Bridge Design for evaluation.
1302-3	Evolutia Inc.	"SCH - Small LED Cobra Head Luminaire"	High efficient LED cobra-head with aimed optics.	--	Complete	--	Accepted	--	Feb-13	3/6/2013	2/14/2013	12-4-14 Andrew Muligan contacted GDOT and plants to send Cal Trans Report Waiting on response from Ben Rabun per Lyn Clements on 06-23-15.
0903-5	Evonik Cyro's	PARAGLASS SOUNDSTOP ready Fit Panels	Transparant noise barrier panel framed in structural aluminum		Complete		Accepted		Jan-13			
1002-2	Evonik Stockhausen	"Stockosorb 660"	Cross lined polymer.	--	Complete	--	Accepted	As a Non-pay item	Oct-04	2/26/2010	2/18/2010	See NPE 9712-2, Letter dated 3/20/1998 this product was accepted per GDOT.
9506-3	Extrusion Technologies, Inc.	"Ultra-Blue"	Ultra-Blue (No Scanned NPE)	--	Complete	--	Withdrawn	--	Feb-11		8/6/1998	Accepteded 6/20/1995
9807-4	EYE Lighting International Of North America	"EYE Ignitron™ EN (Street Lighting)"	(Street Lighting) Roadway, Parking Lot, Storage Areas, and buidling lighting.	--	Complete	--	Accepted	--	May-09	9/17/1998	8/27/1998	For maintenance applications only. Product not to be used for primary installation.
9807-3	EYE Lighting International Of North America	"EYE Sunlux Ultra Ace™ HPS EN (Street Lighting)"	(Street Lighting) Roadway, Parking Lot, Storage Areas, and buidling lighting	--	Complete	--	Accepted	--	Apr-09	9/17/1998	8/27/1998	For maintenance applications only. Product not to be used for primary installation.

9601-5	F.E.A. Inc.	"Boiler Fuel"	Tire derived fuel for boiler use.	--	Complete	--	No Application		4/29/1996		Department does not need a tire derived fuel.
								Feb-05		3/28/1996	
7704-3	Fel-Pro, Inc.	Track Span	R.R. Crossing.	--	Complete	--	No Status				File Labeled: Misc. 4-77-C
								Aug-07			
7707-6	Fel-Pro, Inc.	Pro-Span	Bridge Joint Sealer	--	Complete	--	No Status				File Labeled: Misc. 7-77-F
								Jul-08			
7806-1	Fel-Pro, Inc.	Track Span	Joint sealer.	--	Complete	--	No Status				File Labeled: Misc. 6-78
								Jan-10			
9806-2	Fibercon International Inc.	Fibercon Steel Fibers (Fiber reinforced concrete)	Fibercon Steel Fibers (Fiber reinforced concrete) (No Scanned NPE)	--	Complete	--	Accepted		3/10/1999		Accepted for use in Shotcrete Applications
								Jul-09		3/4/1999	
0903-1	Fibercrete Technologies, LLC	Fibercrete 6690	Joint and crack sealant		Complete		Accepted				
								Jun-09			
0704-1	Filtrexx International, LLC	Silt Sox	Perimeter control of sediment, sediment control barrier.		Complete		Accepted				
								Mar-07			

0907-1	Filtrona Extrusion	Fat Cat Guardrail	Guardrail delineation in high speed area, work zones, and dangerous curves or interstate.		Complete		Accepted					Dec-09			
0907-2	Filtrona Extrusion	FG 300 Turnpike corb	A NCHRP # 350 approved, all plastic, fully mounted, longitudinal channelizing device, designed for high speed application.		Complete		No Application					Sep-02			
0907-3	Filtrona Extrusion	FG 300 Interstate grade curb	A NCHRP # 350 approved, all plastic, fully mounted, longitudinal channelizing system comprised of modular unit.		Complete		No Application					Sep-02			
0908-1	Filtrona Extrusion	U-Flex 24"	High impact guard rail post mount reflectors		Complete		Rejected					Dec-09			
0209-2	First South Utility Construction, Inc.	"Pot-Fill"	A proprietary repair system for concrete pavements that combine a radically structural polymeric repair compound and innovative application techniques.	--	Complete	--	Withdrawn/No Action	--				8/8/2008	4/8/2004	if the product meets NTPE test data requirements of GA section 9.11.04.D and will be placed on QPL-69.	
1412-3	Five Star Products	"Structural Concrete V/O"	Five Star Structural Concrete® V/O is a high strength, rapid setting, one component, permanent concrete repair material for vertical and overhead structural repairs.		Complete		Not a New Product					Dec-14	10/5/2015	2/12/2015	Changed from Action Pending to No Application with June 24, 2015 letter.
1307-3	Five Star Products	"Five Star Centri-Cast®"	Pipe Repair Mortar	Fee / See Comments	Complete		Accepted	Fee Paid -- Need pipe requirements needed from Manufacturer. -- Follow up with Larry Barnes				Jul-13	11/10/2016	8/8/2013	Status updated Oct. 20, 2014

0304-3	Five Star Products Inc.	"Five Star Vertical Patch"	"Five Star Vertical Patch" Vertical and overhead repairs without form work to concrete walls, ceilings, and other concrete infrastructure.	--	Complete	--	Accepted	--		06/30/03		Action Pending 06/30/03 Met with representatives on Oct. 20, 2003. Need to set up Field Test site near Augusta, GA.
									Nov-08		05/15/03	
0502-3	Five Star Products Inc.	"Five Star® Elastomeric Grout"	"Five Star® Elastomeric Grout" - Specially Designed for light rail transportation grouting. 2 component polymers plus aggregate that imporats vibration and sound damping combined with exceptional electrical	--	Complete	--	No Application	--		3/22/2005		Currently Field testing this product on GA 400 project.-- Not sure when this will be installed.
									Aug-06		2/17/2005	
1710-1	Five Star Products Inc.	Rapid Surface Repair Easy Mix	Rapid Surface Repair Easy Mix is a self leveling, low viscosity, two -part liquid polyurethane-hybrid polymer. When supplemented with its proprietary blended aggregate, this product is used to repair and rehabilitate concrete and asphaltic concrete pavements.		Office of Maintenance- Michael Keene- mkeene@dot.ga.gov		No Application			2/26/2018		
1710-2	Five Star Products Inc.	Rapid Surface Repair Easy Mix	"Rapid Surface Repair Easy Mix is a self leveling, low viscosity, two -part liquid polyurethane-hybrid polymer. When supplemented with its proprietary blended aggregate, this product is used to repair and rehabilitate concrete and asphaltic concrete pavements.		Office of Maintenance- Michael Keene- mkeene@dot.ga.gov		Action Pending					
1712-2	Five Star Products Inc.	Special Grout 400	Special Grout 400 is a cement based non metallic, non shrink, Fluid grout specifically for grouting of cables and tendons corrosion protection.		Office of Maintenance- Michael Keene- mkeene@dot.ga.gov		Action Pending			12/13/2017		
1712-3	Five Star Products Inc.	Fluid Grout 100	Fluid Grout 100 is the industry's leading cement -based, nonmetallic, non-shrink fluid grout for supporting machinery and equipment.		Office of Maintenance- Michael Keene- mkeene@dot.ga.gov		Action Pending			12/13/2018		
1701-2	Flame Seal Products, inc.	"FS-PG Perimeter Guard"	"FS-PG Perimeter Guard" is a Proprietary Fire Retardant Powder that is designed for dilution in water and applied directly to the vegetation surrounding the areas requiring protection.		Complete		No Application	Sent File copy to GA Forestry Commission		1/17/2017	4/17/2017	2/16/2017

9506-4	Flasher Flare Southeast	"Vertical Panel"	Barricading protection of moving public worker and pedestrian.	--	Complete	--	Accepted		Mar-11	8/18/1995	6/20/1995	Must meet MUTCD and GDOT Spec Sect. 150.
9506-5	Flasher Flare Southeast	"Type III Barricade"	Barricading protection of moving public worker and pedestrian.	--	Complete	--	Accepted		Apr-12	8/18/1995	6/20/1995	Must meet MUTCD and GDOT Spec Sect. 150.
9501-4	Flasher Flare Southeast, Inc.	Plastic Barricade and	Barricading protection of moving public workers and pedestrian.	--	Complete	--	Rejected		Oct-03	N/A	2/2/1995	Type I and II Barricades are rejected by July 1994 specification change prohibiting these barricades.
9501-4	Flasher Flare Southeast, Inc.	"Vertical Panel"	Barricading protection of moving public workers and pedestrian.	--	Complete	--	Accepted		Sep-03		2/2/1995	Vertical Panels are Accepted provided that they meet MUTCD and has a minimum of 270 Square Inches of reflective sheeting.
9502-4	Flasher Handling Corp.	"Opposing Traffic Lane Dividers"	Placed in center of road, in sequence, the units function as temporary lane markers clearly dividing the roadway into opposing traffic lanes for two-way traffic.	--	Complete	--	Accepted		Jun-06	5/25/1995	4/20/1995	For use in certain situations.
9502-5	Flasher Handling Corp.	"Air Spill" Barricade"	"Air Spill" Barricade (No Scanned NPE)	--	Complete	--	No Application		Jul-06	9/18/1995	8/6/1998	Accepted 4/20/1995 ; As Type I barricade. Must meet Special Provision Section 150 and MUTCD. ; Type I and II Barricades are rejected by July 1994 specification change prohibiting these barricades.
9502-7	Flasher Handling Corp.	"Type III Rail Breakaway Barricade"	Road closings where more target value is required.	--	Complete	--	Accepted		Sep-06	5/25/1995	4/20/1995	As Type III barricade. Must meet Special Provision Section 150 and MUTCD.

9503-5	Flasher Handling Corp.	"Barrel Panel"	As an alternate to plastic drums or vertical panels- for channelization of traffic and/or closing off roads.	--	Complete	--	Rejected	--	Feb-08	5/25/1995	4/20/1995	Does not meet MUTCD Specification for 18" minimum width.
9503-6	Flasher Handling Corp.	"Air Flow" Roll-up Sign"	For advance warning wherever construction work or interruption of traffic flow occurs.	--	Complete	--	Approved	--	Mar-08	8/30/1999	8/26/1999	Department to develop specification
1805-4	Flex Connection Inc. dba JOINT	Calder Repair Couplings	Flexible rubber coupling for connecting drainage and sewer pipe of different sizes and materials.				Not a New Product		Apr-18	7/12/2018		
1505-4	Flex Connection, Inc. D.B.A. Joints	"TAP-N-TEE SADDLE"	The TAP-N-TEE SADDLE by JOINTS COUPLINGS, provides an economical lateral pipe connection that links wastewater and storm-water services to mains.		Complete	\$500.00 check received 10-05-15	No Application		5/15/2015	9/16/2015	8/25/2015	
1805-3	Flex Connection, Inc. dba JOINT	Tap-N-Tee Saddle	Service lateral for linking building's sewer laterals to mainline sewer pipe. Thick EPDM rubber connects onto pipe wall.				Not a New Product		Apr-18	7/12/2018		
0203-2	Flex Stake, Inc.	"EZ Drive (EZ-2) Marker"	On-off ramps, roadside delineation, utility markers and park & recreation markers.	--	Complete	--	Accepted	--	Jul-05	5/29/2002	5/16/2002	EZ-2 driver marker only
9509-9	Flexstake Inc.	"Barrel Wrap (Replacement for reflective sheeting on old barrels.)"	To replace damage reflective sheeting on old barrels.	--	Complete	--	Accepted	--	Oct-11	2/20/1996	10/25/1995	W/ Provisions: Must meet MUTCD, GDOT Std. Spec. 150 and plastic rives and ties are used.

9604-1	Flexstake Inc.	"Flexstake Glare Screen"	To be mounted on Jersey barriers, etc. for light deflection.	--	Complete	--	Accepted		Mar-09	6/17/1996	6/6/1996	Alternate to existing glare screens.
0209-3	Flexstake, Inc.	"Flexstake Ground Mount, 600 Series"	Roadside delineation, on-off ramps.	--	Complete	--	Accepted		Dec-10	1/7/2003	11/19/2002	product -- Mike Jones
9603-2	Flexstake, Inc.	"Tubular Marker"	Roadside delineators, construction zone channelizers, bull nose, median cuts.	--	Complete	--	Withdrawn		Jan-09	6/9/1997	5/28/1997	Action Pending 3/28/1996 ; Product must be evaluated by NTPEP. ; Did not meet NTPEP 116 Report.
1104-4	Flir Systems, Inc.	"Flir Systems, Inc."	"Flir Systems, Inc." The SR-Series Thermal Camera is a sophisticated thermal imaging camera that provides excellent high visibility and situational awareness, even in absolute darkness. The camera has a	--	Complete	--	Not a New Product	Per GDOT Spec 936 / Submit for QPL-48-1 CCTV	May-06	12/10/2014	9/4/2014	
0203-6	Flying "W" Plastics, Inc.	"Plastic Pipe"	Polyethylene Conduit & Innerduct for telecommunications and electrical applications.	--	Complete	--	Accepted		Nov-06	9/5/2002	8/15/2002	Falls under Section 682 / Accepted
0802-5	Formtech Enterprises, Inc.	Truline	Truline is a vinyl form providing engineering versatility suitable for seawalls bulkheads, cut-off and retention walls.		Complete		Withdrawn/No Action		Sep-13			
0103-4	FORTA Corporation	Forta Ferro"	High performance concrete applications such as industrial floors, bridge decks, shotcrete, loading docs - anywhere steel reduction or replacement is objective.	--	Complete	--	Accepted		Sep-07	8/29/2001	8/16/2001	ASTM C-1116

0212-2	FORTA Corporation	"Forta Ferro"	"Forta Ferro" High performance precast itmes such as manholes and utility vaults.	--	Complete	--	Withdrawn	--		Mar-14	2/13/2004	11/19/2002	No letter sent -- Awaiting Georgia Tech Guardrail Post Reflector Study. Special Provision # 916
1107-1	FORTA Corporation	"FORTA-FI"	FORTA-FI is a fiber-reinforcement additive for asphalt, consisting of a blend of Aramid and Polyolefin fibers.	See Comments	Complete	--	Accepted	2013 Installation cancelled due to Contractor Equipment Concerns. Looking for new location and contractor. -- Installed on SR 85 -- To be completed on July 2015		Mar-07	10/5/2015	9/15/2015	Accepted pending the revision/development of the GDOT Specification Section 561 Renovating Existing Pipe
9602-2	Foss Environmental	"Stem Guard" (Catch Basin Inserts)	Stem Guard (Catch Basin Inserts)	--	Complete	--	No Application	--		May-05	1/24/1997	12/17/1996	
1701-1	Frey Manufacturing Corp	"Pedestrian Crosswalk Pedestal"	"Pedestrian Crosswalk Pedestal" is a product used to mount pedestrian buttons on a stand-alone pushbutton station				Action Pending			1/3/2017	3/8/2017	2/16/2017	
1910-1	Frey Manufacturing Corp.	Signal Pole, CP6 Series	A signal pole including: an anchored, six inch bolt pattern, frangible, certified new ingot grade 356-T6 cast aluminum base with access door that allows the installation of a schedule 40 6061 T6 extruded aluminum pipe with				Existing Specification			Sep-19	2/13/2020		
0701-2	Friendly Environment	Erosion EEL	Sediment Retention Filter Roll		Complete		Accepted			Apr-08			
0204-10	Fritz-Pak Corporation	"Superscizer 1"	To produce stronger, more durable concrete.	--	Complete	--	No Application	--		Mar-07	6/2/2004		No Application due to failure of Lab Test

0204-11	Fritz-Pak Corporation	"Superscizer 5"	Concrete admixtures.	--	Complete	--	No Application	--	Apr-07	6/2/2004		
0204-12	Fritz-Pak Corporation	"Superscizer 7"	Formulated to provide maximum water reduction for high early strengths while producing stronger more durable concrete.	--	Complete	--	No Application	--	May-07	9/28/2004	8/19/2004	Need test site. 01/12/04
0204-6	Fritz-Pak Corporation	"Air Plus"	For all types of air entrained concrete where an increase in entrained air content is necessary.	--	Complete	--	No Application	--	Feb-09	11/21/2006		No Application due to failure of Lab Test
0204-7	Fritz-Pak Corporation	"Super Air Plus"	For all types of air entrained concrete where an increase in entrained air content is necessary.	--	Complete	--	No Application	--	Mar-10	6/2/2004		No Application due to failure of Lab Test
0204-8	Fritz-Pak Corporation	"Mini-Delayed Set"	Designed for stabilizing residual concrete wash water or extending the setting time of concrete while improving concrete quality.	--	Complete	--	No Application	--	Apr-10	6/2/2004		No Application due to failure of Lab Test
0204-9	Fritz-Pak Corporation	"Standard Delayed Set"	Delayed set is formulated to extend the setting time of concrete while improving concrete quality.	--	Complete	--	No Application	--	May-10	6/2/2004		??
0204-9	Fritz-Pak Corporation	"Standard Delayed Set"	Delayed set is formulated to extend the setting time of concrete while improving concrete quality.		Complete	--	No Application					No Application due to failure of Lab Test

0211-1	Fritz-Pak Corporation	"FR-1 Water Reducing and set retarding admixture"	FR-1 Water Reducing and set retarding admixture	--	Complete	--	No Application			6/2/2004		Withdrawn Friday 02/13/2004 due to Follow Specification change; product now on QPL-86
									Jan-14		5/20/2004	
0807-1	Fritz-Pak Corporation	Non-Chloride Accelerator	It shortens set times while increasing compressive strength		Complete		Withdrawn/No Action					
									Aug-08			
7802-1	G.R. Ivany & Assoc.	Ivany Block	Barriers shelters.	--	Complete	--	No Status					File Labeled: Misc. 2-78
									Jan-07			
1709-1	GAF Materials, LLC	"StreetBond SB150 Pavement Coating"	StreetBond® SB150 Pavement Coating is a two-component advanced waterborne epoxy-modified acrylic coating specifically designed for application on textured (stamped) or non-textured (flat) asphalt pavements and also may be installed on concrete surfaces when properly primed.				Field Test		9/13/2017		11/16/2017	
9509-5	Gateway Pipe Supply, Inc.	"Carbon Steel Pipe (culverts, bridges, and drainage) "	Carbon Steel Pipe (culverts, bridges, and drainage)	--	Complete	--	No Application			11/3/1995		Product is site specific and will be considered at a later time if a critical need arises.
									Apr-10		10/25/1996	
1804-4	GCP Applied Technologies	Verifi In-transit Concrete Management	Verifi is an On-board technology to manage concrete quality. Sensors and control are mounted on the ready mix concrete truck to measure, manage and record concrete properties.	Complete			No Application			5/16/2018		
									Apr-18		5/16/2018	
1911-2	GCP Applied Technologies, Inc.	Eliminator	Eliminator is a methyl methacrylate based high performance cold liquid spray applied waterproofing membrane that cures rapidly and provides a best in class tough flexible seamless membrane that is				Withdrawn / No Action			1/13/2025		
									Nov-19			

1911-1	GCP Applied Technologies, Inc.	Bridgemaster	Bridgemaster is a fast curing, waterproofing and skid resistant wearing course for the protection of bridge decks where a long lasting, light weight, durable solution is required. Bridgemaster is comprised of a methyl				Withdrawn / No Action			Nov-19	1/13/2025		
1909-3	Gemite Products, Inc.	Rain-Shield Stain OP WB	Rain Shield OP WB is a waterborne, acrylic dispersion based colored stain used on Durisol (wood chip) and concrete sound barriers as well as on concrete and masonry walls.				No Application			Sep-19	4/28/2020		
7908-1	General Electric Supply Company	FRE Duct Wedge Lock Joints	Trial by Southern Bell being installed on S.R. 303 Turtle River Bridge beginning 6/18/79.	--	Complete	--	No Status	--		Mar-12			File Labeled: PE-7907
9611-1	General Railway Signal Corp.	"AuroraTM LED Highway Crossing Signal"	Highway-railroad crossing flasher warning signal lights.	--	Complete	--	Accepted	--		Jan-04	1/24/1997	12/11/1996	Railroad crossing flasher warning signal. (LED)
0108-7	General Technologies, Inc.	"High Density Polyethylene Plastic Ducts"	To provide duct for post-tensioning tendons.	--	Complete	--	Withdrawn/No Action	--		Oct-09	8/29/2001	8/16/2001	Evaluation by Bridge Design & OMR Concrete
1108-3	GeoHay, LLC	"GeoHay"	12"-18" height with standard and high density recycled carpet fiber padding. Lengths available from 4-6ft.	See Comments	Complete	--	No Application	Reopened per company request to proceed with "Rock Check Dam" application field test. Will re-evaluate one year after field test installed.		Nov-08	12/10/2014	9/4/2014	
1108-3	GeoHay, LLC	"GeoHay"	12"-18" height with standard and high density recycled carpet fiber padding. Lengths available from 4-6ft.	--	Complete	--	Accepted	as an alternate to sediment barrier, hay bale check dam, and inlet sediment trap		Oct-08	1/14/2013	8/18/11	

9310-2	Georgia-Pacific Corp.	Treated Lumber Sound Barrier	Primary Applications - All construction types - preservatively treated lumber - all highway uses (including noise barriers).	--	Complete	--	No Application	--	Sep-12	6/5/1996	Action Pending 1/27/1994 ; Product is site specific and will be considered again if a need arises.
1206-6	GeoTree Solutions	"Concrete Cloth GCCM"	a concrete Cloth that is flexible, cement impregnated fabric that hardens when hydrated to form a thin, durable, water and fire resistant layer.	--	Complete	--	Project to Project	As an alternate to concrete slope paving	Jan-06	4/17/2014	8/09/12 Status update Oct. 20, 2014
1107-2	GeoTree Technologies	"GeoSpray™ Geopolymer Nano-Ceramic Mortar"	"GeoSpray™ Geopolymer Nano-Ceramic Mortar" -- IPR Contractor installer and process called Eco-Cast	--	Complete	--	Accepted	--	Apr-07	1/28/2013	8/18/11
1610-1	Gepco	"Paving Mats"	"Paving Mats" wet-laid nonwoven fabrics made with fiberglass, polyester fiber, and binder		Complete		No Application		10/11/2016	11/28/2016	11/17/2016
0703-1	Gerdau Ameristeel	ZBAR	ZBAR can be used in harsh, aggressive environments where a higher degree of corrosion protection is needed.		Complete				Sep-07		
1203-3	GERRYRIGS LLC	"Culvert Inlet Protection Device (CIPD)"	CIPD is a baffle and grate assembly designed to mount at the inlet of a culvert or drain, and to reduce or eliminate culvert blockage by sediment.	See Comments	Complete	--	Withdrawn		Sep-05	5/30/2012	5/16/12 Status updated Sept. 15, 2014
1311-3	Geveko ITS	"LED-MARK"	LED marking for high risk locations. Self charging system that is ultra thin with combination of LED colors, solid or flash patterns.		Complete		No application		Nov-13	11/4/2014	9/4/2014

0510-1	Gibraltar	"Gibraltar" TL-3	"Gibraltar" - High Tension Cable Barrier System TL-3 NCHRP Report 350 Accepted	--	Complete	--	Accepted		Jan-11			
0510-2	Gibraltar	"Gibraltar" TL-4	"Gibraltar" - High Tension Cable Barrier System TL-4 NCHRP Report 350 Accepted	--	Complete	--	Accepted		Feb-11	12/19/2005	11/17/2005	
0501-2	Giralt Enterprises, Inc	Aluminum Picket Handrail/using snap-on spacer that require no welding	Aluminum Picket Handrail/using snap-on spacer that require no welding	--	Complete	--	Accepted		Apr-03	9/28/2005	8/18/2005	Until Committee receives the NPDES Permit from the EPD.
0108-2	Global Recycled Plastic Prod., Inc.	"Porta Curb"	Porta Curb (no scanned NPE)	--	Complete	--	No Application		Apr-08	8/29/2001	8/16/2001	
9603-3	Global Solutions	"Fiber Shield"	Roofing, flooring, hazardous containment, lead paint encapsulation on bridges and tunnels, also used for chemical resistance, waterproofing preventing rust through, tank containment and enclosure, and	--	Complete	--	No Application		Feb-09	6/17/1996	6/6/1996	Use of product is site specific and will be considered if a need occurs.
0603-2	Globalnologies Corporation	"Globalnologies Corporation"	"Globalnologies Corporation" - The Tri-Flextor is a revolutionary higher visibility "roadside marker" specifically designed to reduce deaths and/or injuries in DOT's work zones, road construction sites, general traffic safety zones,	--	Complete	--	No Application		Feb-07	6/5/2008	5/25/2008	
1107-5	GMI Composites, Inc.	"Fiberglass Frame & Cover"	"Fiberglass Frame & Cover"	--	Complete	--	Rejected	Failed Field Test on Frontage Road	Jul-07			

7704-2	Goodyear	Super Cushion	Super Cushion	--	Complete	--	No Status	--				File Labeled: Misc. 4-77-B
									Jul-07			
9803-4	Gould & Assoc.	"Multi Barrier MB-2 (Off The Wall Productions)"	Type I, II or III barricade, temporary sign, channelizing device.	--	Complete	--	Accepted	--		3/10/1999		Limited to uses intended
									Feb-08		3/4/1999	
9709-1	Gould & Associates, Inc. (ACF Environmental)	"Dirt Bag (Silt and Sediment control in discharg of pump water.)"	Very easy to use. Historically, hay bales and/or silt fence used. This is much easier and an economical system.	--	Complete	--	Approved	--		1/14/1998		Field Test 11/25/1997 ; Field Test completed, Results Satisfactory. ; Accepted 1/15/1998 ; Need to write a material specification 1/5/998. ; Need specification
									Jun-10		1998	
0604-3	Grace Composites	"Fiberglass Deck Drain System"	"Fiberglass Deck Drain System" - Thermoset fiberglass pipe and fittings for deck drains.	--	Complete	--	Accepted	--		7/20/2006		
									Jun-07		5/18/2006	
0210-1	Green and Bio Tech, Inc.	"Sure Turf 1000 (ST1000)"	Erosion control and vegetation degradable netting of film with grasseeds.	--	Complete	--	No Application	--		12/18/2002		for replacing silt fence.
									Mar-11		11/19/2002	
9810-1	Green Mountain International, Inc,	Mountain Grout "PR"	Pothole and crack repair in concrete or asphalt.	--	Complete	--	No Application	--		3/31/1999		Product failed Field Test. Conducted on I-675
									Oct-11		3/4/1999	
1202-3	Green Techniques LLC	"Soil Defender"	Soil Defender is a biodegradable friendly "GREEN" liquid chemistry to control soil erosion without use of matting, blankets or hydromulch in sheet flow applications.	--	Complete	--	Withdrawn	--		3/7/2012	2/23/12	
									Jun-04			

1802-3	GreenFlow Distribution Inc.	CLENZ-O ₂ -CRETE	Clenz-O-Crete is a scientifically formulated masonry surface cleaner and restorer. It was designed to work with mother nature to clean and restore masonry surface without pressure washing.		Complete		Allow the Use		Feb-18	3/11/2019	5/16/2018	
9408-4	Greensbach Technologies Environmental Dynamics Corp.	Road/Flex (Rubber Manhole transition collars and adjustment rings for manholes and catch basins.)	Road/Flex (Rubber Manhole transition collars and adjustment rings for manholes and catch basins.)	--	Complete	--	Withdrawn/No Action		Aug-09	10/20/1994	5/12/1998	Action Pending 10/20/1994 ; Need additional information on product. ; No Application 2/20/1996 ; Department does not feel that the application of this system is more beneficial over existing procedures to
0011-10	Greenstreak	"G-Seal"	Expansion joint sealant.	--	Complete	--	No Application		Jul-12	2/23/2001	2/15/2001	Not for highway use
0011-11	Greenstreak	"Speed Dowel"	Dowel alignment system.	--	Complete	--	Accepted		Aug-12	2/23/2001	2/15/2001	For use in Concrete Header Expansion Joints.
0810-4	Gregory Industries, Inc.	Gregory Mini Spacer Guardrail System	Allows for elimination of offset blocks between WB guardrail and guardrail post alternate for current strong post guardrail.		Complete		Withdrawn/No Action		Dec-10			
1708-1	Gregory Industries, Inc.	"Guardian 5 (G5)"	All Steel direct driven MASH TL5 longitudinal and median guardrail system. It is comprised of W-beam and Thrie beam shaped rail elements and uses a C channel posts and connected with special steel blockouts.		Complete		Rejected		8/18/2017			
1708-2	Gregory Industries, Inc.	"Safety Roller Barrier (SRB)"	All steel direct driven MASH TL4 longitudinal and median guardrail system. It is comprised of steel horizontal rail elements attached to tubular posts which have EVA energy dampening rollers.				Action Pending		8/18/2017		11/16/2017	
							Office of Maintenance- Michael Keene- mkeene@dot.ga.gov					

1905-2	Gregory Industries, Inc.	Truck Trailer Mounted Attenuator - 200(TTMA-200)	The TTMA-200 is a Truck Trailer Mounted Attenuator that passed all MASH Test level 3 requirements. Designed for use in mobile and stationary work zones.	Office of Construction- Todd Wood-twood@dot.ga.gov			Not a New Product			4/25/2019		8/8/2019	
0108-5	Gromor Organics Inc.	"Gromor"	Used as a soil ameliorant in degraded vegetable soils in S.E. Georgia. Also recommended for use in home gardening.	--	Complete	--	Accepted	--		Aug-09			(5/6/2003) For erosion control & soil filter Per submittal to spec.
9807-2	GTLC Incorporated (CSS Technology)	"Road Bond EN-1 (Road base material stabilizer)"	Road Bond EN-1 (Road base material stabilizer)	--	Complete	--	No Application	--		Mar-09	9/17/1998	8/27/1998	This Product appears to be the same product that was submitted from Dallas Roadway product (Road Stabilization treatment)from OIT International NPE# 9605-7. At that time the Committee
9605-1	Gulfline Corp.	"Gulfline (Pavement Marking)"	Highway stripping and edgeline, centerline, rumble strip.	--	Complete	--	Withdrawn	--		May-09	NA	8/5/1998	Field Test 6/6/1996 ; Pending completion of Field Test.
0307-8	Gunderboom, Inc.	"Gunderboom Sound Attenuation System(SAS)"	"Gunderboom Sound Attenuation System(SAS)" Significantly reduces underwater sound waves associated with underwater construction activities.	--	Complete	--	Withdrawn/No Action	--		Oct-08	9/10/2003	8/21/03	Met on 01/06/04. Working on setting up a field test.
9403-4	H. Clay Moore & Assoc. Inc. (Industrial Acoustics Company)	Noishield Transportation Sound Barriers (Free Standing Barrier with noise absorption material on one or both	Breakway base for ground mounted signs having sign area or 25 to 300 square feet.	--	Complete	--	Withdrawn/No Action	--		Oct-05	#REF!	3/24/2000	Action Pending 10/20/1994 ; Review by the Offices of Urban Design, Bridge Design and the Office of Environment and Location. ; Action Pending 6/17/1996 ; The Office of Urban Design gave
1005-2	HaloSource, Inc.	.	"Storm Klear" (No NPE scanned)	--	Complete	--	Discretion of contractor	--		Nov-09	6/29/2010	5/20/2010	

1108-2	Hamilton Kent LLC	"Lifespan System"	The Lifespan System is specifically designed to eliminate unwanted flows at the cover and chimney areas of manholes and deliver a longer service life for the structure. Lifespan is made of ultra high-performance	--	Complete	--	Rejected	--	Sep-08	12/18/2012	8/18/11	
9908-2	Hammer's Plastic Recycling	"Various Recycled Plastic Products"	Various Recycled Plastic Products	--	Complete	--	No Application	--	Sep-10	9/1/1999	8/26/1999	Information forwarded to equipment management
0502-5	Hancor, Inc.	"Ecofirst"	"Ecofirst" - High Density Polyethylene Storm Pipe > 50% recycled content.	--	Complete	--	Withdrawn/No Action	--	Oct-06	6/2/2005	5/19/2005	Provided it conforms with GDOT Section 620
1002-7	Hanes Geo Components	"TerraTex GASF-CS"	"TerraTex GASF-CS" (No NPE scanned)	--	Complete	--	Rejected	--	Mar-05	2/26/2010	2/18/2010	
1908-3	Hanes Geo Components	TerraGuard Replacement Filters for Inlet Protection	Replacement filter made of Bright green and gray filter textile to be used with existing plastic frame for inlet protection				Withdrawn/No Action		Jul-19	1/13/2025	11/7/2019	
9410-3	Hapco/Div of Kearney National	"HAPCO-74248 Breakaway X-Base" (Breakaway Lighting Poles)	Break away lighting poles.	--	Complete	--	Accepted	--	Apr-12	2/10/1995	2/2/1995	
0812-3	Harder Luckey & Hargrave	The Tuf-Barrier and the SilentProtector.	HLN Manufactures a co extruded, PVC, tongue and groove, noise barrier wall system (the Heavy wall Tur-Barrier) specifically for commercial applications.		Complete		Accepted		Oct-09			

9702-1	Hardy Construction Technology	"Hardy Chair-Lok"	Paving chair for rebar support in concrete reinforced road construction single mat and double mat construction.	--	Complete	--	No Application		6/9/1997		5/28/1997	Department does not continually reinforce concrete pavements. No reel need for product.
0412-2	Hartman Products, LP	"HartmanEW" endwall system	"HartmanEW" endwall system is a polyethylene stay-in-place form for endwalls or headwalls for drainage pipe	--	Complete	--	Accepted		9/15/2008		8/21/2008	
1804-2	Helix Steel - Twisted Steel Micro Rebar Steel	Helix Steel	The unique, twisted design of Helix allows for efficient tensile stress re-distribution with the concrete prior to concrete cracking.		Office of Materials and Testing-Gary Woods-gwood@dot.ga.gov		Field Test		6/26/2018		5/16/2018	
0510-6	Henkel-Loctite	"Magna-Crete"	"Magna-Crete" - FAST all-weather concrete repair system. A high-performance product that reaches conventional concrete strength of 3,000 psi within 2 hours and at full cure over 13,000 psi. Will not shrink or crack and is chemically	--	Complete	--	Withdrawn/No Action		12/19/2005		11/17/2005	
7912-2	Hercules, Inc.	Fiber Reinforcement for Asphalt	Fiber Reinforcement for Asphalt (No Scanned NPE)	--	Complete	--	No Status					File Labeled: PE-7912
0311-4	Hesco Bastion USA	"Hesco Concertainer"	"Hesco Concertainer" 4mm and 5mm steel wire mesh, heavily galvanized with a polypropylene geo-textile lining. Various sizes can be easily connected to assemble desired dimension.	--	Complete	--	Site Specific		12/08/03		11/20/03	Acceptedable for use as a decorative surface treatment; should be evaluated on a project-to-project basis
1210-3	Hien Electric Industries LTD.	"Spiral Hanger"	Solar powered road safety marker.	--	Complete	--	No Application		12/10/2012		11/08/12	cross reference with 0909-1

0902-3	Highline Products.	Highline Products.	Pull boxes junction boxes, splice boxes, vaults manufactured from polymer concrete or fiberglass with polymer concrete ring and cover		Complete		Withdrawn/No Action			Mar-09		
0706-2	Highway Safety Speciaists	Easy View Reflector	Provide roadside reflectance along either temporary or permanent barriers in the highway, during bad weather and night time driving.		Complete					Oct-07		
0706-5	Highway Safety Speciaists	Concrete Barrier Reflector	P[rovide roadside reflectance along either temporary or permanent barriers in the highway, during bad weatehr and night time driving.		Complete		No Application			Nov-07		
0812-2	Hill and Smith, Inc.	Zonguard	Portable steel barrier for temporary or permanent use.		Complete		Project to Project			Jun-09		
1908-7	Hill Manufacturing Company, Inc.	Grease Buster Cherry	A proprietary product designed for asphalt release and cleaning.							Aug-19		
0507-4	HIL-Tech Ltd.	"LEDline®"	"LEDline®" - LEDlineDVTM (semi-directional) and LEDlineHBTM (omni-directional) products are designed to provide guidance during the day or night, increasing the safety of people and vehicles, by making critical safety/guidance	--	Complete	--	No Application	--		Nov-10	9/28/2005	8/18/2005
0405-4	Hobas Pipe USA, Inc.	"Centrifugally Cast Fiberglass Mortar Pipe"	"Centrifugally Cast Fiberglass Mortar Pipe" is an economical, large diameter, and high stiffness pipe with inherent corrosion resistance. This is a glass-fiber reinforced, aggregate-fortified, thermosetting resin tubular	--	Complete	--	Site Specific	--		May-08	6/21/2004	5/20/2004

9501-3	Hobo Industries	"LR-20-5" (Coating for Steel, Wood, Concrete, and synthetic surfaces.)	Coating/overcoating for steel aluminum, wood, concrete and various synthetic surfaces.	--	Complete	--	Withdrawn	--	Aug-03	N/A	8/5/1998	Lab Test 2/2/1995 ; No further correspondence with company.
1102-2	Homeland Vinyl Fence Ltd.	"Homeland Acoustic & Security Fence"	Galvanized Steel Interior with all weather vinyl covers.	--	Complete	--	Rejected	--	Sep-03	1/3/2013	2/17/2011	
1102-2	Homeland Vinyl Fence Ltd.	"Homeland Acoustic & Security Fence"	Galvanized Steel Interior with all weather vinyl covers.	--	Complete	--	Rejected	--	Aug-03	1/3/2013	2/17/2011	
9503-4	Hoover Treated Wood Products, Inc.	"Plywall"	Plywall (No Scanned NPE)	--	Complete	--	Accepted	--	Jan-07	6/2/1995	4/20/1995	Provided product meets GDOT Spec. Section 624
0505-9	Horizon Signal Technologies	"SQ 3 TS Portable Traffic Signal"	"SQ 3 TS Portable Traffic Signal" - The SQ3TS manufactured by Horizon Signal Technologies is a trailer-mounted, portable traffic signal conforming to MUTCD guidelines. Horizon's portable traffic signals consist of two	--	Complete	--	Accepted	--	Aug-09	6/29/2006	5/19/2005	
0511-1	Horizon Signal Technologies	"SQ2 Portable Traffic Signal"	"SQ2 Portable Traffic Signal" - Utilizes standard 3 indication (red/amber/green) signal head with 12" diameter LED lights; can be operated with a handheld wireless remote	--	Complete	--	No Application	--	Jul-12	7/3/2006		
1112-3	Hubbell Lenoir City, Inc.	"Polycast® FP 1200 Trench Drain"	Polycast® FP 1200 Trench Drain is the ideal solution for high volume flow situations such as airports, roadways, and seaports. Designed with the installer in mind, this revolutionary design incorporates full 360 degree	--	Complete	--	Accepted	for non-traffic bearing applications	Dec-13	11/3/2014	9/4/2014	

0405-14	Hudson Oil (was Ergon)	"PASS"	"PASS" is a cationic asphalt emulsion. Rejuvenates underlying pavement. Technical representation by Western Emulsions and Sales representation by Envirotex Services.	--	Complete	--	Withdrawn/No Action	--	Feb-08	9/28/2004	8/19/2004	This Product Failed in the field with no steel in the post. Photos are in the file.
1601-5	Huesker	"Fornit 20/20"	Knitted geogrid, polymer coated.		Office of Materials and Testing-Reggie Murph-rmurph@dot.ga.gov		Field Test	Geogrid Study Project - M003308, Carroll Co. - I-20	1/21/2016	2/22/2016	2/11/2016	
1601-6	Huesker	"Fornit 30"	Knitted geogrid, polymer coated.		Office of Materials and Testing-Reggie Murph-rmurph@dot.ga.gov		Field Test	Geogrid Study Project - M003308, Carroll Co. - I-20	1/21/2016	2/22/2016	2/11/2016	
9606-6	Hutchins International, LTD	"Linelite (Hwy lane lighting system)"	For vehicle guidance at night. Providing a line of light. Linelite is an extruded lighting system which can be mounted into the pavement/road surface of concrete barrier or anywhere.	--	Complete	--	No Application	--	Jul-12	9/6/1996	8/28/1996	GDOT utilizes other products for this function.
1006-1	Hydrostraw LLC	"Hydrostraw Guar Plus Formulation"	"Hydrostraw Guar Plus Formulation" (No NPE scanned)	--	Complete	--	Withdrawn/No Action	--	Jan-06	9/16/2010	8/19/10	
1006-2	Hydrostraw LLC	"Hydrostraw Bonded Fiber Matrix"	"Hydrostraw Bonded Fiber Matrix" (No NPE scanned)	--	Complete	--	Withdrawn/No Action	--	Feb-06	9/16/2010	8/19/2010	
0601-3	ICS/Penatron	"Penatron"	"Penatron"	--	Complete	--	No Application	--	Jun-04	9/18/2008	9/21/2008	

0601-4	ICS/Penetron	"Penetron Admix"	"Penetron Admix"	--	Complete	--	Withdrawn/No Action	--		3/9/2006		
									Jul-04		2/21/2006	
1804-3	IFS Coatings, Inc.	Pureflex Green	Pureflex Green is a fusion bonded epoxy powder coating.		Office of Materials and Testing-Rick Douds-rdouds@dot.ga.gov		Existing Specification			5/22/2018		
									Apr-18		5/16/2018	
1704-1	ILSCO	"StreetWise"	"StreetWise" A series of overmolded connectors able to interconnect in various configurations for street lighting applications. Suitable for direct-Burial and submersion (up to 6 ft)		Complete		Allow to use		4/6/2017	8/15/2017	8/17/2017	
0805-4	IMCO Technologies Inc.	MG-Krete	MG-Krete is an inexpensive two component, high early strenght structural repair material that is very easy to use in the field.		Complete		Meets					
1410-1	Imerys Carbonates	"ImerFill 3, ImerFill 15, ImerFill 25"	ImerFill products are finely ground, white calcitic marble/limestone products. These products are crushed, ground and sized to the designated specifications. The size specifications have been		Complete		No Application	Response due by Feb. 2015 -- Cross reference with NPE # 0906-1 "ImerFill"	Oct-14	1/15/2015	1/15/2015	
0906-1	Imerys Performance Minerals	ImerFill	ImerFill products are finely ground, white calcitic marble/limestone products. These products are crushed, ground and sized to the designated specifications. The size specifications have been		Complete		Withdrawn/No Action					
									Aug-13			
0705-2	Impact Recovery Systems, Inc.	Tuff Curb	High Performance traffic separator curb with spring activated uppright available in a wide variety of designs.		Complete		Action Pending					
									Nov-11			

1206-3	Innovative Applied Solutions	"IAS Water Quality Skimmer"	IAS Water Quality Skimmer is an erosion and sediment control skimmer designed to drain the downstream surface water from sediment traps and basins.	--	Complete	--	Accepted	Per GSWCC Book Page ##	Jul-09	8/23/2012	8/09/12	
9404-1	Innovative Concrete Concepts, LLC	HEB-Post Base (Sign Post Base in areas where post and sign are subject to being struck and damaged.)	Base for traffic sign post in areas where post and sign are subject to being stuck and damaged.	--	Complete	--	Withdrawn	--	Nov-05	11/1/1994	1995	Field Test 10/20/1994 ; No Record of any field test conducted. ; No information on why product withdrawn. ; No further information on status of Field Test.
1002-9	Innovative Turf Solutions (Formally: Reinke Pasco)	"Erosion Guard Logs and Erosion Guard Flats" (Formally: "Erosion Guard Products" logs/flats)	"Erosion Guard Logs and Erosion Guard Flats" (Formally: "Erosion Guard Products" logs/flats) (No NPE scanned)	--	Complete	--	Approved	--	May-05	6/28/2011	5/19/2011	
9403-1	Insituform Southeast Inc.	Insituform (Pipe Reconstruction)	Pipe reconstruction.	--	Complete	--	Accepted	--	Jul-05	11/1/1994	10/20/1994	For renovating pipes. The Department will initiate a specification that will cover this product.
7812-2	Int. Mills Svc., Inc.	Steel Slag	Steel Slag for aggregate.	--	Complete	--	No Status	--	Aug-03			File Labeled: Misc. 13-78
0905-3	Integrated Paving Concepts, Inc.	Streetprint XD	StreetPrintXD is a thermoplastic surfacing system that provides a textured, highly attractive and durable topical treatment to the surface of asphalt Pavement.		Complete		Accepted		Aug-13			
0505-2	Intellistrobe Safety Systems, LLC	"Intellistrobe Automated Flagger Assistance"	"Intellistrobe Automated Flagger Assistance" - W1-AG is a work zone safety system for traffic management comprised of two stand alone automated flagger assistance devices, one radio control transmitter unit and a	--	Complete	--	No Application	--	Jan-07	6/2/2005	5/19/2005	

9908-4	IntePlast Group	"InteCel PVC Celuka sheet substrate for work area signs."	InteCel PVC Celuka sheet substrate for work area signs.	--	Complete	--	Accepted	--		2/23/2001		Field Test 8/26/1999 ; Field tested on I-85 HOV project. Accepted as an alternate to current approved construction signs
									Oct-10		2/15/2001	
0004-3	Intergrated Paving Concepts Inc.	"Street Print Pavement Texturing System"	Imprinting a pre-defined pattern in an asphalt surface to simulate the appearance of brick, cobblestones, interlocking paving stones and the like. The patterned asphalt is treated with a colored coating to enhance the	--	Complete	--	Accepted	--		8/29/2001		Allowed ; Imprinting & Paint on Asphalt Surfaces
									Jul-07		8/16/2001	
0305-4	International Coatings, Inc.	"Concrete Bridge Patch"	"Concrete Bridge Patch" The material is applied to spalled concrete where rusty rebar has caused the concrete to fail. This includes the under-side and all non-functional concrete structures. Urethane 100% solids	--	Complete	--	No Application	--		06/30/03		The Road Design Office is Evaluating at current time 01/12/04
									Feb-07		05/15/03	
9510-2	International Plastics Corp.	"Slab Bolster, Chair, Sandplate"	The slab bolster and X-chair is used to support reinforcing steel during concrete construction. The sandplate is used to prevent both the X-chair and slab bolster from sinking into the sand during a pour.	--	Complete	--	Accepted	--		NA		Accepted 11/25/1997 ; Approved as option No Record of Letter. Accepted via QPL-19/GDOT spec section 51.2.A.1.f
									Dec-13		8/8/1998	
0302-6	International Road Dynamics, Inc.	"IRD Travel Messenger"	"IRD Travel Messenger" Measures traffic conditions and displays expected delays through work zones.	--	Complete	--	Withdrawn/No Action	--		09/10/03		Construction Office Evaluating.
									Mar-06		05/15/03	
0302-7	International Road Dynamics, Inc.	"IRD Speed Ranger"	"IRD Speed Ranger" Automatically displays required speed limits based on traffic, weather, and construction..	--	Complete	--	Withdrawn/No Action	--		09/10/03		Construction Office Evaluating.
									Apr-06		05/15/03	
0302-8	International Road Dynamics, Inc.	"IRD Dynamic Safety System"	"IRD Dynamic Safety System" Promotes smooth traffic flow leading into a work zone.	--	Complete	--	Withdrawn/No Action	--		09/10/03		Need to set up site location 01/12/04
									May-07		05/15/03	

9309-1	Interstate Materials Supply of GA (American Signal Co.)	B.O.L. Series LED Blank Out Sign (Small Sign supports)	Restrictive turning movements or railroad pre-emption.	--	Complete	--	No Application		Jun-10		11/10/1993	LED technology is of interest to the Department but not in this application.
1102-1	Interstate Structures, A Mid-Park Company	"M-POD"	Omnidirectional slip base post mounting system for wide flange beams.	--	Complete	--	Not New		Aug-03	12/6/2012	2/17/2011	
1102-1	Interstate Structures, A Mid-Park Company	"M-POD"	Omnidirectional slip base post mounting system for wide flange beams.	--	Complete	--	Not New		Jul-02	12/6/2012	2/17/2011	
0507-3	Intuitive Control Systems, LLC dba All Traffic Solutions	"SPEEDsentry @Radar	"SPEEDsentry @Radar Speed Display Sign on ATS Trailer" - Effectively calms traffic and improves safety by informing motorists of traveling speeds. The SPEEDsentry is available in three sizes with 12" digits, 15"	--	Complete	--	No Application		May-08	9/28/2005	8/18/2005	
9907-3	Invisible Structures, Inc.	"DrainCore 2"	DrainCore 2 / High Strength - High Volume Composite Drainage Core Structure for High way edge Drains, Foundation Walls, Retaining Walls, Tunnels.	--	Complete	--	Withdrawn		Apr-08	NA	8/3/2000	Lab Test 8/26/1999 ; No further contact with manufaturer.
9907-4	Invisible Structures, Inc.	"GravelPave 2"	GravelPave 2 / Porous Pavement structure that tolerates high frequency and low speed traffic.	--	Complete	--	No Application		May-08	8/31/1999	8/26/1999	
9907-5	Invisible Structures, Inc.	"SlopeTame 2"	SlopeTame 2 / Slope & Swell Erosion Prevention	--	Complete	--	No Application		Jun-08	8/31/1999	8/26/1999	

9907-6	Invisible Structures, Inc.	"GrassPave 2"	GrassPave 2 / Reinforce grass turf for use in high or heavy traffic areas. Use in occasional access drives , emergency access, parking bays, pedestrian traffic.	--	Complete	--	No Application		Jul-09	8/31/1999	8/26/1999	
0505-1	I-Rock Vortex Composites	"SmartTie™ Wall System"	"SmartTie™ Wall System" -- New type of composite material for use in highway noise abatement walls. This product has the look and feel of precast concrete yet stronger, lighter, and less expensive.	--	Complete	--	Withdrawn/No Action		Dec-06	6/3/2005	5/19/2005	Does not meet Specification Section 150
1401-3	IronMan Engineering LLC	"Hand Hole Cover"	Light poles		Complete		Not a New Product	For light structure hand hole cover applications. To be determined by Maintenance.	Jan-14	11/18/2014	9/4/2014	
1004-6	Irwin Hodson Company	"Monarch Reflective Device"	"Monarch Reflective Device" (No NPE scanned)	--	Complete	--	No Application		Aug-08	6/7/2010	5/20/2010	Accepted
1305-1	Irwin Hodson Company	"Barrier Traffic Reflector"	Highway reflector for one-way or two-way traffic. Series offers 4 sizes from 5" tall to 11" tall x 4" wide. Is a delineator for concrete barrier or guardrail post. Is made of aluminum substrate with 3m's DG 4000 reflective sheeting.	--	Complete	--	Accepted	on Guardrail Post	May-13	10/11/2013	6/27/2013	
0902-5	ISCO Inc.	SNAP-TITE	PE Pipe F714 10" TO 63" OD		Complete		Accepted		Mar-09			
0802-2	ITS Plus, Inc.	Camera	Prodcut allowany agency to convert their traffic signal into a sensor platform with up to 15 different types of sensors (eyes, ears, noses).		Complete		Accepted		Jun-08			

7708-3	ITT Rayonier	Raycron-X	Road soil stabilization and as a replacement for asphaltic concrete. Road dust abatement-excellent for access roads.	--	Complete	--	No Status --				File Labeled: Misc. 8-77-C
								Oct-03			
7807-1	ITT Rayonier	Raycron-X	Road binder.	--	Complete	--	No Status --				File Labeled: Misc. 7-78
								Feb-11			
7810-1	J&P Petroleum Products	Tex-Mastic ProtectoBoard	R. R. bridges over state routes and interstate systems.	--	Complete	--	No Status --				File Labeled: Misc. 10-78
								May-12			
0305-1	J.B. Timble, Inc.	"Crete-Rap"	"Crete-Rap" Erosion control at bridges, culvert, and ditches.	--	Complete	--	Withdrawn/No Action --		10/20/03		Need to set up Field Test location 01/12/04
								Dec-10		05/15/03	
0201-2	J.W. Hackett & Company (John Thomas Inc.	"Dura Curb 999 Removable Traffic Separator"	Railroad crossing median separator.	--	Complete	--	Accepted --		3/7/2002		Similar Products NPE 0008-3 & NPE 9607-4
								Dec-03		2/21/2002	
0005-3	James Hardie Concrete Pipes,	"Fibre Reinforced Concrete Pipes"	Fibre Reinforced Concrete Pipes (No Scanned NPE)	--	Complete	--	Rejected --		3/28/2001		Field Test 6/8/2000 ; Field Test Began December 2000 in Metter GA ; Evaluation and another Field test of 36" pipe north of fall line.
								Oct-08		2/23/2001	
1909-1	Jet Filter System	Maintainable Weep Hole Filters or Maintainable Drains	Maintainable weep hole filters by Jet Filter System provide drainage and soil filtration. Installed through the front of any new or existing retaining wall, maintainable weep hole filters help prevent failure and extend life, as they reduce				Withdrawn/No Action		1/13/2025		
								Sep-19		2/6/2020	

9905-3	Jim Chandler & Assoc.	"Quad Guard Elite System (Energy Absorption Systems)"	Quad Guard Elite System (Energy Absorption Systems) (No Scanned NPE)	--	Complete	--	Accepted		Feb-09			Review by Office of Road Design
9809-2	Jim Chandler Absorption Systems (Energy Absorption Systems)	"Cushion Wall"	Cushion Wall	--	Complete	--	Accepted		Aug-11	3/10/1999	3/4/1999	Call Michigan D.O.T. Maintenance and Traffic Operations to gain more information on this product. Site Specific.
9407-2	Jim Chandler and Assoc.	Alpha 60 MD TMA (Energy Absorption Systems) Truck Mounted Attenuator	Attached to rear of protective vehicle (barrier vehicle or shadow vehicle) in work zones.	--	Complete	--	Accepted		Mar-08	11/28/1994	10/20/1994	No Application 8/24/1994 ; Product is site specific and will be considered at a future time if a critical location is identified. ; Product will be considered an alternate to existing truck mounted
9404-4	Jim Chandler and Assoc.	Break-Safe (Ground mounted Breakaway Base for signs with an area of 25-300 ft2 (Transpo Ind. Inc.)	Break-away base for ground mounted signs having sign area or 25 to 300 square feet.	--	Complete	--	Accepted		Feb-09	2/27/2004	2/19/2004	Product not compatible with existing breakaway sign support systems currently used.
9404-2	Jim Chandler and Assoc. (The Rainline Corporation)	Rainline (Highway striping, edge line, centerline, Rubble Strip.)	Product is manufactured under license by U.S. Corporations: Re: Swarco, Catophote, etc. Thermoplastic.	--	Complete	--	Withdrawn		Dec-05	5/20/1994	8/5/1998	Action Pending 4/21/1994 ; Field Test location SR 85 and SR 331 began 3/14/94 for 12 month period.
9707-2	Jim Chandler and Associates (Energy Absorption Systems)	"Breakmaster® 350" (Guard Rail Anchorage Assembly)	Meets NCHRP350 EASE of installation and refurbishment. No wood posts needed.	--	Complete	--	Accepted		Mar-09		8/28/1997	Under specification 641 Type 10D.
9411-7	Jim Chandler and Associates (Energy Absorption System)	Brakemaster (Narrow Hazard Protection on Roadside or Median Applications)	Narrow hazard protection on roadside or median applications.	--	Complete	--	Accepted		Dec-13	2/10/1995	2/2/1995	Use of this product is limited to the application for which it is intended.

9411-8	Jim Chandler and Associates (Energy Absorption System)	"Trend" (Combination Transition section and end treatment for concrete barrier or rigid object.)	Combination transition section and end treatment for concrete barrier or rigid object.	--	Complete	--	Accepted		Jan-14	2/10/1995	2/2/1995	Use of this product is limited to the application for which it is intended.
9411-9	Jim Chandler and Associates (Energy Absorption System)	"Sentre" (Safety Barrier End Treatment)	Sentre (Safety Barrier End Treatment) (No Scanned NPE)	--	Complete	--	Accepted		Feb-03	2/10/1995	2/2/1995	Use of this product is limited to the application for which it is intended.
0102-5	Jim Chandler Assoc./ Energy Absorption Systems	"The WorkZoNET"	To protect workzone workers from errant vehicles by providing a vehicle arresting barrier.	--	Complete	--	Accepted		May-06	5/31/2001	5/17/2001	Allowed for use on Department Projects at Discretion of Contractor.
9610-3	Jim Chandler Associates	"QuadGuard TM System (Energy Absorption Systems)"	As a permanent crash cushion to provide redirective, non-gating...protection for various roadside and median hazards.	--	Complete	--	Accepted		Dec-03	1/24/1997	12/17/1996	As permanent crash cushion.
9312-1	JM Manufacturing Company	Perma-Loc (Storm Drain Pipe)	Perma-Loc (Storm Drain Pipe) (No Scanned NPE)	--	Complete	--	Accepted		Jan-02		8/5/1998	Field Test 1/31/1994 ; Product is scheduled to be installed in 5th Dist. (5th District Installed 6/96) Hwy. 144 Liberty Co M.P. 15 and M.P. 12. ; Accepted under existing specification
1510-2	JMB SEALANTS, LLC	"P-SEAL"	P-SEAL is a non-flammable, non-toxic, non-acid sealer that internally strengthens and waterproofs cementitious materials. P-SEAL reduces vapor emissions for application of surface coatings such as		Office of Traffic Operations-Keith Murphy- kmurphy@dot.ga.gov	\$500 check received 12/30/15	No Application		10/1/2015	8/28/2017	5/25/2017	
1011-5	JSP	"Pro-Ring Manhole Adjustment System"	A series of lightweight interlocking rings used to adjust and support the manhole ring and cover to the specified final elevation on all sanitary and storm sewer manholes.	--	Complete	--	Accepted		Apr-12	4/9/2014	2/17/2011	

9904-1	K & K Systems	"Solar Powered Safety Assist Lights"	Solar Powered Safety Assist Lights	--	Complete	--	Accepted	--	Nov-07	12/5/2000	11/16/2000	Accepted without specification
9709-3	K and K Systems, Inc.	"Safety Assist Lights Models: 100, 101, and 102"	Model 100-To enhance flaggers location. Model 101-Stop sign beacon at new stop conditions. Model 102-To enhance regulatory warning conditions.	--	Complete	--	Accepted	--	Aug-10	9/17/1998	8/27/1998	No Application 11/27/1997 ; Not approved by FHWA. To be reconsidered by the Committee. Product has been evaluated by FHWA and we have the report. Also Contact Dicky Forrester for his
1507-2	K&K Systems, Inc.	"MSAS MUTCD Sign Alert System"	Sign Alert Systems are designed to warn drivers of approaching signs, to enhance the visibility of signs in inclement weather conditions, and increase road safety. With Sign Alert's ultra-bright LEDs, drivers are cautioned		Office of Materials and Testing - Brad Young- byoung@dot.ga.gov		Project to Project	Wrong Way and Do Not Enter to be installed on I-85 SB HOV lane at Lindberg to be installed on 12-05-16, installed on 12-	7/17/2015	9/10/2015	8/25/2015	
0102-3	Kelken Construction Systems	"KeligROUT and KeligROUT 101P"	Chemical structural anchoring of threaded rod, dowel bars.	--	Complete	--	Accepted	--	Mar-06	5/31/2001	5/17/2001	No Application and Lab Test 2/23/2001 ; KeligROUT No Application due to unlike components ; KeligROUT 101P Accepted for dowel bars needing high pull out strengths.
9503-2	Kelken Construction Systems	"Clampcrete Barrier"	FHWA approved barrier performance Level 2 Bridge Rail - AASHTO Specification approved.	--	Complete	--	No Application	--	Nov-06	N/A		
9606-4	Kenco International	"Watchdog Perimeter Intrusion Alarm"	Any vehicle detection application.	--	Complete	--	Withdrawn	--	May-12	9/6/1996	3/24/2000	Action Pending 8/28/1996 ; Waiting on report from Research on work area intrusion alarm systems. ; No further contact or information
0402-1	Kick Materials Co./Kock Pavement Solutions	"Asphalt Emulsion Base Stabilization"	"Asphalt Emulsion Base Stabilization" for upgrading existing roadways to a higher standard than structural base prep prior to paving.	--	Complete	--	Withdrawn/No Action	--	Apr-06	3/9/2004	02/19/04	"Action Pending" a lab analysis from a certified lab verifying that this product meets the GA DOT Standard Specification for erosion control compost in section 893.

0206-1	Klemmfix GMBH	"The Enhancer" Mini Curb	The Enhancer is a low-height, "mini-curb" (2" or less height) designed to fit between glue down delineators where increased driver visibility is desired. It is used to improve channelization effects where glue down	--	Complete	--	No Application	--	9/5/2002	8/15/2002	Lab Test 8/15/02 ; Large Sample (40"X40") Needed. -- Need test site.01/12/04	
9508-4	Klemmfix GMBH (Qwick Kurb™)	"Qwick Kurb Inc.(Temp. /Long Term Traffic Control Device)"	Temporary traffic separator or traffic island for construction areas. Can also be used as additional positive guidance in long term lane closures.	--	Complete	--	No Application	--		10/25/1995	(Re-Submitted as NPE# 9607-4)	
9607-4	Klemmfix GMBH (Qwick Kurb™)	"Qwick Kurb Inc.(Temp. /Long Term Traffic Control Device. 999 Removable Traffic Seperator"	Qwick Kurb Inc.(Temp. /Long Term Traffic Control Device. 999 Removable Traffic Seperator (No Scanned NPE)	--	Complete	--	Accepted	--	NA	8/28/1996	(Formerly PE#9508-4) Action Pending 8/28/1996 ; Forwarded to Traffic Operations Railroad Section. They are to find a test location for this product. ; Field Test 7/1/1998 ; Railroad Section	
0506-1	Kodi Klip	"Kodi Klip"	"Kodi Klip" - Kodi Klips made of polycarbonate plastic that are impervious to corrosion. Will not scar or cut protective coating. Simple downward movement. Push, place and snap. Color coded. Kodi Klip sticks available	--	Complete	--	Accepted	--	2/12/2013	11/8/2012		
1206-1	Kraton Polymers US, LLC manufactures the SBS polymers used	"Highly Modified Asphalt" - HiMA, not a trademark, this is just our terminology"	Highly Modified Asphalt or HiMA is simply that - an SBS-modified asphalt binder with substantially higher than standard polymer content, typically 7-8% SBS. It can be produced by an PMA supplier. Kraton Polymers offers	Nov-14	Complete	--	Second Field Test	Field test project to be installed in Jesup, GA in Sept. 2013 Still monitoring per Sheila 08-16-16.	May-09	10/19/2015	8/09/12	Field Test Fee received Nov. 2014
9806-4	Kryton International Inc.	"KIM (Krystol Internal Membrane)"	KIM (Krystol Internal Membrane) (No Scanned NPE)	--	Complete	--	Withdrawn	--		6/21/2000	Action Pending/Lab Test 8/27/1998 ; The Committee recommended that the Department initiate a Lab Test to gain additional /information on this product.	
1802-4	Kwik Bond Polymers, LLC	PPC-1121	PPC-1121 (Polyester Polymer Concrete) is a composite system made up of aggregate and polyester resin binder, with a High Molecular Weight Methacrylate (HMWM) primer. It is use for bridge preservation and		Bridge and Structural Design-Clayton Bennett clbennett@dot.ga.gov		Field Test			8/30/2018		
									Feb-18			

9502-1	L.F. Manufacturing	"Fiberglass Manholes"	Gravity sewer systems.	--	Complete	--	No Application	--	Mar-05	8/18/1995	7/20/1995	Action Pending 4/20/1995 ; Committee determined that if a case develops where special corrosion protection is required for manhole covers, then this product would be considered as an alternative to the
0202-3	Ladtech Inc..	"HDPE Recycled Adjusting Rings (manhole riser ring)"	HDPE Recycled Adjusting Rings (manhole riser ring) (No Scanned NPE)	--	Complete	--	Accepted	--	Apr-05	6/23/2003	4/19/2002	Action Pending 2/21/02 ; Committee vote to Accepted 4/11/02
0302-1	Lafarge Road Marking	"Sahara"	"Sahara" waterborne paint for stripping.	--	Complete	--	Withdrawn	--	Oct-04	09/24/03	02/20/03	"Enkamat 7003" fails to meet GDOT Spec 710 Permanet Soil Reinforcement Materials.
0401-1	Lafarge Road Marking	"Thorma-Joint"	"Thorma-Joint" is a ashaltic plug joint system.	--	Complete	--	Withdrawn/No Action	--	Mar-05	3/17/2004	02/19/04	
1002-3	Lancaster Composite Inc.	"Lancaster CP40 Marine Piling"	Lancaster CP40 Marine Piles are fiberglass/concrete composite structural marine piling made of fiber reinforced polymer pipe and a high strength non-shrink cementitious core.	--	Complete	--	Accepted per NPE 9712-2	--	Nov-04	3/20/1998	2/26/1998	
9507-1	Lancaster Composite Inc.	"Composite Post 40"	Small and medium sign posts.	--	Complete	--	Withdrawn	--	Feb-07		1996	No Application 10/25/1995 ; Product does not provide advantages over systems currently being used by Department ; Action Pending 8/28/1996 ; Committee reconsidered product ; Field
9712-2	Lancaster Composite, Inc.	"CP40 Piling"	Navigational aids, bulkhead/seawalls, facia piles, and support.	--	Complete	--	Accepted	--	Mar-03	3/20/1998	2/26/1998	

9511-1	Lancaster Composites	"Composite Post 40" (Chain Link Fence Posts)	Chain link fence posts.	--	Complete	--	Accepted	--	1/1/1999	5/27/1999	Pending approval of specification revision to Std Spec 911 and 643.	
1304-2	Leddar Tech, Inc.	"D-TEC"	LED based stopbar detector able to detect vehicles (cars, trucks, buses, etc.), motorcycles and bikes.	--	Complete	--	Not a New Product	GDOT Spec 925 - Needs to be submitted for QPL 78-6	Mar-14	Apr-13	1/8/2015	9/4/2014
9906-1	Leotek Electronics Corp. USA	"TSL-12R-QE / LED Traffic Signal"	Replace incandescent lamps in traffic signals. (No Scanned NPE)	--	Complete	--	No Application	--	Mar-09	8/27/1999	8/26/1999	Traffic Operations currently evaluating product
1205-1	Licensed by Earth Reinforcement Technologies, Inc.	"Gravix *Green*"	Gravity earth retaining wall system using precast concrete.	--	Complete	--	Accepted	--	Nov-07	4/29/2014	--	Not a new product - Accepted on a Proj. to Proj. Basis
1201-2	LightGuard Systems, Inc.	Smart Crosswalk™ Systems *Green*	Smart Crosswalk™ Systems *Green*	--	Complete	--	Project to Project	--	Jan-03	12/15/2014	9/4/2014	for bridge joint headers
1205-6	Lightstream, LP	"Streamliner UV CIPP Light Cured Liner"	Streamliner UV CIPP Light Cured Liner	--	Complete	--	Withdrawn/No Action	--	Apr-08	8/22/2012	8/09/12	??Bit. Report on field test?? Sheila Hines / Peter Wu Last heard from in May 2013 Sheila Hines is still monitoring field test site. 08-16-16
0208-1	Live Earth Products, Inc.	"Live Earth"	Live Earth (No Scanned NPE)	--	Complete	--	Withdrawn/No Action	--	Jun-09	9/5/2002	8/15/2002	New Mexico DOT approved per APEL, Contact Brain Summers for site location for test. Need test site 01/12/04.

1412-1	LockDown Inc.				Complete							
1412-1	LockDown Inc.				Complete							
1412-2	LockDown, Inc.	"LockOut"	Device designed to secure in-ground hand holes (vaults). The device fits existing lids with very little modification to the lid and can be easily installed. New enclosures may be ordered from several mfgs. with LockOut-ready		Complete		Withdraw/No Action	Dec-14	10/5/2015	9/15/2015	Action pending as of March 3rd letter. Not a New Product as of Oct 5, 2015 letter	
1412-3	LockDown, Inc.	"LightpoleLock"	Device designed to secure hand holes on lighting poles. The device fits any existing cover with very little modification to the cover and can be easily installed. The device fits hand holes in bases and in poles.		Office of Materials and Testing-Jay Page-jpage@dot.ga.gov ; Office of Materials and Testing-Peter Wu-pwu@dot.ga.gov		Withdraw/No Action	Dec-14	10/5/2015	9/15/2015		Withdraw/No Action per Keith M
0510-4	Loctite	"Fixmaster® Concrete Repair Stick"	"Fixmaster® Concrete Repair Stick"	--	Complete	--	No Application		5/9/2006			
								Apr-12		11/17/2005		
0510-5	Loctite	"BigFoot Heavy Duty Pedestrian Grade Safety Yellow (Anti Slip)"	"BigFoot Heavy Duty Pedestrian Grade Safety Yellow (Anti Slip) - Big Foot is the strongest, most aggressive anti-slip product available. Increases safety of walkways, ramps, stairs, docks, decks and anywhere safety is a	--	Complete	--	No Application		12/19/2005			
								May-12		11/17/2005		
0105-6	Lordon, Inc.	"BriteSide, Reflective Strips"	Delineators for regulatory signs, stop etc.	--	Complete	--	No Application		12/23/02			Office of Construction, and Maintenance.
								Sep-12		11/19/02		

0301-2	Lordon, Inc.	"BriteSide, Reflective Panels"	"BriteSide, Reflective Panels" Reflective panels for going on regulatory signs post.	--	Complete	--	Accepted			12/20/2004		Lafarge has been bought out by Ennis Paint.	
									Sep-04				
1802-5	Luciol Systems Company, LLC	Luciol Systems Bidirectional Linear Delineation A.D.	Luciol System Bidirectional Linear Delineation A.D. help reduce lane departure accidents (or ROR) on high crash highway locations.				Office of Traffic Operations-Keith Murphy- kmurphy@dot.ga.gov	Withdrawn/ No Action					
									Feb-18		5/16/2018		
0403-1	MAC-PRODUCTS, INC.	"MACBRIC-200™"	"MACBRIC-200™" is a two component, flexible, acrylic polymer modified, fiber reinforced, cementitious, spray applied resurfacing material. The product is applied at 3/16" thickness, requires not primers or sealers, is	--	Complete	--	Site Specific			6/8/2004			
									Jul-07		5/20/2004		
1609-2	Magnolia Advanced Materials, Inc.	"MagnoMembrane"	"MagnoMembrane" polyurea is a 100% solids, VOC-free, highly resilient super polymer designed to protect concrete and steel structures under the harshest of weathering conditions through unsurpassed physical properties.					New		9/19/2016		11/17/2016	
9907-2	Magnolia Plastics, Inc.	"Magnoloop II / Loop Sealant Epoxy"	Magnoloop II / Loop Sealant Epoxy used for repairing potholes in concrete.	--	Complete	--	Rejected			8/31/1999		Product field-tested by Maintenance with unsatisfactory results.	
									Mar-07		8/26/1999		
7903-1	Mameco International	Valcem Sealant	Sealant	--	Complete	--	No Status					File Labeled: PE-7902	
									Dec-07				
9310-3	Manhole-Systems, Inc.	MS-101TB Riser Ring	MS-101TB Riser Ring (No Scanned NPE)	--	Complete	--	Accepted					Action Pending 1/27/1994 ; Department will initiate a specification to cover this product.	
									Oct-12		10/20/1994		

0010-4	Map-Crete Concrete Products	"Map-Crete Concrete Fence"	Can be used for security and sound barrier.	--	Complete	--	No Application	--	Jan-11	12/5/2000	11/16/2000	
1805-7	Martin Asphalt Company	Flexible GTR Bituminous Marker Adhesive	Hot melt flexible bituminous marker adhesive, modified with polymers and ground Tire Rubber		Office of Materials and Testing-- rdouds@dot.ga.gov		Existing Specification		May-18	3/18/2024	8/30/2018	Evaluation through NTPEP RPM/adhesive
9911-5	Mary Ann Industries	"GEO-Hay recycled carpet fiber."	A 3.75 foot synthetic hay bale of wound up carpet fibers with pre-cut stake holes.	--	Complete	--	Accepted	--	Jul-02	8/29/2001	8/16/2001	In progress. 3/24/00
0010-3	Mary Ann Industries, Inc.	"Geo Hay Curb Inlet Filter"	Barrier filtration unit which allows water to pass through, not the sediment, debris or dirt.	--	Complete	--	Allowed	--	Dec-10		8/16/2001	
1511-2	Master Dowel	"Master Dowel"	Fiberglass reinforced (FRP) dowels and steel (306) dowel bar baskets.		Office of Materials and Testing-Reggie Murph- rmurph@dot.ga.gov		Rejected		11/18/2015	3/24/2016	2/11/2016	
0903-4	MaxCell/Milliken & Company	MaxCell Innerduct	MaxCell is a flexible textile innerduct for use in underground conduit systems.		Complete							
0406-2	MC Precast, Inc.	"Cellular Wall Panel"	"Cellular Wall Panel" is a cellular wall panels are precast concrete panels made with cellular concrete. Portland cement, fine aggregate, protein based admixture, welded wire reinforcement.	--	Complete	--	No Application	--	Jan-07	2/17/2005	2/17/2005	

0801-3	MC Precast, Inc.	Stone Strong Systems	Precast engineered retaining wall system that features 24 sq 6000lbs block.		Complete		Accepted		Mar-09			
9809-1	MC. Inc. (Hebel Building Systems)	"Hebel Precast Autoclaved Aerated Concrete. (Sound Barrier Wall)"	Hebel Precast Autoclaved Aerated Concrete. (Sound Barrier Wall) used as a screen wall or a glare screen or other construction where a light weight building material with Hebel's properties is required.	--	Complete	--	Accepted		Jul-11	5/6/1999	5/6/1999	Special Provision for Gwinnett County Project.
0805-5	McTech Group Inc.	UltraCure NCF	This product was designed only to wet cure concrete.		Complete		Meets		Sep-08			
9408-5	Merle Webb	Detector Loop (For Signals and Counting)	Signal and counting.	--	Complete	--	No Application		Sep-09	3/11/1995	3/11/1995	Field Test 10/20/1994 ; Product required to large an area to fit loop in pavement causing distress in pavement surface. ; Also, no guarantee that Loop will be placed in proper location after surface
0810-1	Metal Foundations, Inc.	Metal Fin Pipe Foundation, MFPP	Application specific, hydraulically set, steel fin pin pipe foundation consisting of a steel pipe of various wall thicknesses with series of steel fins welded longitudinally to the pipe.		Complete		Withdrawn/No Action		Sep-13			
1108-1	Meter-Treater dba MTI Surge	"MTI"	MTI	Nov-13	Complete	--	No Application		Aug-08	11/3/2014	9/4/2014	
0509-1	Metretek Inc.	"Invisiconnect"	"Invisiconnect" - Server software and cellular client hardware for telemetry system connectivity, via TCP/IP.	--	Complete	--	Accepted		Oct-10	12/19/2005	11/17/2005	

1807-1	MH Corbin	Connect:ITS	Roadside system controller used to gather, analyze, and communicate information in real-time to multiple sensors (including 3rd party sensors)		Office of Traffic Operations-Keith Murphy- kmurphy@dot.ga.gov		Project to Project			8/31/2018		
									Jun-18		8/30/2018	
1807-2	MH Corbin	Surface Scan	The Surface Scan is a vehicle-mounted mobile weather sensor. It measures road surface temperature, air temperature, relative humidity, and dewpoint.		Office of Traffic Operations-Keith Murphy- kmurphy@dot.ga.gov		Field Test			9/5/2018		
									Jun-18		8/30/2018	
1110-2	MHT Lighting	"Induction Type Street Light"	Induction light technology	--	Complete		Accepted	--		11/16/2011		Complete Design
									Jun-11		11/8/11	
0308-2	Midwest Canvas Corporation	"Summer Cure"	"Summer Cure" Curing of concrete in summer months.	--	Complete	--	Accepted via Spec Notified by Fax	--		08/04/03		Product is site specific & should be evaluated on a project to project basis.
									Jan-10		8/21/03	
9506-2	Midwestern Wholesales	"Offset Block"	Offset guardrail from guardrial post.	--	Complete	--	No Application	--		8/18/1995		Does not meet current GDOT Std Draw. 4050-A
									Jan-11		7/20/1995	
1608-1	Migma Systems, Inc	"MigmaMidblock"	A sophisticated pedestrian detector at midblock crossings for automated RRFB actuation to alert the approaching vehicle drivers about the pedestrians who are about to enter the crosswalk.		Office of Traffic Operations-Keith Murphy- kmurphy@dot.ga.gov		Allow the Use		8/2/2016	11/28/2016	11/17/2016	
1608-2	Migma Systems, Inc	"MigmaIntersection"	An outdoor passive pedestrian detector at intersection crossings for automated locater tone triggering and pushbutton actuation. The locater tone can be muted until pedestrians are with 12 feet from the signal pole. APS		Office of Traffic Operations-Keith Murphy- kmurphy@dot.ga.gov		Field Test		8/2/2016	4/17/2017	11/17/2016	

1608-3	Migma Systems, Inc	"MigmaWalktime"	A pedestrian detector at intersection crossings for pedestrian Walktime extension and ped call canceling. As long as slower walking pedestrians such as visually impaired, senior citizens, wheel chaired, etc. are				Field Test		8/2/2016	4/17/2017	2/16/2017	
1304-3	Millerbernd Manufacturing, Inc.	"Millerbond Paint Application System"	Millerbond (Aliphatic Polyurea) Paint - High Performance Paint Application System	--	Complete	--	Accepted	as alternate to Powder Coat Cover over Gazonized Steel Surfaces	Apr-13	12/10/2014	9/4/2014	
9710-4	Mineral Resource Technologies	"Class C Fly Ash"	Set time control, availability, and use of more per cubic feet because it is economically available when cement is in a short supply. Less shrinkage cracks.	--	Complete	--	Withdrawn	--	Dec-01	NA	3/24/2000	Action Pending 11/25/1997 ; To be conducted by OMR ; Lab Test ?? ; as of 7/10/1998, no sample was received from the manufacturer for test. No further contact.
0202-1	Mineral Resource Technologies, Inc	"ArmorCem"	Rapid hardening hydraulic cement.	--	Complete	--	Accepted	--	Feb-05	5/29/2002	5/16/2002	
1704-4	Minova	"Tekcrete Fast"	"Tekcrete Fast" is a specially designed, ultra-rapid hardening, high performance dry process shotcrete for use in conventional, dry-process shotcrete equipment. It I the only product in the market that develops highearly strength				Action Pending		4/7/2017	5/31/2017	5/18/2017	
1704-5	Minova	"Carbopur/Carbopur WF/Carbopur WFA"	"Carbopur/Carbopur WF/Carbopur WFA" Extremely fast reacting, two component injection resin according to EN 12 71510, CFC-free and halogan-free, for sealing and consolidation in water-bearing strata and against water under				Action Pending		4/10/2017	5/31/2017	5/18/2017	
1704-6	Minova	"Carbothix"	"Carbothix" is an instantly thickening, fast curing two-component silicate resin.				Action Pending		4/10/2017	5/31/2017	5/18/2017	

1010-3	Mintec Resources, Inc.	"Calciment® Lime Kiln Dust (LKD)	Lime Kiln Dust (LKD) is a co-product of the Lime manufacturing process.	--	Complete	--	Accepted	Per GDOT Specs		4/21/2015		
									Nov-10		11/18/2010	
9911-6	Mitsubishi Chemical	"ALPOLIC composite sign material"	ALPOLIC is the trade name for Aluminum Composite Material (ACM) produced by Mitsubishi Chemical. It is manufactured by continuously laminating aluminum coil stock to both sides of an extruded thermoplastic core. The	--	Complete	--	Accepted	--		4/18/2000		In progress. 3/24/00
									Aug-02		4/18/2000	
0702-2	Mitsubishi Chemical FP America Inc.	Alpolic 350	Permanent roadside and overhead signs - mounted with or without sign bracing according to GDOT standards.		Complete							
									Sep-07			
0310-1	MMFX Steel Corporation	"Microcomposite (MMFX 2) Steel Rebar"	"Microcomposite (MMFX 2) Steel Rebar"	--	Complete	--	Accepted	per QPL-61 submission		12/11/03		Submit under QPL-70; Cold Mix Material for Temporary Patching
									Jul-12		11/20/03	
9307-1	Mobil Chemical	Trex (Timbrex)	Trex (Timbrex) (No Scanned NPE)	--	Complete	--	Withdrawn	--				Field Test 7/15/1993
									Feb-09		1993	
0308-3	Mobile Colors Corporation	"Magic Colors Corp."	"Magic Colors Corp." Removable Paint System.	--	Complete	--	Site Specific	--		12/11/03		GDOT no longer allows asphalt overlays on bridge decks.
									Feb-10		11/20/2003	
1607-5	Molenaar Betonindustrie B.V.	"MoClip Trio, MoClip #5+ Trio with Wire, MoStek Trio, MoNoClip, MoNoClip #5+, MoNoStek, MoClip Flat, Flat with wire, MoStek Flat,	The products are concrete spacers used to space the rebar in precast concrete and cast in place concrete in a specific distance from the casting form.				Action Pending			7/26/2016	8/29/2016	8/16/2016
								Office of Traffic Operations-Keith Murphy- kmurphy@dot.ga.gov				

1704-2	Momar, Inc.	"Resinator"	"Resinator" Water-proof road and soil enhancer. A concentrated blend of unique, asphaltene-free resins that thrive under the stresses that shear other chemistries. Non-leaching - will not run off of treated areas or				Allow the Use		4/6/2017	5/31/2017	5/18/2017	
0110-4	Monty's Plant Food Company	"Monty's 4-15-12"	Liquid fertilizer that stimulates and increases root development in turf, plants and flowers. Promotes faster seed germination as well as increased seed germination percentages.	--	Complete	--	Withdrawn/No Action	--	Jun-13			Evaluation by State Agronomist.
1001-5	Morren Plastics (Represented by Diamond Roadway Products)	Diamond Block Reflector System	Diamond Block Reflector System is a reflector bracket that accepts multiple reflector sizes that snaps into the diamond block from quick and easy installation.	--	Complete	--	Rejected	--	May-03	4/22/2014	3/27/2014	
1001-6	Morren Plastics (Represented by Diamond Roadway Products)	Universal Bracket Reflector System	Universal Bracket Reflector System is a universal reflector bracket that accepts multiple sized reflectors that can be applied to existing guardrail blocks as well as barrier and bridge wall. It can also be used	--	Complete	--	Accepted	--	Jun-03	10/3/2012	2/18/2010	
0812-1	Motz Enterprises	Flexamat	The Product consist of geogride (Front 30/30) embedded into concrete rectangular form and cut into 5 x 40 ft rolls for ease of installation.		Complete		Accepted		Aug-15			
0601-1	Mulch & Seed Innovations, LLC	"GEO Skin Cotton Hydromulch"	"GEO Skin Cotton Hydromulch" - GEO Skin Hydro Mulch is made of Straw and Cotton Bio Mass with Tacafire (Pam).	--	Complete	--	Accepted	--	Apr-04	7/26/2006		*7/3/2006 -- Determined product is site specific and recommended to be evaluated by Dept. on a project-to-project basis
1002-1	NAEX Corp.	"Firecide"	Firecide contains extinguishing components that prevent the spread of a fire resulting from the introduction of a heat source to dried or dead vegetation.	--	Complete	--	No Application	--	Sep-04	2/26/2010	2/18/2010	

1102-3	NAEX Corp.	"SD605"	Dust pallative, soil stabilizer.	--	Complete	--	Allow the Use	--		12/17/2012		
									Oct-03		11/8/2012	
1303-3	Natina Products, LLC	"Natina Steel"	Environmentally safe solution that contains natural oxidizers and soft, buffered organic acids. When applied to galvanized surfaces, Natina Steel reacts with the zinc . In the galvanizing to create a rustic brown/weathered	Fee / See Comments	Complete	--	Project to Project	Special Provision 641 & 859 -- Used on Project in Gordon County	Mar-13	11/3/2014	9/4/2014	
0505-5	NDS, Inc.	"Gravelbag, Snakebag 4, Snakebag 6, & Drain Donghnut"	"Gravelbag, Snakebag 4, Snakebag 6, & Drain Donghnut" - Snake Bag-UV Monofilament Gravel Bag. UV Monofilament Fabric, Heat bonded at the seam	--	Complete	--	No Application	--		6/2/2005		
									Apr-07		5/19/2005	
1404-4	Neenah Foundry Company	"R-8450 4 Dia Removable Bollard"	Removable Steel Pipe Bollard with Cast Iron Sleeve and Bolted Locking System		Complete		Project to Project		Apr-14	6/9/2015	4/30/2015	
1901-1	NEPTCO, A Chase Corporation	TRACE-SAFE	High strength water blocked tracer wire	Office of Traffic Operations-Keith Murphy- kmurphy@dot.ga.gov			Withdrawn/No Action			1/15/2025		
									1/16/2019		5/9/2019	
9602-1	Neptco, Inc.	"Arbortape" (Staking and guying trees)	Replaces wires, hose, and turnbuckles used for staking and guying trees.	--	Complete	--	Accepted	--		6/17/1996		Lab Test 3/28/1996 ; Tensile Strength 704# ; Department will develop a specification for this product. Amend Landscaping Specification
									Apr-05		6/17/1996	
7905-1	Neville Chemical Company	PaveBrite	Colored pavement.	--	Complete	--	No Status	--				File Labeled: PE-7904
									Feb-10			

0505-6	Newton Construction	"Jiffy Clip"	"Jiffy Clip" - Plastic re-bar fastener. Nylon and Poly Propylene.	--	Complete	--	Accepted		May-08	9/28/2005	8/18/2005	
1906-2	Next Polymers	Next Soundwall	The NEXT Soundwall PVC-UVPROTECT - REFLECT has been developed over the past 8 years in order to meet the highest standards of the industries.	Office of Bridge Design-Steve gaston-sgaston@dot.ga.gov			Action Pending		5/29/2019	8/19/2019	8/8/2019	
0307-5	Nilex Corporation	"GeoRidge"	"GeoRidge" A permeable plastic berm used in sediment control.	--	Complete	--	No Application		Jul-07	6/8/2004	5/20/2004	Need to set up Field Test location 01/12/04
1906-1	Noflood, Inc.	Noflood	Storm Drain Filters				No Application		4/28/2019	9/19/2019	8/8/2019	
1509-1	Nomaco	"Nomaflex"	Nomaflex is a semi-rigid expansion joint filler for concrete construction, made with closed-cell polypropylene foam that provides superior moisture resistance and compression recovery as compared to asphalt-		Complete		Accepted	Company called 09-21-16	9/21/2015	11/29/2016	11/19/2015	
0707-1	Nordoloh Industries LLC.	Autoblanket Staple.	Autoblanket Macine rolls out and staples erosion control blankets to the ground.		Complete							
1805-10	North America Traffic, Inc.	PTL2.4LD	The PTL2.4LD is a light duty, dual head traffic signal ideal for short-term traffic control. The unit is powered by 8 deep-cycle batteries with 99 watts of solar assist providing autonomy up to 14 days without solar assist.	Office of Construction-Todd Wood-twood@dot.ga.gov			Not a New Product		May-18	7/11/2018		

0910-3	NUCOR Steel Marion, Inc.	Nu-Guard	Strong post guardrail system consisting of W-beam guardrail elements connection hardware.		Complete		Accepted		Jul-10	6/14/2010		
1503-1	NUCOR STEEL MARION, INC.	"NU-GUARD-31 GUARDRAIL BARRIER SYSTEM"	A 31" roadway barrier system consisting of steel components, including metal beam guardrail, u-channel posts, and connection hardware.		Complete		No Application		Mar-15	12/18/2015	5/14/2015	Refund paperwork not received.
1908-5	Nucor Steel Marion, Inc.	Nu-Guard-31	The Nu-Guard-31 (#5) system is a corrugated metal w-beam barrier for use on national, state and local roadways to prevent collisions with hazards as required by safety design standards.						Jun-19			
0505-3	Nyloboard, LLC	"Nyloprime"	"Nyloprime" - Composite board made from recycled material and synthetic polymers.	--	Complete	--	Withdrawn/No Action		Feb-07	6/2/2005	5/19/2005	
9806-1	Nyloplast America Inc.,	"Nyloplast" PVC Drainage Inlets and Drain Basins"	Surface drainage inlet structure for right of way areas outside of the paved traffic area.	--	Complete	--	Accepted		Jun-09	8/25/2000	8/17/2000	Accepted as an alternate to GDOT 1035 Drain Basins. May only be used behind curb and gutter and out of travel lane.
9212-2	Nyoplas USA, Inc.	Nyplast Engineered Surface Drainage Products (Drain Basin, Catch Basin, & Surface Drainage)	Drain basin, catch basin, surface drainage, standard drain inlet (DRW #1035)	--	Complete	--	Accepted		Feb-03	1/31/1994	1/27/1994	No Application 1/27/1994 ; PVC Drain Basin, Catch Basin ; PVC In Line Drain Systems Accepted as an alternate to Elbow Systems on GDOT Standard Drawing 1035.
9605-7	O.I.T. International	"Dallas Roadway Product" (Road Stabilization treatment)	Stabilization of soil materials, sub-grade treatments and stabilization as part of pavement construction or equal to lime, soil cement applications concerning roads, embankments, airport runways etc.	--	Complete	--	No Application		Nov-10	6/17/1996	6/6/1996	Committee concerned with Hazardous Potential of product.

1509-2	OMNTEC Mfg. Inc.	"OMNTEC"	Fuel Inventory, Leak Detection, Overfill and Control solution.		Complete		No Application		9/25/2015	12/4/2015	11/19/2015	
1312-3	Onward Chemicals Pvt Ltd	Fibrex™	Wire fibers to be used in concrete.		Complete		No Application		Dec-13	4/14/2014	3/27/2014	
9508-3	Optimix, Inc.	Optimix Cold Patch	Repair of potholes on asphaltic and concrete streets and highways.	--	Complete	--	Withdrawn	--	Sep-09		10/25/1995	Product covered by SOP-17, QPL-70
0104-5	Orange Products, Inc.	"Orange Slicker"	Cleaner/protectant for asphalt tools and equipment.	--	Complete	--	Withdrawn/No Action	--	Feb-09	12/4/2001	11/15/2001	Product evaluated under current specifications.
0802-4	Organic Growing Systems	Top Organic Fertilizer	Top Organic Fertilizer 4-2-2 is derived from processed pelletized poultry litter.		Complete		Withdrawn/No Action		Sep-13			
1306-3	OTW Safety	"OTW Safety Model MB350"	Plastic and steel-reinforced barrier provides positive protection for worker pedestrians and bicyclists during road construction. Barrier line redirects a vehicle in the event of a crash, and also minimizes injuries to vehicle	--	Complete		Accepted	--	Jun-13	8/19/2013	8/8/2013	
1307-4	OTW Safety	"MB42x45 LCD"	Longitudinal channelizing device / barrier that is blow molded HDPE plastic -- type 1 or 2 barricades	--	Complete		Withdrawn/No Action	Request list of Conditions this product will be an alternate to, Due to no response from manufacturer since August 2013	Jul-13	10/20/2014	8/8/2013	Status updated Oct. 20, 2014

1307-5	OTW Safety	"MB42x72 JSS LCD"	Longitudinal Channelizing Device / barrier that is blow molded HDPE plastic -- Type 1 barricades	--	Complete		Withdrawn/No Action	Request list of Conditions this product will be an alternate to, Due to no response from manufacturer since August 2013	Jul-13	10/20/2014	8/8/2013	
1310-5	Owens Corning	"TruPave Engineered Paving Mat"	Roadway underlayment fabric	Fee / See Comments	Complete		Withdrawn/No Action		Oct-13	12/2/2013	11/14/2013	Material passed lab tests. Supplier was encouraged to find a contractor to work with for a test section. Contractor still looking for field test site and staying in contact with Sheila Hines. 08-25-16
1905-4	Owens Corning	Surface - Ext	Forta surface-EXT is an alkali and acid resistant glass fiber specifically designed to extend the life of slurry surfacing pavement applications.				Withdrawn/No Action			1/15/2025		
									4/27/2019		8/8/2019	
0405-8	Owens Corning/Trumbull	"TruPave Paving Mat"	"TruPave Paving Mat" is used to enhance the performance of the pavement by retarding reflective cracking and alligating. 60% fiberglass and 40%polyester. -- Fabric	--	Complete	--	Withdrawn/No Action	--		6/9/2004		
									Sep-09		5/20/2004	
9608-1	Pacific Dia Metals Inc.	Ground-In Indention Rumble Strips	Ground-In Indention Rumble Strips (No Scanned NPE)	--	Complete	--	Accepted	--		11/1/1994		Correspondence with other states verified that this product works as claimed. This product was Accepted even though this product is more expensive than current the current process of rolling in
									May-08		10/20/1994	
1707-1	Pagel Spezial-Benton GMBH & Co KG	"Pagel V1/50 NonShrink Grout"	Non Shrink self leveling grout, high flow ability, up to 90 minutes. Pumpable and easy to pour – even at low temps. Frost & deicing-salt resistant, waterproof, widely resistant to oil & petroleum.				No Application		7/21/2017			
					Office of Construction-Todd Wood-twood@dot.ga.gov							
1004-7	Paragon Noise Barriers	"Noise-D-Fence"	Noise-D-Fence sound barrier panels can eliminate much of the road noise by absorbing sound, not just reflecting sound as is obtained by utilizing standard concrete sound barrier walls.	--	Complete	--	Rejected	--		3/27/2017		Represented by Hanes Company
									Sep-08		QPL-90	

9710-2	Parker International Ltd.	"Radcote Mineral Silicate Paint"	Excellent sealing properties for vertical internal and external concrete & masonry structures to provide a long-term aesthetic and durable protection system against water, chloride ions and other pollutants. Environmentally safe.	--	Complete	--	Withdrawn	--	Oct-12	1/14/1998	3/24/2000	Action Pending 3/25/1998 ; Lab Test, ??? ; Material does meet current GDOT Specification 836, 2/17/1998. We have a 5 gallon sample of product for a Field Test.
9710-3	Parker International Ltd.	"Radcon Formula #7"	Permanently waterproofs and protects 100% Portland Cement Concrete and masonry. Seals stress and shrinkage cracks up to 2.00mm and has ability to reheat hairline cracks up to 0.35mm. Designed for high thermal stress	--	Complete	--	No Application	--	Nov-12	NA	11/25/1997	Product will react with Fly-Ash. Concrete used in Department projects may contain Fly Ash. NPE 7902-1 (or PE 7901)
0206-2	Pavetech International	"ISAC (Interlayer Stress Absorbing Composite)"	To extend life of asphalt overlays on expressways and bridge decks by retarding or completely eliminating reflective cracking.	--	Complete	--	Withdrawn/No Action	--	Aug-11	1/7/2003	11/19/2002	with test level 2 conditions (45 mph or less) - Get letter of approval from FHWA QPL-34
0207-1	Pavetech International	"Matrix 502" (Asphaltic Plug Joint)	(Asphaltic Plug Joint) Simple Span - Box Beam - Abudent Joints	--	Complete	--	No Application	--	Mar-08	9/5/2002	8/15/2002	File product data information in case an application arises.
0307-6	Pavetech International	"MasticOne"	"MasticOne" Polymer Mastic repair material.	--	Complete	--	Withdrawn/No Action	--	Aug-08	9/10/2003	8/21/03	Need to set up Field Test location 01/12/04
0307-7	Pavetech International	"Pavecrete (concrete gray) repair material"	"Pavecrete (concrete gray) repair material" Repairing cracking mid-slabs, thin bond repairs and uneven pavements.	--	Complete	--	Withdrawn/No Action	--	Sep-08	9/10/2003	8/21/03	Need to contact List Westberry (project coordinator) 404-699-4437 in the Office of Environmental Location
9506-7	PaveTech International	"Matrix 502 (Bridge Joint System)"	Fixed end and expansion joints on bridges with thermal movements up to 2".	--	Complete	--	Withdrawn	--	Jun-12	8/18/1995	8/5/1998	Accepteded 6/20/1995 ; GDOT Std. Spec. Section 443 Modified

9507-3	Pavetech International	"Matrix CMX"	A bridge joint system that accomodates fixed end, thermal, and dynamic movement.	--	Complete	--	Withdrawn	--		8/18/1995		Action Pending 10/25/1995 ; Field Test ?? ; Field test was to be conducted. No record of any results that may have been obtained.
									Apr-08		3/24/2000	
0806-9	Paveway Construction Inc.	Paveway STS			Complete		Withdrawn/No Action					
1206-2	Paveway Systems, Inc.	"Paveway Systems, Inc."	Decorative asphalt or concrete overlay broadcast aggregate system -- for crosswalks	Fee / See Comments	Complete	--	Allow the use	Looking for field test site -- Field test site installed in Aug. 2014 in Statesboro, GA	Jun-09	12/10/2014	11/13/2014	
0908-2	Pavon Corporation	Pavon Joint Sealant	Cold applied asphalt material to longitudinal joint in the construction process.		Complete		Withdrawn/No Action					
									Dec-09			
0203-5	Pecora Corporation	"Pecora 301"	Sealing typical concrete, metal and asphalt roadway control joints. Designed for flat or sloped surfaces.	--	Complete	--	Accepted	--		5/29/2002		Test started 5/20/02 Tues. South of Cordele, GA Monitor this every 6 months for 2 years -- passed lab testing
									Oct-06		5/16/2002	
7911-1	Pecora Corporation	Silicone Sealant	Silicone Sealantn (No Scanned NPE)	--	Complete	--	No Status	--				File Labeled: PE-7910
									Jun-12			
0602-2	Penda Corporation	"Smart Ditch"	"Smart Ditch" - Thermoformed HOPE Plastic Ditch Liner in 7.5-8.0 foot lengths in various sizes and profiles.	--	Complete	--	No Application	--		3/9/2006		
									Sep-05		2/21/2006	

9606-7	Pennzoil Products Co.	"PennzSupress D"	PennzSupress D (No Scanned NPE)	--	Complete	--	No Application	--		Jan-07	9/6/1996	8/28/1996	For use as a dust palliative. Information forwarded to GeoTech for comment regarding use as soil stabilizer.
1210-1	PennzSuppress Corp.	"PennzSuppress"	PennzSuppress is a uniquely formulated, patented, trademarked, well established nationally & internationally product line. - Very effective dust control agent for treatment of aggregates, soils and ores. - It is sold in a	Company / See Comments	Complete	--	Withdrawn/No Action	Awaiting on Company to supply requested information. -- Due to no response from manufacturer since January 2013		Jun-10	10/20/2014	11/08/12	
1210-1	PennzSuppress Corp.	"PennzSuppress"	PennzSuppress is a uniquely formulated, patented, trademarked, well established nationally & internationally product line. - Very effective dust control agent for treatment of aggregates, soils and ores. - It is sold in a	--	Complete	--	Allow the Use	as an alternate to water for dust control		May-10	1/4/2013	11/08/12	Status updated Oct. 20, 2014 - cross reference with 9606-7
9509-2	Percol Polymers	"Concrete Healer"	For repairing concrete spalls and cracks.	--	Complete	--	No Application	--		Jan-10	6/17/1996	6/6/1996	Product is site specific and will be considered at a later time if a need arises.
9509-3	Percol Polymers	"Alligator Glue"	For repairing concrete spalls and cracks.	--	Complete	--	No Application	--		Feb-10	6/17/1996	6/6/1996	Product is site specific and will be considered at a later time if a need arises.
9509-4	Percol Polymers	"Elastic Cement"	For repairing asphaltic concrete; load bearing repairs over fatigue and reflective cracks and cold joints; for resurfacing rough pavement.	--	Complete	--	No Application	--		Mar-10	6/17/1996	6/6/1996	Product is site specific and will be considered at a later time if a need arises.
9807-1	Permalok Corporation	"Permalok Steel Pipe"	Joining of steel pipe used on cased crossing of highways. Permalok is an integral press fit steel pipe joining system. When the components are pushed together with the sealant, a quick; strong pressure tight connection	--	Complete	--	Accepted	--		Feb-08	9/17/1998	8/27/1998	Accepted pending specification revision.

7804-1	Permite Corp.	Phenoxy Zinc Rich Primer	Paint.	--	Complete	--	No Status	--	Mar-09			File Labeled: Misc. 4-78
1001-4	PEXCO LLC - DAVIDSON TRAFFIC CONTROL PRODUCTS	"U-Flex 26"	U-Flex 26" is a high impact guard rail post mount reflectors. (same as 1-flex - but taller).	--	Complete	--	Rejected	--	Apr-03	4/22/2014	3/827/14	Changed from Accepted to Rejected due to Failed Field Test 4/4/14
1004-2	PEXCO LLC - DAVIDSON TRAFFIC CONTROL PRODUCTS	"Butterfly Guardrail Reflector Button or Glue on"	"Butterfly Guardrail Reflector Button or Glue on" (No NPE scanned)	--	Complete	--	No Application	--	Apr-08	6/7/2010	5/20/2010	
1009-1	PEXCO LLC - DAVIDSON TRAFFIC CONTROL PRODUCTS	FG300 Vertical Panel	100% plastic, self righting, vertical panels using FG300 EFX post and plastic signage. For use in permanent or temporary work zone applications.	--	Complete	--	Not a new product	--	Aug-09	1/31/2011	11/18/2010	**changed from Field Test on 9-3-14 to Not Approved at this time (NPE to be revisited/reviewed in April 2015) per GDOT pipe task force responding to ADS request for approval per
1609-1	PEXCO LLC - DAVIDSON TRAFFIC CONTROL PRODUCTS	"Island Alert Curb Reflector"	"Island Alert Curb Reflector" is durable UV stable Polyurethane provides continuous ribbon of reflectivity, simple installation to match curvature.				Field Test		9/6/2016	4/17/2017	11/17/2016	
1910-4	PEXCO LLC - DAVIDSON TRAFFIC CONTROL PRODUCTS	Rumble Strips Model 3708	The "Rumble Strip" is an extruded plastic part that is cut to the desired length at the end of the extrusion process. The part is then leveled on the ends at 45 degrees. Available in white, yellow, additional colors available				Withdrawn / No Action		Sep-19	1/13/2025	5/14/2020	
1306-1	Philpott Rubber	"Cloth Inserted Abutment Rubber"	Cloth Inserted Neoprene Sheeting	--	Complete	--	No Application	--	Jun-13	7/22/2013	6/27/2013	Per Clayton. No Application. 09-22-16

1605-1	Phoscrete Corporation	"Phoscrete HC"	Phoscrete HC with MALP + Technology is a fiber-reinforced cementitious material designed for horizontal and form-and-pour concrete repairs.		Office of Traffic Operations-Keith Murphy- kmurphy@dot.ga.gov		Accepted	Waiting on Independent lab test results to be submitted for QPL 27. 11-10-16	5/10/2016	11/14/2016	5/31/2016	
0104-1	Piedmont National Corporation/ 3M company/Bonding Systems Div.	"3M VHB Acrylic Foam Tape"	Permanent attachment applications where welds, rivets and screws are currently used.	--	Complete	--	Accepted		Oct-07	5/31/2001	5/17/2001	
0903-2	Piedmont Precast	Redi-Rock Retaining Walls	Large wet cast concrete blocks, averaging 2500lbs used to design non-reinforced or reinforced walls.		Complete		Accepted		Oct-15			
1812-6	Piedmont Precast	Forix	Forix is a concrete precast modular retaining wall system, large in size yet economical in weight.		Office of Bridge Design Steve gaston- sgaston@dot.ga.gov		Withdrawn/No Action		1/8/2019	2/15/2019	2/14/2019	
1704-8	Pile Dynamics	"Squid"	"Squid" The SQUID system is a new technology for quantitatively assessing the quality of the bottom surface of bored pile or drilled shaft. It measures both the thickness of soft material or debris on top of the bearing strata				Action Pending		4/11/2017	5/31/2017	5/18/2017	
9605-2	Pilecap, Inc.	"Underwater Encapsulating System"	To provide internal area to allow chemical process for proper surface preparation, so an intimate bond can be achieved between coating and underwater piling.	--	Complete	--	No Application		Jun-09	6/17/1996	8/5/1998	Action Pending ; Information forwarded to Bridge Maintenance Unit for further evaluation concerning usage. ; Will be considered again if a need arises.
9905-1	Piling Accessories Inc.	"Piling Accessories Coupler"	Splicing pipe piling without welding.		Complete	--	Withdrawn/No Action		Dec-07	6/1/1999	5/27/1999	Review by Geotech and Bridge Design

9501-7	Plant Block Design Int.	"Plant Block"	CMW walls, acoustical walls/fence, retaining walls, columns, soil erosion control, terracing, concrete formwork.	--	Complete	--	Accepted	--	Jan-05	4/20/1995	Product must meet GDOT Std. Spec. Sect. 624.	
0908-6	Plastic Safety Systems, Inc.	RoadQuake Temporary Potable Rumble Strip	RoadQuake is a temporary rumble strip that alerts drivers to changing road conditions.		Complete		Accepted		Dec-09	12/10/2010		
1311-4	Plastic Safety Systems, Inc.	"RoadQuake™"	Temporary Portable Rumble Strip & RoadQuake 2-Folding Temporary Portable Rumble Strip"		Complete		Approved		Nov-13	4/27/2014	3/27/2014	
0502-1	Plastic Safety Sytems, Inc.	"BAM™ Delineator"	"BAM™ Delineator" - A delineator created for installations where impacts are probable.	--	Complete	--	No Application	--	Jun-03	6/2/2005	5/19/2005	
1104-3	Plastic Safety Sytems, Inc.	"SafetyRail™"	"SafetyRail™"	--	Complete	--	Accepted		Apr-06	12/16/2014	9/4/2014	
0803-1	Plastic Solutions, Inc.	StormRax			Complete		No Application		Jun-08			
9607-1	Poly Systems, Inc.	"Culvert Renew"	Reline culverts direct burial on culvert replacing CMP in hot soils.	--	Complete	--	Accepted	--	Feb-08	9/6/1996	8/28/1996	Department will initiate specification to cover product. GDOT Specification 561

0007-2	Polybackfill, Inc.	"StructureSet"	Back fill around traffic signs.	--	Complete	--	Accepted	--		12/5/2000		11/16/2000	Polyurethane Foam for back filling sign post. Product is FHWA approved.
									Mar-08				
0405-3	Poly-carb, Inc.	"Mark 77-3"	"Mark 77-3" is a permanent Anti-Graffiti System for concrete substrates made of Epoxy Urethane System.	--	Complete	--	Accepted	--		11/14/2006			Site Specific Product to be evaluated on a Project to Project Basis
									Apr-08				
1202-1	POLY-CARB, INC.	"POLY-CARB's MARK-55.9"	POLY-CARB's MARK-55.9		Complete		Rejected		Apr-04	11/12/2014	9/4/2014		Accepted pending the revision/development of the GDOT Specification Section 561 Renovating Existing Pipe
0809-1	PolyCon Manufacturing	PolyCon PCMO (E-KRETE)	A polymer cement micro-surface overlay material, applied as a slurry that fills crack and arrests oxidation and hardening of asphalt pavement in one pass.		Complete		Withdrawn/No Action						
									Aug-08				
0212-1	Polymer Group Inc.	"Strus 90/40"	"Strus 90/40" Unique fiber blend used for structural reinforcement in concrete.	--	Complete	--	Withdrawn	--		2/13/2004			Withdrawn Friday 02/13/2004 due to Follow Specification change; product now on QPL-86
									Feb-14			11/19/2002	
1011-1	Polytorx, LLC	"Helix"	Electrogalvanized steel concrete reinforcement.	--	Complete	--	Withdrawn/No Action	--			1/31/2011		
									Dec-11			11/18/2010	
0303-1	Poly-Triplex Technologies, Inc.	"Poly-Triplex Liner System"	"Poly-Triplex Liner System" CIPP for the rehab.of culvert pipe, manholes, pump stations, etc.	--	Complete	--	Accepted	--		06/26/03			Recommended to be used on GA DOT project for the assembly of "push on" pipe joints.
									Jun-07			05/15/03	

9705-3	Port City Pipe, Inc.	American Hwy. Products Steel Expandable Manhole Risers	Risers are used to bring existing manhole lids up to new grade during resurfacing projects.	--	Complete	--	Accepted		Jan-08	6/9/1997	5/28/1997	Under provision that product is compatible with existing system and have positive locks.
0808-2	Potters Industries	Visimax-Glomarc	Durable highly reflective and versatile glass bead system that provides wet night reflectivity and increased preview time.		Complete		Accepted		Aug-08			
1404-5	Potters Industries	"ULTRAGUARD"	A safety barrier line marking system. The intent of this system is to safely and efficiently apply 6-inch wide reflective paint lines on a vertical surface such as concrete bridge wall, Jersey barrier / K-rail traffic dividers,		Complete		No application		Apr-14	11/3/2014	9/4/2014	
1907-5	Precision Pipe & Products, Inc.	Infra Steel	Infra Steel is a permanent culvert rehabilitation system, designed to give cost-effective and environmentally friendly alternatives to culvert preservation and rehabilitation				Action Pending		Jul-19	1/14/2020	11/7/2019	
8004-1	Preco Industries, LTD	Plastic Rebar Chairs (Supports)	Plastic Rebar Chairs (Supports) (No Scanned NPE)	--	Complete	--	No Status		Feb-08			File Labeled: PE-8004
7912-3	Preco Industries, Ltd.	Spiral Spacer	Spiral Spacer - a metal angle 5/8" x 5/8" x 54" long notched with a 1/4" wide x 1/2" deep groove in the following pattern: 5 @ 1" spacing; 16 @ 3" spacing. Product is 22 ga. C.R.S. Class 2 Commercial Quality Steel.	--	Complete	--	No Status		Sep-02			File Labeled: PE-7913
1201-3	Premier Construction Products Group	"PREVent-C shrinkage-reducing admixture"	PREVent-C admixture is a specially formulated powder that provides dual functionality to prevent cracking or curling caused by shrinkage. PREVent - C can reduce shrinkage-induced cracking by as much as 90 to		Complete		Allow the use		Mar-03	10/14/2015	5/16/2012	

1201-3	Premier Construction Products Group	"PREVent-C shrinkage-reducing admixture"	PREVent-C admixture is a specially formulated powder that provides dual functionality to prevent cracking or curling caused by shrinkage. PREVent - C can reduce shrinkage-induced cracking by as much as 90 to		Complete		Field Test	Looking for Specialized Field Test Location	Feb-03	10/14/2015	5/16/2012	For bridge joint application
1705-3	Premier Construction Products Group	"ShoreFlex"	"ShoreFlex" - Vegetated - Concrete Block Erosion Control Mat Geogrid fully encapsulated in concrete blocks.				Action Pending		5/1/2017	8/28/2017	8/17/2017	8/17/2017
0210-10	Prime Resins, Inc.	"Fast Fix 10"	"Fast Fix 10" -- Rapid Setting Concrete Spall polyurethane repair material.	--	Complete	--	Withdrawn/No Action	--	Dec-13	03/11/03	02/20/03	Failed the Lab Tests conducted to GDOT Standards
1505-5	Prism Lighting Services, LLC	"Prism Lighting Services, LLC"	One person can raise the PIL with metal halide lamp (1000W equivalent to 95000 lm of brightness) to a height of up to 4.5 meters (15 feet), without using a metallic structure, in order to allow illumination over a vast area, in		Complete		Allow the Use		5/27/2015	9/10/2015	8/25/2015	
0311-5	Prismo USA Inc.'s (Formally Jarvis USA (Formally represented by Pavetech International))	"Tyregrip"	"Tyregrip" product that is an epoxy used to adhere small rock to the roadway surface for calming and road surface change warning purposes.	--	Complete	--	Site Specific	--	Jan-04	8/22/2007	5/16/2007	Acceptedable for alternative for water on dust control; will keep on file should the need arise
9707-1	Proactive Environmental Research	"Lead XTM" (Lead abatement additive for sandblasting)	Not water soluble - may be used wet or dry. There is no followup process, the blowdown may be disposed or immediately. There are no known disadvantages.	--	Complete	--	Withdrawn	--	Feb-09		8/28/1997	Product covered under GDOT Std. Spec. 535.
1401-1	Professional Pavement Products, Inc.	"Median-Alert"	Black and yellow curb enhancer to help delineation.		Complete		Allow the use	Fee Rec'd 4/17/14 -- Field test installed Victor to send details	Jan. 14	10/5/2015	9/15/2015	

1804-6	Professional Pavement Products, Inc.	RediWeld	The RediPave Modular Mdiان™ is assembled with modular unit that are both durable and manageable. Each module is manufactured with a composite of long-wearing recycled rubber that is fuel and weather resistant.		Office of Traffic Operations-Keith Murphy- kmurphy@dot.ga.gov		Field Test		Feb-18	8/3/2018	5/16/2018	
1510-1	Profile Products LLC	"ProGanics™ Biotic Soil Media™ (BSM™)"	ProGanics is a hydraulically applied product that is designed as an alternative to topsoil to accelerate development of depleted soils/substrates with low organic matter, low nutrient levels and limited biological activity.		Complete		Allow the Use		10/1/2015	12/4/2015	11/19/2015	
1306-4	Proflect LLC	"Proflect 360, Proflect 180, Proflect"	Reflective sheeting that is placed in front of the sign post	--	Complete	--	Allow the Use	--	Jun-13	10/11/2013	8/8/2013	WITHDRAWN/NO ACTION on June 3, 2015
0512-3	Propex Fabrics, Inc.	"PetroGrid, Style 4582"	"PetroGrid, Style 4582" - Composite glass fiber grid and fabric pavement interlayer.	--	Complete	--	No Application	--	Feb-03	7/26/2006	5/18/2006	
0512-4	Propex Fabrics, Inc.	"Action Gro, Style 4865"	"Action Gro, Style 4865" - Polypropylene open weave fabric.	--	Complete	--	No Application	--	Mar-03	6/20/2006	5/18/2006	
1104-1	Prosoco, Inc.	"Sure Klean® Weather Seal Blok-Guard® & Graffiti Control	"Sure Klean® Weather Seal Blok-Guard® & Graffiti Control	--	complete	--	Accepted	--	Feb-06	1/7/2013	5/19/11	
9609-1	Protection Services Inc.	"Big Foot Self Ballasting Channelizer"	Traffic channelizer for highway construction projects.	--	Complete	--	Accepted	--	Aug-10	1/24/1997	12/17/1996	Provided product meets GDOT Std. Spec. 150, and as outlined in the MUTCD.

8001-1	Proven Products, Inc.	PVC Flexo Post	Traffic delineation.	--	Complete	--	No Status	--				File Labeled: PE-8001
									Dec-06			
1501-1	Purus Plastics GmbH/Purus North America	"Ecoraster"	Ecoraster is a ground reinforcement and stabilization product with many cross industry utilizations.		Complete		No Application	Project to Project	Jan-15	3/3/2015	2/12/2015	
0705-7	QPC Fiber Optic Inc.	Stinger Modular System	QPL's stinger Modular System is a compact, flexible method of terminating fiber optic cables.		Complete			Accepted				
									Sep-08			
1411-1	QUADGUARD ELITE M10				Complete							
1310-6	Quantum Polymer Composites, LLC	"Ecorphalt"	Asphalt polymer modified.	Fee / See Comments	Complete		Lab Test and Field Test	Follow up with Peter Wu/Sheila Hines. Per Sheila still looking for a site 08-25-16.	Oct-13	10/5/2015	11/14/2013	
0210-3	R. C. Flagman, Inc.	"Remote Control Flagman"	"Remote Control Flagman" - Automated Flagger Assistance Devices (AFADs) under certain specific conditions in Temporary Traffic Control (TTC) zones to reduce flagger exposure to highway user traffic. In addition to	--	Complete	--	No Application	--		6/2/2005		For QPL-64. For final approval send Product Evaluation Form and Warranty Letter to Inspection.
									May-11		5/19/2005	
9811-2	R. Hart Sales (Tri-America)	"TA-500"	TA-500, Asphaltic emulsion sealant for detection loops..	--	Complete	--	No Application	--		1/12/1999		Lab Test is completed and Traffic operations to do a Field Test. No Material Received for field test.
									Dec-01		11/19/1998	

0204-13	R. J. Watson	"Tron-Flex Elastomeric Concrete"	Primarily used as an expansion joint edge material.	--	Complete	--	Withdrawn/No Action	--	Jun-07	5/29/2002	5/16/2002	Need test site. 01/12/04
0204-14	R. J. Watson	"Unr-Tron Joint Sealant"	Control joints and expansion joint systems for highway and bridges.	--	Complete	--	Withdrawn/No Action	--	Jul-07	5/29/2002	5/16/2002	Accepted 2001 for test level 3 and 2001M for test level 2
1206-4	R.E.L.L. Corporation	"Type II Solid Manhole Riser"	Manhole Riser or Steel Manhole Adjusting ring.	--	Complete	--	Rejected	--	Aug-09	1/4/2013	8/09/12	
1206-5	R.E.L.L. Corporation	"Type III Solid Manhole Riser"	Manhole Riser or Steel Manhole Adjusting ring.	--	Complete	--	Rejected	--	Sep-09	1/4/2013	8/09/12	
9601-2	R.J. Watson Inc	"Silicoflex Joint Sealant"	To seal expansion joints on bridges.	--	Complete	--	Accepted	--	Oct-03	NA	8/5/1998	Field Test 01/25/1996 ; Bridge Maintenance Office to locate a test site. ; No Contact with Applicant.
9808-1	R.J. Watson Inc.	Pitchmastic P.L.C. PmB Water Proofing Membrane. (Spray on waterproofing membrane for concrete.)	Pitchmastic P.L.C. PmB Water Proofing Membrane. (Spray on waterproofing membrane for concrete.) Longitudinal and transverse joints in HMA surfaces; joints between concrete and HMA.	--	Complete	--	No Application	--	Jun-10	9/17/1998	8/27/1998	The Committee recommended that the Department initiate a Lab Test to gain additional information on this product.
0602-1	R.J.Watson, Inc.	"Zedseal"	"Zedseal" - Co-Polymer Foam Expansion Joint Seal	--	Complete	--	Withdrawn/No Action	--	Aug-04	3/9/2006	2/21/2006	

0004-1	Recycled Rubber Resources, LLC	"DURO-Trim"	Anti-vegetation tile used around posts along the roadway to kill grass and eliminate the need for hand trimming or herbicide spraying of those areas.	--	Complete	--	Withdrawn	--	May-07	NA	6/8/2000	Rubber Anti-Vegetation Tile No field test material sent.
0405-9	Redmond Minerals	"Meltdown 20"	"Meltdown 20" is a high performance - low corrosive granular road deicer. Melts ice and snow extremely fast, melts to zero degrees, requires low spread rates. A food-grade liquid deicer and corrosive inhibitor.	--	Complete	--	Withdrawn/No Action	--	Oct-10	9/28/2004	8/19/2004	
1008-4	Reeves Construction Company	"Fibermat - Crack Inhibiting Membrane"	Fibermat is a specially formulated, polymer modified, crack resistant membrane that is formed by a high tensile strength matrix of emulsion and engineered fiberglass strands. The strands are sandwiched	--	Complete	--	Rejected	--	Jul-08	1/31/2011	8/19/2010	
9908-1	Reflexite North America/Eastern Metal Sign	"Roll Sign"	Roll Sign	--	Complete	--	Withdrawn	--	Aug-09	NA	NA	Product discussed No Action at this time.; Company has not sent NPE application.
0706-3	Reflexite Americas	Reflexite Resilience Channelizer Tape	Tough weather resistant, highly reflective reboundable sheeting designed for rugged construction work zone use.		Complete		No Application		Oct-07			
7812-1	Reichhold Chemicals, Inc.	ThermoFlex	Bridge deck overlays.	--	Complete	--	No Status	--	Jul-02			File Labeled: Misc. 12-78
1001-7	Reline America, Inc.	"Blue Tek"	An ultra violet light cured, spiral wound fiberglass reinforced pipe slip liner. Can produce pipe liners from 6" diameter to 48" diameter. Pipe liner wall thickness can vary according to strength required.	--	Complete	--	Withdrawn/No Action	--	Jul-03	2/26/2010	2/18/2010	Action pending until bridge design completes eval 6-10-10 Accepted for temporary bridge barrier; no application for permanent bridge barrier.

1708-3	Reline America, Inc.	"Alpha Liner"	ECR 100 fiberglass and resin, encapsulated and spirally wound, environmentally friendly and small footprint		Office of Maintenance- Michael Keene- mkeene@dot.ga.gov		Field Test		8/21/2017		11/16/2017	
7703-2	Republic Steel Corp.	High Strength Quick Setting Concrete	Repairs for bridges and concrete pavement.	--	Complete	--	No Status					File Labeled: Misc. 3-77-B
									May-05			
9708-1	Resist-A-Chem	"Resist-A-Chem 7021F Microsilica Modified Concrete"	Resist-A-Chem 7021F Microsilica Modified Concrete (No Scanned NPE)	--	Complete	--	Withdrawn			9/22/1997		Product covered under Specification 623. Lab Tested 5/5/1997 ; Does not meet SOP-17 GDOT Std. Spec. 934
									Apr-09		8/28/1997	
9708-2	Resist-A-Chem	"Resist-A-Chem 7022F Microsilica Modified Concrete"	Resist-A-Chem 7022F is a pre-blended concrete mixture containing microsilica and a superplasticizer. It is used in the pour placement method in any concrete application.	--	Complete	--	Accepted			5/20/1997		Accepted 8/28/1997 ; Under specification 441 ; Does Not Meet SOP-17 GDOT Std. Spec. 934
									May-10		5/5/1997	
7805-1	Revere Chemical Corp.	Miracle Seal	Miracle Seal (No Scanned NPE)	--	Complete	--	No Status					File Labeled: Misc. 5-78
									Apr-10			
0206-3	Rhino Safety Barriers, LLC	"Rhino Barriers"	"Rhino Barriers" (No Scanned NPE)	--	Complete	--	Accepted			9/17/2002		At this time.
									Sep-11		8/15/2002	
9604-2	Rhone-Poulenc, Inc.	"Sipomer HS-LV (Primer for polyester concrete overlay)"	Crack sealer for concrete. Repair and filling of cracked concrete structures. Mostly for fine, small cracks that cannot be filled with more viscous materials.	--	Complete	--	No Application			6/17/1996		Use of product is site specific and will be considered if a need occurs.
									Apr-09		6/6/1996	

0007-1	Rib LOC Pipe line Technologies	"Expandapipe"	Structural rehabilitation of deteriorated storm drains and culverts - 6 to 30 inch diameter.	--	Complete	--	Accepted	--	Feb-08	8/17/2000	PVC Structural rehabilitation of deteriorated Storm Drains. Project to Project basis.	
1301-2	RJ Watson, Inc.	"Polytron Elastomeric Concrete"	Poly-Tron is a fast-setting, low-viscosity, waterproof, moisture-insensitive, 100% solids, modified polyurethane elastomeric concrete material. It consists of three components which include a resin (Part A), hardener (Part B)	Fee / See Comments	Complete	--	Withdrawn/No Action	Awaiting Lab/Field Test Fee -- Due to no response from manufacturer since January 2013	Jan-13	10/20/2014	2/14/2013	
9605-4	RJD Industries	"Splice Seal (Concrete Reinforcement Protection System)"	To seal, coat, field jointing or epoxy or otherwise coated, concrete reinforcement joints.	--	Complete	--	No Application	--	Aug-09	6/17/1996	6/6/1996	Product will be considered again, if a need arises.
0110-6	Road Products, Inc.	"Zelflex"	Mainline concrete paving joints, bridge joints, rut-crack repairs.	--	Complete	--	No Application	--	Aug-02	2/27/2004	2/19/2004	Product was installed in the longitudinal and transverse joints on I-75 southbound lane at mile post 121 from November 2001; results revealed that product did not adhere to the concrete during
9709-2	Road Systems Inc.	"SKT-350 Sequential Kinking Terminal"	NHCRP 350 Crash Tests - Unique design allows system to be activated with 1/3 lower forces than other tangent terminals. This means lower impact forces on occupants of errant vehicles. Multiple licensing ensures more	--	Complete	--	Accepted	--	Jul-10	1/14/1998	11/25/1997	Alternate under Subsection 641.04.B.
9804-1	Road Systems Inc.	"Fleat 350 Flared Energy Absorbing Terminal"	Guardrail type end terminal installed 4'-0' flared straight offset to the roadway.	--	Complete	--	Accepted	--	Mar-08	6/25/1998	5/28/1998	Accepted under GDOT Stand. Spec. 641 as Type 12 Guard Rail Anchorage Assembly.
0210-8	Road Systems, Inc.	"Beat-SSCC, box beam bursting energy absorbing terminal"	"Beat-SSCC, box beam bursting energy absorbing terminal"	--	Complete	--	No Application	--	Oct-13	12/19/02	11/19/2002	Need Field Test site. 01/12/04 Sent Brian Summers info/request 01/09/04

9802-4	Road Techs Inc. -- Now CR Services, Inc	"Road Flex and Road Patch -- Fiberscreed and Fibercrete -- Robert D. Emfinger"	Reflective cracking, stress cracking cold joint repair, spalls, potholes in concrete.	--	Complete	--	Accepted	--	Aug-04	4/8/2003	2/20/2003	Lab Test 4/30/2001 ; Road Flex covered under GDOT spec.407. Road Patch hot applied material to be Field Test. Field Test in Columbus scheduled for May or June 2001. Field Tested on I-475
9602-3	Road Ware Inc.	"10 Min. Concrete Mender"	10 Minute repair of broken cracked or spalled concrete slabs decks floors. Reaches 4500 psi in minutes, will not overcure become brittle and pop out.	--	Complete	--	No Application	--	Jul-05		6/6/1996	See NPE# 9602-5, Withdrawn 2/98
9602-4	Road Ware Inc.	"10 Min. Flexible Cement"	Partial depth spall repair in concrete. Crack repair where movement is anticipated. Pavement repairs when pavement cannot be shutdown. Bridge deck overlays.	--	Complete	--	Withdrawn	--	Aug-06		6/6/1996	See NPE# 9602-5, Withdrawn 2/98
9602-5	Road Ware Inc.	"Flexible Cement II"	Flexible Cement II (No Scanned NPE)	--	Complete	--	No Application	--	Oct-06		6/6/1996	See NPE# 9602-5, Withdrawn 2/98
9602-5	Road Ware Inc.	"System 60 Bridge Joint System URESEAL 10 Minute Mender Flexible Cement II"	System 60 Bridge Joint System URESEAL 10 Minute Mender Flexible Cement II (No Scanned NPE)	--	Complete	--	Accepted	--	Sep-06	1/14/1999	1/13/1999	Resubmitted for evaluation as a system for bridge joints 2/98. Approved on a job to job basis until a specification can be developed.
9602-6	Road Ware Inc.	"Flexible Sealant"	Sealing concrete joints where high movement is anticipated. Sealing moving cracks. Wherever a moisture proof sealant is required.	--	Complete	--	No Application	--	Nov-07		6/6/1996	See NPE# 9602-5
9812-1	Roadbind America, Inc.	"RB Ultra Plus"	TA-500 is used to seal wire detection loops imbedded in ashphalt and/or concrete.	--	Complete	--	No Application	--	Mar-03			Additive for stabilization of unpaved roads dust control applications and additive for subgrade.

9902-1	Roadbind America, Inc.	RB Ultra Plus	Additive for stabilization of unpaved roads dust control application; additive for subgrade under pavement.	--	Complete	--	Accepted		06/23/03	05/19/03	Action Pending ; No further contact 7/1/99 ; Per the NPE # 0202-3
9505-3	Roadway Safety Service, Inc.	"React 350 (Crash Cushion)"	Crash cushion.	--	Complete	--	Accepted			6/20/1995	Pending modification of Section 650.
1701-3	Rockingham Precast	"T-LOK"	"T-LOK" is a combination of 5/8" ASTM706 weldable rebar as well as A36 1/2" thick plate and 4" x 4" tube steel.				Action Pending	1/17/2017	3/9/2017	2/16/2017	
0011-1	Rolanka International	"BioDWatl & Bio D-Roll"	Excellent tool in sedimentation control in construction sites. BioD - Watl application include but not limited to - check dams in channels and slopes - cover for storm water inlets - stream bank restoration in low velocity	--	Complete	--	Accepted		8/29/2001	8/16/2001	Allowed 8/16/2001 ; BioD-Roll ; Field Test by Construction and Maintenance and Location
0011-2	Rolanka International	"BioD Weed Mat"	Weed control around newly planted trees and shrubs.	--	Complete	--	No Application		8/29/2001	8/16/2001	Field Test by Maintenance Landscaping
0011-3	Rolanka International	"Water Save Polymers"	For use when new trees, shrubs, and sod are planted in roadsides. Watersave polymers absorbs and holds excess rainwater; otherwise infiltrate into deep soil. One ounce of Watersave can absorb about one gallon of water and	--	Complete	--	Allowed		8/29/2001	8/16/2001	Field Test by Maintenance Landscaping
9403-2	Rolanka International	Biod-Mat 90	Remmended to use in slopes exceeding 1:1 and in channels of water flows upto 15 fps.	--	Complete	--	Withdrawn			10/20/1994	At request of manufacturer.
								Jul-05			
								Nov-10			
								Jun-12			
								Sep-12			
								Oct-12			
								Aug-05			

9403-3	Rolanka International	Biod-Mat 70	Recommended to use in slopes upto 1:1 and in channels of water flow up to 10 fps.	--	Complete	--	Withdrawn	--	Sep-05	10/20/1994	At request of manufacturer.
0701-1	Rolanka International Inc.	BioD-SiltCheck	Check dam /ditch check / sediment barrier made of 100% bindegeble coconut fiber.		Complete						
1611-3	Rootwell Products	"ROOTWELL PRO-318"	"ROOTWELL PRO-318" Tree Product/ Vertically installed sub surface device that provides ground level access for air, water, and nutrients to have immediate availability to the tree root mass.				Action Pending		11/7/2016	3/8/2017	2/16/2017
9409-3	Roxford Fordell	Glare Screen	Glare Screen (No Scanned NPE)	--	Complete	--	No Application	--	Jan-11	2/20/1996	2/20/1996 Field Test 10/20/1994 ; Fastening system required with this product is not cost and time improvement over existing fastening systems that utilizes anchor bolts.
0307-9	Royston	"Rosphalt 50"	"Rosphalt 50" Waterproofing system.	--	Complete	--	Accepted	--	Nov-08	9/10/2003	8/21/03 Field Test in place at Hampton Bypass, No Letter sent.
7707-5	Royston Laboratories, Inc.	UniDam	Bridge Joint Seals	--	Complete	--	No Status	--	Jun-08		File Labeled: Misc. 7-77-E
1705-4	Rpm Belgium/Vandex Group/Alteco Polymer Systems	"MATACRYL(@WPM"	MATACRYL(@WPM" is a multi-layers Polyurethane Methyl Methacrylate bridge deck waterproofing membrane. It can be applied on steel and concrete structures.	"	"		Action Pending		5/17/2017	8/24/2017	8/17/2017 8/17/2017

1910-2	Rubber Polymer Company, LLC	Roll-R-Wall	Thermo Plastic Elastomeric Waterproof Coating				Withdrawn / No Action			1/13/2025			
									Oct-19				
9902-2	Rubber Polymer Corporation	"Rf 20/L:-17 Water Repellant"	Water repellant to be used on concrete block, brick or other porous surfaces. Excellent for poured concrete such as bridge substrates.	--	Complete	--	No Application			4/23/1999			
									Aug-06		3/4/1999		
0008-3	Rubber Tough Industries, LLC	"Lane Maker 999 Removable Traffic Seperator"	Lane separation device for temporary or permanent applications. Used as a median at railway crossings, or at merge points, toll plazas, bicycle lanes, tunnels, etc. Unique profile allows positive vehicle guidance, easily	--	Complete	--	Accepted			8/25/2000		Alternate to Qwick Kurb ---- Similar Products NPE 0201-2 & NPE 9607-4	
									Jun-10		8/17/2000		
0008-4	Rubber Tough Industries, LLC	"Rumble Strips"	Auditory warning device for pedestrian crossings, speed reduction areas, work zones.	--	Complete	--	Withdrawn			8/25/2000		Committee Requests data from other states.	
									Jul-10		8/17/2000		
0311-3	Rubber Wholesalers, Inc.	"Rubber Walk"	"Rubber Walk" A low impact previous rubber constructed from 100% recycled tire rubber, colored with an organic pigment and bonded with a single component MDI Urethane.	--	Complete	--	Site Specific			12/08/03		Product is site specific and should be evaluated on a project to project basis	
									Nov-02		11/20/03		
1809-2	Ruregold S.R.L.	X Mesh Gold	Provides additional flexural, Shear or compressive strenght to concrete structural elements, Supplements reinforcing steel. For example, in refurbishment projects, compensates cross section loss of corroded steel.				Bridge and Structural Design-Clayton Bennett clbennett@dot.ga.gov		Withdrawn/No Action		11/13/2018		
									Sep-18		11/8/2018		
1812-2	Russell Standard-Hammaker East	JASA HP Cold Patch	Pothole and surface distress patching						Not a new product		1/23/2019		The Product was refered to Maintenance
									Dec-18		2/14/2019		

9802-5	S.I. Storey Lumber Co.	"Routed Timber Offset Block"	This item is used in the erection of W-beam guardrail utilizing steel posts to offset the rail from the post. This prevents a vehicle from encroaching too deeply into the barrier, the outcome of which results in the vehicle's right front	--	Complete	--	Approved		Sep-04	3/20/1998	8/5/1998	Accepted 2/26/1998 ; Need Special Provision Specification for a test project
0208-4	Safence, Inc.	"Safence" - Guardrail system (guardrail / tensioned wire rope barrier system)	"Safence" - Guardrail system (guardrail / tensioned wire rope barrier system)	--	Complete	--	No Application		Sep-09	9/5/2002	8/15/2002	
1902-1	Saferoads	HV2 Longitudinal Barrier	HV2 Safety Barrier is a free standing temporary longitudinal barrier system successfully crush tested to MASH TL-3 and TL-4.	Office of Construction- Todd Wood- twood@dot.ga.g ov			Not a New Product		1/16/2019	5/1/2019	5/9/2019	
9504-2	Safety Barrier Systems	"Guardian Safety Barrier with 350 Highway Safety Kit."	Highway construction work zones up to 45 mph,	--	Complete	--	Accepted		Jul-09	12/13/2002	4/20/1995	With provisions that product is used in work zones where speed is less than 45 mph, in lieu of cones or plastic drums and in work zones of short duration.
0405-1	Safety Barriers, Inc.	"Safety Barriers's SB- 1-TL Series"	"Safety Barriers's SB-1-TL Series" is a polyethethylene portable water ballasted barrier for workzone protection.	--	Complete	--	Accepted		Sep-07	11/3/2004		
0206-4	Safety Base, Ltd.	"Safety Base SB500 Series Breakaway Couplings"	Omni-directional breakaway coupling system for highway signs.	--	Complete	--	No Application		Jan-07	9/5/2002	8/15/2002	6-7-10 committee recommended the dept. allow the use of this product on dept construction projects at the discretion of the contractor. Field test product in a GDOT guard rail application
0209-1	Safety Coatings, Inc.	"Loop Guard Four"	"Loop Guard Four"	--	Complete	--	Accepted		Oct-09	12/20/2004	11/18/2004	Old field test site on I 675 that is still in good shape. Need 2 new sites, one in north GA and one in south GA-175, Bibb County, James M. -- Field Test 11/09/02 -- NA due to the product failing the field

0602-3	Safety Technologies	"Auto Flagger"	"Auto Flagger"	--	Complete	--	Project to Project	--		7/18/2011		
									Oct-05		5/19/2011	
9402-1	SAIC	Falcon 2000 (Thermoplastic Powder Flame Spray)	Falcon 2000 (Thermoplastic Powder Flame Spray) (No Scanned NPE)	--	Complete	--	No Application	--		6/17/1996		Field Test 10/20/1994 ; Product was tested on a DOT truck mounted scrape blade. The product appeared to be flaking off and some rust. Due to frequency of use, this product would have to be
									Jun-04		6/17/1996	
0108-8	Sargent Nutrients Inc.	"Georgia Natural Compost"	Soil amendment soil conditioner, erosion control, blankets and silt fences	--	Complete	--	Accepted	--				(5/6/2003) Per submittal to spec.
									Nov-10			
1104-6	Schock Bauteile GmbH	"Schock ComBAR"	Pultruded glass fiber reinforcing with specially developed ribbed surface profile; corrosion resistant, durable, high strength; electromagnetically non-conducting.	--	Complete	--	Withdrawn/No Action	--		6/15/11		
									Jan-04		5/19/11	
0108-6	Scrub Oak Technologies, Inc.	"SAVA (Semi-Active Vibration Absorber)"	SAVA (Semi-Active Vibration Absorber)	--	Complete	--	No Application	--		8/29/2001		
									Sep-09		8/16/2001	
0105-5	Seaboard Asphalt	"Clippership SE-2000 Dustdown"	Dust pallative for roads, construction sites and coal piles.	--	Complete	--	Allowed	--		5/31/2001		Contractor responsible for dust control
									Aug-12		5/17/2001	
1002-6	Seaboard Asphalt Products Company	"Bond-X Green High Performance Cold Mix"	"Bond-X Green High Performance Cold Mix" (No NPE scanned)	--	Complete	--	Project to Project	--		6/29/2010		Opened package 2/8/10
									Feb-05		5/20/2010	

0405-6	Sealing Systems, Inc.	"Infi-Shield"	"Infi-Shield" is an external seal that prevents infiltration in the grade adjustment ring area or joint section. EPDM rubber with non-hardening buytl mastic	--	Complete	--	Withdrawn/No Action	--	Jul-09	6/10/2004	5/20/2004	
0405-7	Sealing Systems, Inc.	"Flex-Seal Utility Sealant"	"Flex-Seal Utility Sealant" is to prevent inflow/infiltration in manholes or catch basins. Aromatic Urethane.	--	Complete	--	Withdrawn/No Action	--	Aug-09	6/10/2004	5/20/2004	Other products to note are the Tencate products of MPV 600, FG 100, FGC 100, PGM-C 100 and PGM.
0305-2	SealMaster/Atlanta	"Master Seal"	"Master Seal" Clay Stabilized mineral Filled Asphalt emulsion pavement sealer. Clay stabilized asphalt emulsion.	--	Complete	--	Withdrawn/No Action	--	Jan-11	06/30/03	05/15/03	Have 2 sites. Need to visit Field Test.
0305-3	SealMaster/Atlanta	"Liquid Road"	"Liquid Road" Bituminous surface treatment for secondary roads, residential streets, country roads, and as a premium surface coating on off street darking areas. High solids polymer fiber.	--	Complete	--	Withdrawn/No Action	--	Jan-07	06/30/03	05/15/03	
0508-3	Secure Piers, LLC	"Helipost"	"Helipost" - Is a 100% hot-dipped galvanized steal foundation that is torque-driven in the soil ready for load bearing.	--	Complete	--	Withdrawn/No Action	--	Sep-10	12/19/2005	11/17/2005	
0706-1	Sekisui SPR Americas LLC	Spiral Wound Pipe Renewal	Chemical resistant with structural enhancement rehabilitation of large diameter (42" and above) satory, storm and combined sewer system.		Complete		Project to Project		Jun-10			
0005-1	Sekisui Jushi Corporation	"Linear Pointer"	Curve points in two-way traffic. Install on center line or lane lines.	--	Complete	--	Withdrawn/No Action	--	Aug-08	6/20/2000	6/8/2000	Begun on 8/28/01.

1604-7	Shur-Tite Products	SHUR-TITE Concrete Traffic Barrier "Cup Mount" Delineator	SHUR-TITE CTB Mount Delineator is a field proven 8' or 17" tall impact resistant recycled composite material delineator from mounting on concrete traffic barriers.				No Application					
1604-7	Shur-Tite Products	"SHUR-TITE Concrete Traffic Barrier Cup Mount" Delineator (Item SC1408/SC1417)" -	A field proven, 8" or 17" tall, impact resistant recycled composite material delineator for mounting on concrete traffic barriers.		Complete		No Application		4/28/2016	6/9/2016	5/31/2016	
9811-3	Sign Socks, Inc.	"SIGNSOCK " Road Sign Covers"	SIGNSOCK " Road Sign Covers	--	Complete	--	Accepted			1/13/1999		Product may be used on construction and maintenance projects without specification.
								Jan-02			11/19/1998	
0205-1	Sign Support System Corporation	"Break Out"	Break-away sign post coupler used in areas where there is a high number of knock downs.	--	Complete	--	Withdrawn/No Action			6/2/2004		
								Jun-10			??	
9507-5	Signfix, LTD	Signfix	The Signfix dovetail extrusion can be used to install regulatory signs.	--	Complete	--	No Application			11/3/1995		Product does not provide clear advantage over products currently being used by Department
								Jun-08			10/25/1995	
9605-8	Sika Corp.	"Sikagard 3020 Armatec (Corrosion inhibitor for rebar in concrete bridges)"	Corrosion inhibiting - surface applied - designed to penetrate and migrate to the steel in concrete providing a protective layer on the steel.	--	Complete	--	No Application			6/17/1996		Product is site specific and will be considered again, if a need arises.
								Dec-10			6/6/1996	
1108-5	Sika Corporation	"Sikatard 440"	Sikatard 440 is a new hydration controlling admixture to control the hydration of cement. The use of Sikatard 440 allows the concrete producer to stabilize concrete mixes for long periods without negatively affecting	--	Complete	--	Not a new product			10/25/2011		
								Jan-09			8/18/11	

1504-5	Silt Saver	"Silt Saver LPR500A DOT/HF"	The Frame & Filter, as presented, is 16" high, 30" wide, and 46" long. It has the same design as the current Silt Saver Frame & Filter (R100A & S200A). The frame & filter is made utilizing the same materials as the currently		Complete		Withdrawn	The Committee will reconsider the subject product after GSWCC approval.	Apr-15	3/1/2016	9/15/2015	PS Vendor Management Form and signed W-9 Requested in Letter dated 3/1/16 Fee returned on 03-21-16
1504-6	Silt Saver	"Silt Saver LPS600A DOT/HF"	The Frame & Filter, as presented, is 16" high, 42" wide, and 42" Long. It has the same design as the current Silt Saver Frame & Filter (R100A & S200A). The frame & filter is made utilizing the same materials as the currently		Complete		Withdrawn	The Committee will reconsider the subject product after GSWCC approval.	Oct-15	3/1/2016	9/15/2015	
1504-7	Silt Saver	"Silt Saver TLW10/15/22 Weighted Sediment Retention Log"	A weighted Sediment Retention Log. The outside sleeve is made of the Silt Saver® high visibility, high flow material, which is utilized on the other Silt Saver products. Handles are provided on each end of the sleeve and 5		Office of Materials and Testing-Rick Douds-rdouds@dot.ga.gov		Accepted		Apr-15	10/5/2015	9/15/2015	
0210-5	Silt-Saver, Inc.	"Belted Silt Retention Fabric"	"Belted Silt Retention Fabric"	--	Complete	--	Reject	--	Jul-11	6/26/2007	5/16/2007	Campbell Road in the City of Atlanta -- Started on 10/18/02 & is in Progress and in process of setting up new field test site for GDOT -- Checking with JT Rabun for location.
1311-5	Silt-Saver, Inc.	"Staged Release Silt Fence (SRSF)"	Silt fence with different stage flow fencing that is black and yellow green.		Complete		Rejected	For Application of fabric check dam (Cd-F), diversion berm (D1), silt fence type C (Sd1-C), and silt fence type A (Sd-A) -- GSWCC Comments (Dec. 2014 GSWCC E&SM)	Nov-13	10/5/2015	9/15/2015	
1312-2	Silt-Saver, Inc.	"Pipe Stopper"	Product to be placed in Pipe inlets to stop sediment form leaving construction site.	Fee / See Comments	Complete		Allow the Use	For Application of Silt Control Gate (Retrofitting - Rt) -- GSWCC Comments	Dec-13	3/3/2015	4/30/2015	
1104-2	SiltShield LLC	"SiltShield"	"SiltShield"	--	Complete	--	Withdrawn/No Action	--	Mar-06	6/13/11	5/19/11	

9907-1	Singleton Construction	"The Silt Saver"	Storm water filter and safety cover for storm drain inlets. (New Construction) to be used as a temporary filter during the course of new construction before final stabilization.	--	Complete	--	Accepted		5/3/2000		Field Test 8/26/1999 ; In Progress.
								Feb-07		5/3/2000	
1709-2	Sky Sight Imaging North America	"SSI UAV Fleet and Management Program"	Unmanned aerial vehicle (UAV) leasing, training & maintenance service		Complete		Withdrawn/ No Action		9/20/2017		
7912-4	Skyline Structures	Steel Strain Pole	Steel Strain Pole	--	Complete	--	No Status				File Labeled: PE-7914
								Oct-04			
0202-2	SMI Steel-Southern Post Company	"T-Post"	As a support post for 8'0" game fence (deer fence) fabric used for right-of-way fencing.	--	Complete	--	No Application		3/21/2002		
								Mar-05		2/21/2002	
1411-1	SNF Inc.	"Aquasorb KB"	Superabsorbent anionic polyacrylamide polymer. It is a crosslinked copolymer of acrylamide and potassium acrylate that is water insoluble.		Complete		Allow the Use		Nov-14	3/3/2015	2/12/2015
9512-3	Soil Bond International	"Clay Pack" (Primary sub-grade material)	Primary subgrade material for road construction. Replacement for lime and other subgrade materials.	--	Complete	--	No Application		2/20/1996		Committee concerned with the hazardous potential of this product.
								Jun-03		1/25/1996	
1312-1	Soil Retention Products, Inc.	Drivable Grass®	A permeable, plantable, flexible concrete pavement system for parking lots, fire access, culvert outlets, walking paths, and access easements.		Complete		No Application	for applications of fire access lanes, parking lots, maintenance yards, access easements, utility lanes, bio-swales, culvert outlets, walking paths, and RV parking	Dec-13	4/17/2014	3/27/2014

0312-1	Soilworks LLC	"Soilworks LLC"	"Soilworks LLC" soil stabilization and dust control on unpaved roads, parking lots, mine tailings, construction sites, driveways, trails, etc.	--	Complete	--	Accepted	--	Feb-04	12/28/2004	11/18/2004	Looking for Field Test site 05/07/04.
1401-2	Solar Bright Limited	"Solar Bright Limited"	Black ice reflective pavement marker (rpm) unit		Complete		No application	Awaiting for MUTCD field test request approval to proceed with further recommendation.	Jan-14	11/4/2014	9/4/2014	
1209-1	Solar Cap Lighting (Infinity Inc.)	"YH-DD1 Solar Roadway Marker"	Solar powered road safety marker.	--	Complete	--	No Application		Mar-09	11/3/204	9/4/2014	
9806-3	Solar Outdoor Lighting, Inc.	"Solar powered lighting for highway signs"	Sign lighting - highway and other. (No Scanned NPE)	--	Complete	--	No Application		Aug-09	9/17/1998	8/27/1998	The Department is in the process of dismantling signs requiring outdoor lighting at this time, and there for the Committee has classified this product as No Application.
1610-2	SolaRight Wireless Lighting	"Internally Illuminated Recessed Pavement Marker (IIRPM) Model YHDD1"	"Internally Illuminated Recessed Pavement Marker (IIRPM) Model YHDD1" is ideal for providing improved driver reaction time, with up to 1/2 mile visibility, alerting drivers in discerning road geometry on darkened rural		Complete		Project to Project		10/11/2016	11/28/2016	11/17/2016	
1610-3	SolaRight Wireless Lighting	"Internally Illuminated 3d Recessed Pavement Marker (IIRPM) Model YHYS"	"Internally Illuminated 3d Recessed Pavement Marker (IIRPM) Model YHYS" is ideal for providing improved driver reaction time, with up to 1/2 mile visibility, alerting drivers in discerning road geometry and related roadway		Complete		Project to Project		10/11/2016	11/28/2016	11/17/2017	
1705-6	SolaRight Wireless Lighting	"UniBrac tm "	"UniBrac tm " is a universal mounting bracket for the SolaRight internally illuminated raised pavement marker (IIRPM) Model YHYS.				Field Test		5/17/2017	8/24/2017	8/17/2017	8/17/2017

0207-3	Sound Fighter Systems, LLC	"LSE Noise Barrier Wall System"	LSE Noise Barrier Wall System is recommended and primarily used for interstates and highways. When the LSE wall system was invented over thirty years ago, it was designed and acoustically tooned to reduce highway and	--	Complete	--	Accepted		May-08	6/12/2009	5/21/2009	Sample to lab for PH reading of 6.65. Sent to agronomist for testing and approval. -- Need test site 01/12/04.
0311-1	Southeast Culvert, Inc.	"Polymer Coated Corrugated Steel Pipe"	"Polymer Coated Corrugated Steel Pipe" Thick polymer coating laminated to both sides of the steel sheet.	--	Complete	--	Accepted		Sep-12	12/08/03	11/20/03	
0010-2	Southeast Resins, Inc	"Final Fixx CRS (Concrete Repair Systems)"	Final Fixx CRS (Concrete Repair Systems) is primarily used in the repair, restoration, and preservation of concrete. It is a polymer resin that is used as a primer, then mixed with different types of aggregate as a fill (repair)	--	Complete	--	No Application		Nov-10	12/5/2000	11/16/2000	Review and Field Test by Bridge Maintenance. No further contact with company.
0203-7	Southeast Resins, Inc.	"SR-2000 Concrete Repair"	SR-2000 Concrete Repair (No Scanned NPE)	--	Complete	--	Accepted		Dec-06	12/08/2003	11/20/03	Waiting and Ready to Field Test ASAP -- A test site was installed, Bruce Holt, Marvin Garvin, & Buddy Garvin have information on this. No one was contacted in our office until after this was installed. --
1004-3	Southern Manufacturing	"Internally Illuminated Street Name Sign -- All LED Models"	"Internally Illuminated Street Name Sign -- All LED Models" (No NPE scanned)	--	Complete	--	Accepted	Per MUTCD Illuminate Sign Requirements	May-08	6/10/2010	5/20/2010	
1604-5	Southern Manufacturing and Fabrication	"ITS Commander"	Remote Power Management system, designed to improve system reliability. Promptly sends signals of any abnormalities thus allowing routine monitoring and providing ability to remotely control outlets to reboot		Complete		Allow the Use	Field test installed 11-07-16. Monitor for one year. (11-07-17)	3/11/2019	9/22/2016	5/31/2016	
9805-1	Southern Pine Lumber Company	"American Ecoboard, Inc."	All types of waterfront construction fender systems, retaining walls, decks, docks pilings, etc. (commercial and residential)	--	Complete	--	Withdrawn/No Action		Apr-08	8/19/1998	5/28/1998	To be evaluated by the Office of Bridge Design.

9506-6	Southern Precast Inc.	"Hy-Span™ Bridge System (Culverts)"	Hy-Span™ Bridge System (Culverts)	--	Complete	--	Accepted		May-12	10/26/1995	10/25/1995	Project to project basis.
9610-2	Southwestern Pipe, Inc.	Poz-Loc® Slipbase System	A multidirectional breakaway sign support system.	--	Complete	--	No Application		Nov-02	1/24/1997	12/17/1996	Product does not provide clear advantage over products currently being used by Department.
9901-1	Specialty Materials (Chem-Lime, Cheney Lime)	"Lime Kiln Dust"	Lime Kiln Dust (No Scanned NPE)	--	Complete	--	Accepted		Apr-03	3/10/1999	3/4/1999	Road Base Construction, Remediation , Stabilization, Solidification Accepted as a drying agent.
1905-1	Specification Products (fmr. Nouryon ,Inc.)	Element 5 / E5 – Internal Cure + ASR	Element 5 / E5 – Internal Cure + ASR is a colloidal silica additive for concrete mixes (a supplementary cementitious material)	Office of Materials and Testing-Peter Wu- pwu@dot.ga.gov			Action Pending		4/20/2019	1/13/2025	8/8/2019	
1809-1	SPIG Industry, LLC	SPIG Gating End Terminal (SGET)	The SGET is a gating guardrail end terminal system in which an impact upon the head causes the head to move down the guardrail and dissipate the energy of the impact.		Office of Design Policy and Support- Holly Cross- hcross@dot.ga.gov		Withdrawn/No Action		Sep-18			
9505-1	Sport Court, Inc.	"Sport Court of the South (Sports Flooring)"	Sports flooring, portable/perment matting and decking and signage.	--	Complete	--	No Application		Sep-10	8/18/1995	6/20/1995	Product does not provide clear advantage over products currently being used by Department
1003-1	Spot Devices Inc.	"SC320 Network Controller"	"SC320 Network Controller" (No NPE scanned)	--	Complete	--	No Application	System is Proprietary	Jun-06	12/16/2014	9/4/2014	

1003-2	Spot Devices Inc.	"In-Road Warning Light - Spot Device Model RS320"	"In-Road Warning Light - Spot Device Model RS320" (No NPE scanned)	--	Complete	--	Project to Project	--	Jul-06	6/29/2010	5/20/2010	
1003-3	Spot Devices Inc.	"SC315 Network Controller"	"SC315 Network Controller" (No NPE scanned)	--	Complete	--	No Application	System is Proprietary	Aug-06	12/16/2014	9/4/2014	
1003-4	Spot Devices Inc.	"Round Beacon-Spot Device Model SB410"	"Round Beacon-Spot Device Model SB410" (No NPE scanned)	--	Complete	--	Project to Project	--	Sep-06	6/29/2010	5/20/2010	
1003-5	Spot Devices Inc.	"Rectangular Rapid Flashing Beacon - Model SB430"	"Rectangular Rapid Flashing Beacon - Model SB430" (No NPE scanned)	--	Complete	--	Project to Project	--	Oct-06	6/29/2010	5/20/2010	
1003-6	Spot Devices Inc.	"Flashing LED Sign - Model SB420"	"Flashing LED Sign - Model SB420" (No NPE scanned)	--	Complete	--	Project to Project	--	Nov-06	6/29/2010	5/20/2010	
1003-7	Spot Devices Inc.	"Rack Mount Network Controller Model SC320RM"	"Rack Mount Network Controller Model SC320RM" (No NPE scanned)	--	Complete	--	No Application	System is Proprietary	Dec-06	12/16/2014	9/4/2014	
9506-8	Spotflex USA Inc.	"Spotflex (Permanent Pavement Markings)"	Permanent center, lane, and edge lines applied in either our patented profiled pattern or applied as a smooth product.	--	Complete	--	Withdrawn	--	Jan-07	8/18/1995	8/5/1998	Field Test 6/20/1995 ; Field test was conducted 4/95 on US 41 and GA 138 SPUR NB direction. Reflectance readings were taken 6/15/95. No record of any further Committee action on this

1404-3	Sprayroq, Inc.	"SprayWall"	A two part polyurethane resin chemistry that can be applied for corrosion protection or structural rehabilitation of underground infrastructure.		Complete		No Application		Apr-14	6/2/2014	5/22/2014	
1902-2	Sprayroq, Inc.	SprayWall	SprayWall is spray-applied polyurethane lining that reinstates structural integrity of the substrate with a flexural modulus of greater than 735,000. It provides infiltration control and chemical resistant barrier on a quick return	Office of Maintenance- Rodney Wayrway@dot.ga.gov			Accepted	Field Test Completed		7/10/2024		
1411-1	SRT M10				Complete					2/11/2019	5/9/2019	
0008-2	SSL	"MSE Plus, Retaining Walls"	Typically used in lieu of cast in place walls in fill situations. The inherent flexibility of MSE walls makes a good choice in situations of anticipated settlements. The economy of MSE walls over CIP walls usually substantial on walls	--	Complete	--	Withdrawn/No Action	--		8/25/2000		Review by Bridge and Structural Design
1303-1	SSL, LLC	"MSE Plus Panel Walls"	MSE Plus™ Wire Walls: Mechanically stabilized earth retaining walls with precast concrete panel facing (5'x5', 5'x6', 5'x10' and 5'x12') with a welded wire mesh soil reinforcement.	--	Complete		Rejected	Pending research on Cal. TRANS wall failure	Mar-13	10/1/2015	9/15/2015	
1303-2	SSL, LLC	"MSE Plus Wire Walls"	MSE Plus™ Wire Walls: Mechanically stabilized earth retaining walls with a welded wire mesh face sheet and welded wire mesh soil reinforcement.	--	Complete		Project to Project	-- Temporary	Mar-13	7/18/2013	6/27/2013	
0101-3	S-Square Tube Products	"Nex Sign Support System"	S-Square Tube Products has been supplying the traffic industry with quality sign support for 15 years. Manufacturing perforated square tube for the last 8 years as well as our octagon shape post for the last two years. The	--	Complete	--	No Application	--		2/23/2001		Department not willing to approve another sign shape.
									Jul-03		2/15/2001	

0212-6	S-Square Tube Products	"New Mailbox System."	"New Mailbox System." Single, double, & multiple mailbox support.	--	Complete	--	No Application	--	Jul-04	03/11/03	02/20/03	DOT awaiting permit about stormwater treatment phase II
0908-5	S-Square Tube Products	NEX Perforated Sign Post System	The NEX sign post systems incorporate an engineered square tube that telescope into a 2.25 square anchor, which can be buried directly into the soil and secured with a wedge.	--	Complete	--	Accepted	--	Dec-09	12/10/2010		
0511-5	St. Gobain Tech. Fabrics	"Glasgrid"	"Glasgrid" - The reinforcement mesh is a black knitted, glass fiber strand grid, coated with an elastomeric polymer with a self-adhesive backing. The mesh nominal opening size is either 0.5" x 0.5", or 1" x 1".	--	Complete	--	No Application	--	Nov-13	7/26/2006	5/18/2006	
1011-4	Stallion Systems, Inc.	"Lane Sensor System"	Wireless Loop Detector system that can be easily deployed without the need to cut inductive loops. The kit comes with two lane sensors and one receiver. When deployed, the sensor picks up the presence of a vehicle and	--	Complete	--	Withdrawn/No Action	--		1/31/2011	11/18/2010	
1804-1	Standard Cement Materials Inc.	Geocast with Reliner MSP	Geopolymer Cement mortar for sanitary and storm sewer infrastructure repair.		Office of Maintenance- Rick Douds- rdouds@dot.ga.gov		Accepted		Mar-18	6/7/2018	5/16/2018	
0011-7	Standard Concrete Products, Inc	"Pre-cast Concrete Temporary Barrier"	Recommended use is same as that for Precast Temporary Barriers (wet - cast method).	--	Complete	--	Withdrawn	--	Feb-03			Request addition design information from manf. Additional information not sent in.
0011-8	Standard Concrete Products, Inc	"Right of Way Markers"	Recommended use is same as that for precast right of way markers (wet-cast method).	--	Complete	--	Accepted	--	Mar-03	12/5/2000	11/16/2000	

0011-6	Standard Concrete Products, Inc.	"Pre-Cast Grade Rings for Grade Adjustments"	Recommended use is for grade adjustments to existing manholes.	--	Complete	--	Withdrawn	--					No material sent for testing.
									Jan-03				
0304-1	Star Inc.	"Star Macro-Deck"	"Star Macro-Deck" Sealant for all types of concrete.	--	Complete	--	No Application	--		06/30/03		05/15/03	06/19/03 Installed Field Test on I-75 at MP 180 South of Forsyth, GA - See CD
									Sep-08				
0311-2	Statewide Road Construction	"Universal Land Mat"	"Universal Land Mat" A mat constructed of used truck tire treads used as a construction exit to prevent tracking of mud, dirt, debris, etc. onto public highways.	--	Complete	--	No Application	--		12/11/2003		11/20/03	Product is site specific and should be evaluated on a project to project basis
									Oct-13				
9510-3	Stonhard, Inc.-Epoplex Division	"EPOPLEX LS5" (Traffic paint for concrete and asphalt)	All edgeline and skip line pavement striping on both concrete and asphalt surfaces.	--	Complete	--	Withdrawn	--		NA		3/24/2000	Action Pending ; Field Test 10/25/1996 ; By OMR & Maintenance Activities unit. ; With drawn from Consideration, no further contact.
									Jan-14				
1306-2	Stopaq BV (part of Berry Plastics Corporation)	"Stopaq" "Polyken VE"	The Stopaq coating system for this application is the "Stopaz EZ or Basecoat" which provides the anti-corrosion protection together with an appropriate mechanical protection. Used for rehabilitation and new construction. Stopaz EZ	See Comments	Complete	--	No Application	--		9/26/2016	8/16/2016		
									Jun-13				
1004-6	Strata Systems, Inc.	"MicroGrid and StrataGrid (SG150, SG200, SG250, SG500, SG600, SG550, SG700)	"MicroGrid and StrataGrid (SG150, SG200, SG250, SG500, SG600, SG550, SG700) (No NPE scanned)	--	Complete	--	Withdrawn/No Action	--		6/10/2010		5/20/2010	"Accepteded" 6-12-12
									Jun-08				
9906-2	Strongwell	"Polycast / Pre-sloped Trench Drain System"	Heavy traffic high volume surface drainage.	--	Complete	--	Accepted	--		12/6/1999		8/26/1999	Alternate to existing side drain specification
									Apr-09				

0804-2	Subac Underwater Cement	Subac Underwater Cement	Subac is ahand applied cement based concrete especially designed for tidal zones and underwater.		Complete		Withdrawn/No Action					
1603-1	Sun Bright Coatings	"Skunk Rust tm"	Skunk Rust is a water-based, electrochemical, product that removes soluble salts and reacts with ferric oxide to produce an abrasion resistant and electrically inert surface.				Field Test		3/1/2016	6/9/2016	5/31/2016	
0102-4	Superior Products International, Environmental Industrial Applied Coatings, Inc. (Old name:Coastal Coating Solutions)	"Rust Grip"	Rust Grip (No Scanned NPE)	--	Complete	--	Accepted & No Application			2/23/2001 03/09/2007		Accepted for use by the Office of Maintenance for Guard Rails -- No Application on coating Bridges (Bridge Maintenance)
7912-5	Superior Products, Inc.	Super Seal III	Superseal III - shoulder joint seal crack sealer in asphalt pavement.	--	Complete	--	No Status		Apr-06		2/15/2007	File Labeled: PE-7915
1204-1	Surtreat Holding LLC	"SURTREAT™ TPS II"	Proprietary chemical formulation (SURTREAT TPS II) A multi-phase, inorganic, surface applied corrosion inhibitor for use on typical (3000-5000 psi), hardened concrete. It will protect reinforcing steel in concrete from corrosion	Fee / See Comments	Complete	--	Withdrawn/No Action	Awaiting Lab/Field Test Fee. Awaiting Company to supply requested information. Deadline is Sept. 15, 2014.	Oct-06	5/30/2012	5/16/12	per Office of Bridge Design review
1407-1	SW FeeSaver dba SW Products	"The Marlee Float™ Skimmer"	Skimmer/surface drain for use in temporary sediment basins and permanent BMPs.		Complete		Accepted		Jul-14	8/27/2014	8/14/2014	
0601-2	Swarco Futurit Ges.M.B.H.	"LaneLight"	"LaneLight" - Led in pavement signalling device/system.	--	Complete	--	Project to Project Site Specific			3/9/2006		
									May-04		2/21/2006	

9911-4	Swarco Industries, Inc.	"Rumbler, Reflective Rumble Strips."	Non-reflective and reflective rumble strips traffic calming, speed reduction, alerting motorists of roadway hazards.	--	Complete	--	Withdrawn	--					Jun-13		11/23/1999	More information from applicant requested Test data never received.
1101-1	SynTech Products Corporation	"EC 46"	Polymer emulsion glend dust suppressant.	--	Complete	--	Withdrawn/No Action	--					Jun-02	8/17/2011	2/17/2011	
1101-2	SynTech Products Corporation	"E.D.C. (Extreme Dust Control)	"E.D.C. (Extreme Dust Control) A corn derivative dust control agent. May be applied through water trucks or hydroseeders. Effective in extreme hot or cold teperatures. Bonds dust particles together to reduce dust and	--	Complete	--	Withdrawn/No Action	--					Aug-03	8/17/2011	2/17/2011	Not a new Product
1101-2	SynTech Products Corporation	"E.D.C. (Extreme Dust Control)	"E.D.C. (Extreme Dust Control) A corn derivative dust control agent. May be applied through water trucks or hydroseeders. Effective in extreme hot or cold teperatures. Bonds dust particles together to reduce dust and	--	Complete	--	Withdrawn/No Action	--					Jul-02	8/17/2011	2/17/2011	Not a new Product
1408-2	Synten & Luckenhaus Textile Technologies GmbH	"STARGrid G-PS100 (paving grid)"	Woven fiberglass yarns into a high strength grid, coated with a bitumen adhesive, and used in asphalt overlay projects.		Complete		Withdrawn/No Action		Updating NPE Process to include a Bond / Guarantee for field test site replacement if required. \$500 Check received 2/25/15				Aug-14	1/7/2015	11/13/2014	Specific info requested
1601-7	Synten Technical Fabrics, Inc.	"TF120"	TF120 is a biaxial geogrid composed of high molecular weight, high tenacity multifilament polyester yarns, woven into a stable network placed under tension. The high strength polyester yarns are PVC coated				Field Test		Office of Materials and Testing-Reggie Murph-rmurph@dot.ga.gov				1/21/2016	2/22/2016	2/11/2016	
1601-8	Synten Technical Fabrics, Inc.	"SF12"	A biaxial geogrid composed of high molecular weight, high tenacity multifilament polyester yarns, woven into a stable network placed under tension. The high strength polyester yarns are PVC coated and are inert to				Field Test		Office of Maintenance-Michael Keene-mkeene@dot.ga.gov	\$500 Check Received 6/17/16			1/21/2016	2/22/2016	2/11/2016	

1601-9	Synten Technical Fabrics, Inc.	"STF P12"	"STF P12" - STF P12 geogrid is composed of polypropylene resin which is extruded into a stable geogrid structure. STF P12 geogrid is inert to biological degradation and resistant to naturally encountered chemical.				Field Test	Geogrid Study Project - M003308, Carroll Co. - I-20	1/21/2016	2/22/2016	2/11/2016	
9504-1	Synthetic Industries	Fiber Grids	Fiber Grids (No Scanned NPE)	--	Complete	--	Withdrawn		Jun-09			Action Pending 4/20/1995 ; Cannot find file, check with Geotech for file.
9308-1	Synthetic Industries (Construction Products Division)	POLYJUTE (Open weave Geotextile)	Open weave geotextile provides steep slope protection and accelerates establishment of vegetation then photodegrades.	--	Complete	--	No Application		May-10		8/5/1998	Field Test 11/10/1993 ; No record of field test or any other action on this product.
9702-2	Syro, Inc. A Trinity Industries Co.	"PS-350 III"	MPS-350 III (No Scanned NPE)	--	Complete	--	No Application		Mar-04	1/11/1999	5/28/1997	Meets NCHRP 350, Level 3. Committee concerned with maneuverability of product.
0704-4	TAG International, Inc.	mlsb Mini-Hump	MLSB Mini-Hump are a very effective means of controlling traffic.		Complete		No Application		Jun-07			
0905-1	Tagalucci Group, Inc.	The Orbit	Traffic signage hanger or bracket specifically designed to eliminate torque and wind load applied to span wire, signal cables, and additional electrical cables.		Complete		Accepted		Jul-10			
0208-3	Tamaqua Cable Products Corporation	"Power Duct"	Cable-in-conduit. Electrical cables pre-installed in HDPE duct for direct burial (underground) use for highway lighting.	--	Complete	--	Accepted		Aug-09	9/5/2002	8/15/2002	Product rejected for applications on state roads.

1712-4	TanCate Geosynthetics Americas	Mirafi MPG100	Mirafi MPG100 is a glass filament reinforced paving composite comprised of fiberglass filament yarn incorporated into a nonwoven polypropylene paving fabric.		Office of Maintenance- Michael Keene- mkeene@dot.ga.gov		Does Not Meet		12/4/2018		
1712-5	TanCate Geosynthetics Americas	Mirafi MPM50	Mirafi MPG50 paving mat is a pavement interlayer designed to crete a moisture barrier, retard reflective cracking and stand up to high - temperature hot-mix designs.		Office of Materials and Testing-Sheila Hines- shines@dot.ga.gov		Does Not Meet		12/18/2017		
1712-6	TanCate Geosynthetics Americas	Mirafi MPM30	Mirafi MPM30 paving mat is a pavement interlayer designed to crete a moisture barrier, retard reflective cracking and stand up to high - temperature hot-mix designs.		Office of Maintenance- Michael Keene- mkeene@dot.ga.gov		Does Not Meet		12/13/2018		
0407-3	TAPCO	"Original Blinker Stop-Blinker Signs"	"Original Blinker Stop-Blinker Signs" is MUTCD approved. LED enhanced solar powered traffic signs.	--	Complete	--	Accepted		12/7/2006		
								May-07		11/16/2006	
0407-4	TAPCO	"Day-Viz"	"Day-Viz" is a MUTCD approved. High tech traffic signs feature bright flasing LED's that maximize their brightness during the daytime. Automatic dimming feature during dusk. Solar powered panel and box.	--	Complete	--	Accepted		12/7/2006		
								Nov-08		11/16/2006	
0407-5	TAPCO	"Blinker Paddie"	"Blinker Paddie" is an attention grabbing, hand held LED enhanced traffic paddle. MUTCD approved. Rechargeable AC/DC adaptable battery.	--	Complete	--	Accepted		12/19/2006		
								Jun-10		11/17/2005	
1110-1	Tapco	"ITS Blinker Signs"	Solar powered, wireless communication intelligent warning LED enhanced sign system.	--	Complete	--	Project to Project		6/10/2013		
								May-11		11/8/11	

1203-2	TAPCO	"BlinkerBeacon™ Solar LED Beacons"	Solar powered LED Beacon w/TAPCO patented Autobright LED intensity management system.	--	Complete		Allow the Use		Aug-05	12/10/2014	9/4/2014	Refund paperwork not received.
1402-3	TAPCO	"DirecTime™ "	A unit that controls two way communication solution for controlling and monitoring traffic control devices.		Complete		Project to Project	for applications of controlling and monitoring traffic control devices.	Feb-14	6/10/2014	5/22/2014	
1502-3	TAPCO	"BlinkerRadar"	Speed sensor driver feedback sign.		Complete		Withdraw		Feb-15	6/1/2015	5/14/2015	
1502-1	TAPCO (Traffic and Parking Control Company, Inc.	BlinkerRadar	Speed sensor driver feedback sign.		Complete		withdrawn			6/1/2015		
0110-2	TAPCO Traffic & Parking Control Company, Inc.	"V-LOC Socket System"	V-LOC Socket System (No NPE scanned)	--	Complete	--	Accepted	--		1/7/2003		Field Test 5/16/02 ; Action Pending 11/15/01 ; Reviewed by MAU
1205-5	TAPCO Traffic & Parking Control Company, Inc.	"RRFB-XL"	RRFB System features large 3"x7" LED that exceed PHWA standards. Provide greater conspicuity. When activated, the SAE J595 certified LED arrays flash an FHWA alternating wig wag pattern.	Fee / See Comments	Office of Materials and Testing- Sheila Hines-shines@dot.ga.gov		Accepted	Awaiting Lab/Field Test Fee	Mar-08	6/10/2014	5/22/2014	
0008-6	TC MiraFi	"Mirafi Bitutex-Composite"	Waterproofing membrane and high tensile modulus grid for repair of flexible and rigid pavements during overlay.	--	Complete	--	No Application	--		2/23/2001		Lab Test 8/17/2000 ; Lab Test Complete. Request test data from other states currently evaluating product. No further contact with company.
									Sep-10		2/15/2001	

1512-2	TenCate Geosynthetics	TenCate Mirafi Rsi-Series	When superior performance, flexibility and versatility are necessary, Mirafi® RS580i geosynthetics make the difference for varying application needs including: base course reinforcement and subgrade		Office of Materials and Testing-Reggie Murph-rmurph@dot.ga.gov		Field Test	Geogrid Study Project - M003308, Carroll Co. - I-20				
1601-1	TenCate Geosynthetics	"Mirafi® RS580i"	When superior performance, flexibility and versatility are necessary, Mirafi® RS580i geosynthetics make the difference for varying application needs including: base course reinforcement and subgrade		Office of Materials and Testing-Reggie Murph-rmurph@dot.ga.gov		Field Test	Geogrid Study Project - M003308, Carroll Co. - I-20	12/30/2015	2/2/2016	2/11/2016	
1601-2	TenCate Geosynthetics	"Mirafi® RS380i"	When superior performance, flexibility and versatility are necessary, Mirafi® RS380i geosynthetics make the difference for varying application needs including: base course reinforcement and subgrade		Office of Materials and Testing-Reggie Murph-rmurph@dot.ga.gov		Field Test	Geogrid Study Project - M003308, Carroll Co. - I-20	1/21/2016	2/22/2016	2/11/2016	
1601-3	TenCate Geosynthetics	"Mirafi® RS280i"	When superior performance, flexibility and versatility are necessary, Mirafi® RS280i geosynthetics make the difference for varying application needs including: base course reinforcement and subgrade		Office of Materials and Testing-Reggie Murph-rmurph@dot.ga.gov		Field Test	Geogrid Study Project - M003308, Carroll Co. - I-20	1/21/2016	2/22/2016	2/11/2016	
1112-2	TenCate Geosynthetics North America	"Mirafi®PGM-G4"	Stone matrix asphalt.	See Comments Nov. 2021	Complete	--	Field Test - Note date last spoken too Field Test Severa unsuccessful field test	Looking for 2" Overlay Field Test Site for 2 Yr. Evaluation. Current Evaluation Due for I-75 Field Test Install -- July 2014 SR85 field test failed. One more field test will be allowed.	Nov-13	3/2/2012	2/23/12	Office of Maintenance-Larry Barnes-lbarnes@dot.ga.gov
1510-5	Tensar International Corporation	"TriAx Geogrid"	TriAx geogrid is a product manufactured in Georgia, whose function is to stabilize the unbound aggregate layer of a roadway section, via lateral confinement of the aggregate. TriAx is manufactured from		Office of Bridge Maintenance-Clayton Bennett-cbennett@dot.ga.gov	\$500 Check Received 3/8/16	Field Test		10/19/2015	8/29/2016	11/19/2015	
1601-4	Tensar International Corporation	"TriAx TX160 Geogrid"	TriAx TX160 geogrid is a product manufactured in Georgia, whose function is to stabilize the unbound aggregate layer of a roadway section, via lateral confinement of the aggregate. TriAx TX160 is manufactured		Office of Materials and Testing-Reggie Murph-rmurph@dot.ga.gov		Field Test	Geogrid Study Project - M003308, Carroll Co. - I-20	1/21/2016	2/22/2016	2/11/2016	

1604-8	Tensar International Corporation	"TriAx TX 130S Geogrid"	A product manufactured in Georgia, whose function is to stabilize the unbound aggregate layer of a roadway section, via lateral confinement of the aggregate. TriAx is manufactured from punched polypropylene.		Office of Traffic Operations-Keith Murphy- kmurphy@dot.ga.gov		Field Test		4/29/2016	6/9/2016	5/31/2016	No money recieved.
0501-1	Terra Novo	"EarthGuard Fiber Matrix"	"EarthGuard Fiber Matrix" /Liquid blend of soil stabilizers applied in combination with fiber/mulch for erosion control	--	Complete	--	Accepted		Mar-03	3/22/2005	2/17/2005	
0104-4	Terrabind International Inc./ Rayonier-Specialty Fernandina Mill Pulp Products	"TBI 66TM Stabilizer"	TBI 66TM Stabilizer (No Scanned NPE)	--	Complete	--	No Application		Jan-09	5/29/2002	5/16/2002	Lab Test 5/17/01
0511-2	TGM Signs	"Miller Post Plate Guard"	"Miller Post Plate Guard" - Base plate attachment for type 7 DOT sign post used on traffic control signs - with neoprene boot to prevent trip hazard.	--	Complete	--	No Application		Aug-13	12/19/2005	11/17/2005	
1607-4	The Colas Group	"Wattway"	The world's first photovoltaic (solar) road surface, patented in France by Colas, a world leader in the construction and maintenance of transportation infrastructure. Wattway is installed by adhesive directly onto pavement, and		Office of Traffic Operations-Keith Murphy- kmurphy@dot.ga.gov		Field Test	Field Test location - I -85 West Point VIC at West Point to be installed week of 12-12-16. Installed 12-14-16	7/26/2016	8/29/2016	8/16/2016	
1403-1	The D. S. Brown Company	"V-Seal 300 and V-Seal 400 Expansion Joint Systems"	Prefomed, extruded EPDM seal that can be bonded to concrete, steel or elastomeric concrete with a quick-setting epoxy.		Complete		Accepted		Mar-14	11/12/2014	9/4/2014	As of June 9 letter
1112-1	The Fort Miller Co., Inc.	"Super-Slab®"	Super-Slab® is a precast version of cast-in-place concrete pavement that is shipped to the jobsite and placed in position on a precisely graded subgrade matching the slab surface geometry. Standard dowel bars	Nov-14	Complete	--	Project to Project	Waived - Field Test in Progress -- Need recommendation for this product for final approval -- Per Peter Wu, Scan Project??	Oct-13	10/14/2015	2/23/12	1 - I-75 Complete Sept. 2021; 2 - SR85; 3 - SR82; 4 - TBD If no correspondence by April 1, 2016. Withdraw no action.

0406-3	The Hollaender Manufacturing Co.	"Speed-Rail® Interna-Rail®"	"Speed-Rail® Interna-Rail®" is a structural slip-on aluminum pipe fitting. Aluminum Alloy 535.	--	Complete	--	Withdrawn/No Action	--	Feb-07	9/28/2004	8/19/2004	
1611-1	The Irwin-Hodson Company	"Circular Disc"	Circular Disc- Highway Delineator for steel post or mounted on barrier(with steel bracket).		Office of Bridge Design-Steve gaston- sgaston@dot.ga.gov		Action Pending		11/1/2016		2/16/2017	
0004-2	The J.D. Russell Company	"Reflex Rubber Expansion Joint"	Expansion or control joint filler, as related to horizontal and vertical concrete.	--	Complete	--	Accepted	--	Jun-07	6/20/2000	6/8/2000	Rubber Expansion Control Joint
0310-2	The National Paving & Contracting Co.	"Perma-Patch"	"Perma-Patch" Permanent cold patch asphalt repair material.	--	Complete	--	Accepted	--	Aug-12	12/11/03	11/20/03	Need to set up test site 01/12/04
0906-2	The RainLine Corporation	Lane Alert	Lane Alert is a hot applied thermoplastic traffic stripe with inverted profiles and raised bumps that provides superior visibility as well as a tactile warning for motorists.		Complete		Rejected		Dec-09			
1305-2	The Reinforced Earth Company	"GeoMega"	A MSE retaining wall used square precast concrete facial panels and a geosynthetic strip (GeoStrap) soil reinforcement.	--	Complete		Project to Project	--	May-13	7/22/2013	6/27/2013	
9712-1	The Scientex Corporation	"ADAPTIR™"	Improving traffic management for special events.	--	Complete	--	No Application	--	Feb-03	9/17/1998	8/5/1998	Action Pending 2/26/98;(Traffic Operations) to evaluate product.--- Field Test 5/28/98 --- Scientex will not bear cost of Field Test as is Committee Policy, and Traffic Operations does not have

0302-4	The Turfgrass Group, Inc.	"TifBlair Certified Centipede"	"TifBlair Certified Centipede" Roadside grassing, low-maintenance grassing areas, erosion control areas, around and under guard rails.	--	Complete	--	No Application	--	Jan-05	9/10/2003	8/21/2003	Contractor has the option to use product to enhance safety workzone.
0203-3	The Yodock Wall Co.	"Yodock Traffic Control Device with T3 Kit"	Type III barricade, road closure.	--	Complete	--	Accepted	--	Aug-05	5/29/2002	5/16/2002	Accepted as a Type III barricade -- QPL-34
0203-1	The Yodock Wall Company, Inc.	"Yodock Traffic Control Device Model 2001 & 2001 M (barrier)"	Yodock Traffic Control Device Model 2001 & 2001 M (barrier)	--	Complete	--	Accepted	--	Jun-05	6/26/2007	5/16/2007	Conditional Acceptance: Use as a longitudinal channelizing barricade 1) In work zones with vehicular speeds 45 mph or less 2) In work zones where subject product is used in lieu of
0204-15	The Yodock Wall Company, Inc.	"Yodock Traffic Control System"	Yodock Traffic Control System (No Scanned NPE)	--	Complete	--	Accepted	--	Aug-07	3/17/2010	5/15/2008	Action Pending 5/16/02 ; Waiting for FWHA approval letter showing it meets NCHRP-350 and working on QPL 64 update -- Reggie Fry ; For Final approval -- Send in Product Evaluation Form and
0705-6	The Yodock Wall Company, Inc.	Model 2001SL	Plastic water ballasted interconnected channel. It has a positive interlock between units.		Complete		No Application		Jun-08			
1903-1	Thermacote, Inc.	Thermacote	Thermacote is a single component, spray applied, waterborn acrylic coating for weatherization, corrosion resistance, anti-slip and overall sustainability improvements to the substrate to which applied.	Office of Maintenance- Rodney Way- rway@dot.ga.gov			Field Test		3/11/2019	5/9/2019	5/9/2019	
1706-1	Thermion	"Safrax TH604"	Pedestrian & Vehicular Nonskid. Applied with the twin wire are spray process.		Complete		Allow to use		6/5/2017	8/25/2017	8/17/2017	8/17/2017

1905-3	Tokyo Rope USA	Carbon Fiber Composite Cable	CFCC Is Carbon Fiber Composite Cable. CFCC consists of PAN (Polyacetylonitrile) based continuous carbon fiber with epoxy resins used as a binding material.	Office of Bridge Design-Steve gaston- sgaston@dot.ga.gov			Withdrawn/No Action			4/27/2019	1/15/2025	8/8/2019	
9401-1	Tracy Hall and Assoc. (Arnco Corp)	Perma-Guard Duct (Pre-installed Cable in Duct for secondary street lighting.)	HDPE Duct provides a convenient, easy to install, low cost conduit for placement of primary and secondary power, communications, coaxial and fiber optic cables.	--	Complete	--	No Application	--		Mar-04	6/17/1996	6/6/1996	Product is site specific and will be considered at a future time if a critical location is identified.
0708-3	Traffic Calming, USA	Brickprint	BrickPrint is a hot-applied stamped synthetic asphalt that is colored throughout which replicate brick paving but is laid 3/4 inch thick onto existing asphalt or concrete surface.		Complete		Accepted			Jun-09			
0911-1	Traffic Calming, USA	TrafficPrint	TrafficPrint is hot-applied stamped synthetic asphalt incorporating eco-friendly components that is colored "throughout" which replicates the look of brick paving but is laid 3/4 in thick onto existing asphalt or concrete surface		Complete		Accepted			Jan-11	7/13/2010		
0204-1	Traffic Distributor Links, Inc.--Bunzl Extrusion Tacoma, Inc. Now 06/2007 company Filtrona Extrusion	"Flex-Guide 300 Curb System"	Flex-Guide 300 Curb System (No Scanned NPE)	--	Complete	--	Accepted	--		Feb-07	3/16/2009	2/19/2009	Field Test 5/16/02
0006-1	Traffic Maintenance Attenuators, Inc.	"U-MAD TMA -- Truck Mounted Attenuator"	U-MAD TMA -- Truck Mounted Attenuator	--	Complete	--	Accepted	--		Dec-09	8/25/2000	8/17/2000	.
1607-1	Traffic Sign Solutions Inc.	"Internally Illuminated Bollard"	A flexible, high visibility illuminated traffic delineator capable of withstanding repeated impacts, and able to reform while remaining illuminated.				Office of Materials and Testing-Peter Wu- pwu@dot.ga.gov		Field Test	7/20/2016	11/28/2016	8/16/2016	

1909-2	TrafiX Devices	TrafiX Alert High Speed Rumble Strips	Temporary portable high speed rumble strip alerting the driver with sight, sound, and sensation awareness. Product is highly visible on both asphalt and concrete.							Sep-19			
0008-1	TrafiX Devices Inc.	"Scorpion 10,000 TMA - Truck Mounted Attenuator"	For use as a test level 2 and/or a test level 3 truck mounted alternator under NCHRP 350.	--	Complete	--	Accepted	--		8/25/2000			
										Apr-08		8/17/2000	
1005-3	TrafiX Devices, Inc.	"TrafiX Weed Mat	"TrafiX Weed Mat (No NPE scanned)	--	Complete	--	Withdrawn/No Action	--		6/7/2010			
										Dec-09		5/20/2010	
9507-2	Transafe Products Co.	"Saddle Marker Reflector"	Concrete median barrier/reflector - delineation device for work zone.	--	Complete	--	No Application	--		11/3/1995			Current Precast Temporary Barriers used by the Department will not accommodate this product.
										Mar-08		10/25/1995	
1001-3	Transpo	"Bodan Highway - Rail Crossing Surface"	A pre-engineered modular panels cast from pre-cast polymer concrete with internal welded steel rebar cages.	--	Complete	--	No Application	--		2/26/2010			Changed from Accepted to Rejected due to Failed Field Test 4/4/15
										Mar-03		2/18/2010	
1307-1	Transpo	"Color-Safe™ "	MMA used for crosswalks	Fee / See Comments	Complete		Withdraw/No Action	Fee Rec'd Oct. 2013 -- Looking for Field Test Site		Jul-13	6/3/2015	4/30/2015	Form from Maintenance given to Representative to be completed by city of Atlanta. No response from city. Recd -- Withdrawn / NoAction -- No Letter in file Larry Barnes is checking on 06-19-15. ON
1310-1	Transpo Industries	"Transpo T-48" Epoxy Polymer Concrete Patching Material	Epoxy Polymer Overlay System - Premium quality, two-componet, rapid setting, epoxy based, elastic, low modulus wear surface for restoring bridge decks and concrete pavements.	Fee / See Comments	Complete		Withdraw/No Action	Review Section 519 -- might have field test location -- Clayton Bennett		Oct-13	6/3/2015	4/30/2015	
													WITHDRAW/NO ACTION 06-03

1310-2	Transpo Industries	"T-17 MMA" Polymer Concrete Patching Material	Polymer Concrete Patching Material - T-17 is a 100% reactive, rapid setting, solvent-free methacrylate (MMA) polymer concrete system that can be used as a repair for patching, grouting, and structural		Complete		Withdraw/No Action		Oct-13	6/3/2015	4/30/2015	WITHDRAWN/NO ACTION 06-
1310-3	Transpo Industries	"Transpo T-18 MMA" Polymer Concrete Overlay System	Polymer Concrete Overlay System - Premium quality, two-component, rapid setting, MMA based, elastic wear surface for restoring bridge decks and concrete pavements.	Fee / See Comments	Complete		Withdraw/No Action	Review Section 519 -- might have field test location -- Clayton Bennett	Oct-13	6/3/2015	4/30/2015	No Application as of June 9 lett
1608-4	Transpo Industries Inc	"Color-Safe"	A methyl methacrylate resin based material that is manufactured in specified colors or without color pigments.				Field Test		8/3/2016	4/17/2017	2/16/2017	
1307-1	Transpo Industries, Inc.	Color Safe	Color-Safe is a methyl methacrylate resin based material that is manufactured in specified color or without color pigments.		Complete		Withdrawn/No Action					
1404-2	Transpo Industries, Inc.	"Break-Safe®"	Omni-directional breakaway sign support.		Complete		No Application	Requesting there be more than one category for all products. -- Follow up with email to subject matter experts.	Apr-14	1/28/2016	11/20/2014	
7909-8	Transpo-Materials, Inc.	Silikal - Concrete Polymer	Bridge deck repair	--	Complete	--	No Status --		Apr-12			File Labeled: PE-7908
0711-1	Tri-American	TA-500 Loop Sealant	Single component asphaltic emulsion sealant designed to fill and seal inductive loop slots.		Complete				Sep-09			

9610-1	Triangular Silt Dike Co., Inc..	"Triangular Silt Dike"	Temporary sediment control - this item can be placed across surface drainage ditches, along curbs or R/W lines, and around drop inlets.	--	Complete	--	Accepted		Oct-02	NA	8/5/1998	Need Specification under erosion control
9610-1	Triangular Silt Dike Co., Inc..	"Triangular Silt Dike"	Temporary sediment control - this item can be placed across surface drainage ditches, along curbs or R/W lines, and around drop inlets.	--	Complete	--	Accepted		Sep-11	1/14/1998	11/25/1997	Approved as alternate to Hay Bales. Pending Acceptance of Standard Specification.
0806-8	Trinity Highway Products, LLC	HEART	The HEART is applicable in any TL3 highway situation where a crash cushion is needed.		Complete		Accepted					
1001-8	Trinity Highway Products, LLC	"MDS Bridge Railing"	MDS Bridge Railing is an all-steel bridge rail system.	--	Complete	--	Accepted		Aug-03	6/10/2010	5/20/2010	Represented by Innovative Turf Solutions (Formerly Resouce Mngt. Group-RMG)
1310-4	Trinity Highway Products, LLC	"SYTP (Steel Yielding Terminal Post)"	Retrofit" Product is a steel post with an HDPE spacer to replace wood posts in tube sleeves for energy absorbing guardrail end treatment.			Jan-00	No Application	Check emails from Tom Cox -- Beau to Check this product.	Oct-13	6/9/2015	4/30/2015	
1510-6	Trinity Highway Products, LLC	"SQR-LOC Perforated Traffic Post"	Perforated square steel sign posts.		Complete		Not a New Product		10/20/2015	11/12/2015	11/19/2015	
0101-5	Trinity Industries, Inc.	"Dent Breakaway Bolt"	Dent Breakaway Bolt (No Scanned NPE)	--	Complete	--	Accepted		Sep-04	3/15/2001		

9411-4	Trinity Industries, Inc.	"SYRO ET-2000" (Crash end treatment)	Crash-worthy end treatment for shoulder guardrail.	--	Complete	--	Accepted			2/10/1994		Use of this product is limited for use intended.	
									Sep-12		2/2/1995		
9905-2	Trinity Industries, Inc.	T.R.A.C.C. Attenuating Crash Cushion	T.R.A.C.C. Attenuating Crash Cushion (No Scanned NPE)	--	Complete	--	Accepted					Amended for Construction Work Zone Only. 8/3/00	
									Jan-08		5/24/1999		
0502-4	Trinity Industries, Inc.'s	"CASS (Cable Safety System)"	"CASS (Cable Safety System)" - NCHRP Report 350 compliant high tension cable barrier system, comprised of 3 pre-stretched cables installed within slotted, galvanized steel C-channel CASS Posts, and is designed to be	--	Complete	--	Accepted			3/22/2005			
									Sep-06		2/17/2005		
0109-1	Trinity Industries, LLC	"King Block"	As offset blocks for strong post metal W-Beam guardrail installations. Approved for use on National Highway System (NHS) by the FHWA.	--	Complete	--	Accepted			12/4/2001		Alternate to current approved Block Outs	
									Dec-10		11/15/2001		
9704-8	Trinity Industries, Inc.	"ADIEM-350 (Crash Cushion for concrete barriers)"	Crash cushion for concrete barrier or pier protection for all NHS (National Highway System) speeds.	--	Complete	--	Approved			NA		NO RECORD OF ACTION	
									Jun-09				
7704-1	True Temper Corp.	T-Core	Structural crossing - RR Crossings.	--	Complete	--	No Status					File Labeled: Misc. 4-77-A	
									Jun-06				
1506-3	Tvilight B.V. (also DBA Citismart Solutions)	"Tvilight B.V."	Tvilight's has invented a solution what provides "Light on Demand" based on sensor technology. When there is no human presence detected, the light will dim to a pre-defined level. But when there is human presence				Office of Traffic Operations-Keith Murphy- kmurphy@dot.ga.gov	\$500 check received 09-27-16	Withdrawn/No Action	Withdrawn/No Action per Larry Barnes 10-19-16	6/22/2015	10/21/2016	8/25/2015

0108-1	U.S. Bridge, Div. Ohio Bridge Corp	"Waren Truss Bridges"	Used primarily on rural one or two lane highways to span streams or railroads.	--	Complete	--	Withdrawn/No Action		Mar-08	8/29/2001	8/16/2001	Evaluation by Bridge Design
7701-1	U.S. Grout	Iron-Crete	Shrink grout - Grout repairing.	--	Complete	--	No Status		Feb-04			File Labeled: Misc. 1-77
9607-2	U.S. Highway Products, Inc.	"Fiber-Brite (Fiberglass reinforced plastic signs)"	Street signs.	--	Complete	--	No Application		Mar-08	9/6/1996	8/28/1996	Department uses aluminum for highway signs and fiberglass signs offer no clear advantage.
7801-1	U.S. Steel Corp.	Fibercon	Highway slabs, bridge structures.	--	Complete	--	No Status		Dec-05			File Labeled: Misc. 1-78
0407-2	U.S. Traffic Corporation	"Powerback 2000 ITS"	"Powerback 2000 ITS" is a 1500 watt battery back up for traffic intersection control, including inverter, battery, switch assembly, battery cable, and enclosure if required.	--	Complete	--	Withdrawn/No Action		Apr-07	9/28/2004	8/19/2004	
0407-1	U.S. Traffic Corporation	"Powerback 1250"	"Powerback 1250" is a 875 watt battery back up system for traffic intersection control including inverter, battery, switch assembly, battery cables, and enclosure if required.	--	Complete	--	Accepted		Mar-07	10/29/2004	8/19/2004	
0104-2	U.S. Traffic Corporation dba Display Solutions	"Sunray VM 300"	Truck-mounted full matrix portable changeable message sign with high quality advanced graphic capabilities and "arrow board" mode. With up to 3 lines and 8 characters across, The Sunray VM 300 allows for cost effective	--	Complete	--	Accepted		Nov-07	5/31/2001	5/17/2001	

9811-4	Union Camp Corporation	"Unitol DKG/Stable-X"	Unitol DKG/Stable-X	--	Complete	--	No Application	--	3/10/1999	3/4/1999	Road Stabilizer designed to reduce the plasticity index for soils. Product is Non-Hazardous
9901-3	Union Camp Corporation	Unitol DKG/ Stable-X	Road base soil stabilizer when applied as discibe. Reducing road deterioration due to erosion of the base.	--	Complete	--	No Application	--	Feb-02	3/4/1999	Department does not use pre-emption on traffic signals.
1512-1	Unique Paving Materials Corp.	"UNIQUE® High Performance Fast Set Mortar"	A blend of hydraulic cement, graded silica sand and performance-enhancing additives.		Office of Materials and Testing-Reggie Murph-rmurph@dot.ga.gov		Field Test		12/22/2015	2/19/2016	2/11/2016
7803-1	United Coatings	Monocryl Canyon Tones	Painting concrete structures.	--	Complete	--	No Status	--	Feb-08		File Labeled: Misc. 3-78
9508-5	United States Gypsum	"Airtrol Geobinder"	Airtrol Geobinder (No Scanned NPE)	--	Complete	--	Withdrawn	--	Nov-09	2/30/00	Action Pending ?? ; Field Test 10/25/1995 ; File has information of field test conducted by OMR, but no record of Committee Action 6/4/96 ; No further action on product.
0701-3	Unitex	Pro-poxy 400	Anchoring Rebar , Threaded rod and epoxy coated dowels in concrete, brick or stone masonry.		Complete		Rejected		Dec-09		
9404-3	Universal Structures, Inc.	Road Sound Barrier Wall/Glare Shield	Road Sound Barrier Wall/Glare Shield	--	Complete	--	Withdrawn/No Action	--	Jan-08	6/17/1996	Action Pending 10/20/1994 ; The Office of Urban Design gave favorable recommendation concerning the approval of this product. Bridge Design is currently evaluating.

1502-3	URETEK USA, Inc.	"URETEK Deep Injection Process"	Method for increasing the bearing capacity of foundation soils for built structures, including roadway pavements and airport runways, using lightweight, expanding structural polymers.		Complete		Project to Project		Feb-15	6/1/2015	5/14/2015	
1908-1	US Construction Supply Corp.	Panacor AC100	The PANACOR AC100 acoustic fencing panel is specially designed to reduce noise generated by road and rail traffic. Its design criteria take into account the identified needs required by the competent				existing specification		Jul-19	1/15/2025	11/7/2019	
1607-2	US Reflector	"Opti-Curb"	OptiCURB 360° omni directional optical curb markers.			Office of Materials and Testing-Peter Wu-pwu@dot.ga.gov	Withdrawn/No Action		7/26/2016	7/20/2018	8/16/2016	
9512-4	USG Corp. Research Center	"USG Sight and Sound Screen"	The USG SSS is a post and panel type wall system intended for use as a sight and sound barrier on highways.	--	Complete		Accepted --		Jul-03	1/24/1997	1/25/1997	Action Pending 1/25/1996 ; Information forwarded to Urban Design ; For use in which it was intended
0206-5	U-Tech	"Weedender"	Weedender (No Scanned NPE)	--	Complete		Allow the use at discretion of contractor		Feb-08	6/7/2010	5/20/2010	The State of Georgia DOT stopped using asphaltic plugs due to failures in the field.
1606-1	V Global, Inc.	"Copper Lock Door"	Copper Theft Prevention Device. Replacement door for a streetlight transformer base. Its unique feature is an integrated locking mechanism to prevent unauthorized removal. No modification is required to the			Office of Traffic Operations-Keith Murphy-kmurphy@dot.ga.gov	Withdrawn/No Action		6/1/2016	8/29/2016	8/16/2016	No money received.
0101-4	Valley Rubber LLC	"Val-Safe-Block"	Block out for W-Flange Guard Rail System.	--	Complete		Accepted --		Aug-03	10/3/2001		6 and 8 inch offset blocks. 6" block approved for retrofit and 8" for retrofit and new construction

1708-4	Verdegro	"Blade TMA"	BLADE is a Truck Mounted Attenuator (TMA) that passed all MASH Test Level 3 testing. It is the highest safety level TMA available on the market, and with its modular aluminum design, it is easy and cost effective to repair.		Office of Design Policy- Frank Flanders- fflanders@dot.ga.gov		Allow the use	Special Provision 150 contains TMAs.	8/21/2017			
1402-2	Versilis Inc.	"SwiftGate™"	Arrow units to help change lanes on the interstate.		Complete		No Application	for automated lane closure applications.	Feb-14	12/16/2014	9/4/2014	
0602-4	Volm Bag Company, Inc.	"Erosion Control Filter Bag"	"Erosion Control Filter Bag" - The bag is 17"x30" made with Raschel warp knitted lockstitch fabric containing UV Inhibitor and Color Fastness. The fabric is manufactured from High Density Polyethylene, 80% fabric closure	--	Complete	--	Withdrawn/No Action	--	Nov-05	3/9/2006	2/21/2006	
9509-7a	W.J. Ruscoe Co.	"PS-2000 Detector Loop Sealant"	Sealing inductive loop saw cuts	--	Complete	--	Accepted	--	Jun-10		10/25/1995	
9509-7b	W.J. Ruscoe Co.	"PS-2005 Joint Sealant"	Sealing inductive loop saw cuts	--	Complete	--	Withdrawn	--	Jul-11		3/20/2000	Lab Test 10/25/1995 ; Should be handled under Sect. 833.09.
9509-7c	W.J. Ruscoe Co.	"PS-2007 Non Sag Joint Sealant"	Sealing inductive loop saw cuts	--	Complete	--	Accepted	--	Aug-11	11/3/1995	10/25/1995	
0105-2	W.R. Grace	"Grace Structural Fiber"	GSF are a new patented, synthetic fiber reinforcement designed to provide enhanced structural properties to precast concrete. Grace structural fibers may be used in a variety of ready mix, precast and shotcrete	--	Complete	--	Accepted	--	May-09	8/29/2001	8/16/2001	ASTM C-1116

1709-3	Watson Bowman Acme	"Wabo® FS Bridge Seal"	Wabo®FS Bridge Seal is a pre-compressed, silicone coated, self-expanding foam bridge joint system.		Bridge and Structural Design- Clayton Bennett- clbennett@dot.ga.gov		Field Test	Special Provision 449 addresses this type of joint filler.	9/25/2017			
9710-1	Watson Bowman Acme	"Wabo® Inverseal"	Wabo® Inverseal (No Scanned NPE)	--	Complete	--	Accepted		Sep-11	3/24/2000		Accepted per GDOT spec Special Provision 449 Prefomed Silicone Joint.
9803-1	Watson Bowman Acme	"WABO® Two Part Self Leveling Silacone Sealant"	Stress relief and approach slab joints.	--	Complete	--	Accepted		Nov-05	8/30/1999	5/25/1999	Completed two-year filed test and meets Lab requirements for Type D Silicone
9512-1	Weslo Corporation	"Safe-T-Path" (Clamp on walkway for existing highway bridges)	To provide a safe walkway for pedestrians and bicyclists on existing reinforced concrete bridges where no walkway exists.	--	Complete	--	No Application		Apr-14	2/20/1996	1/25/1996	Product is site specific and will be considered at a later time if a need arises.
0511-3	Western Excelsior	"EXCEL-SR-1"	"EXCEL-SR-1" - Erosion Control Blanket (ECB) consisting of certified weed free wheat straw stitch bound to a single, photodegradable synthetic net.	--	Complete	--	No Application		Sep-13	12/19/2005	11/17/2005	
9508-1	Weyerhaeuser Engineered Fiber	"Soil Guard Bonded Fiber Matrix (Temporary erosion control on slopes)"	Soil Guard Bonded Fiber Matrix (Temporary erosion control on slopes)	--	Complete	--	Withdrawn		Jul-08		8/5/1998	Field Test 10/25/1995 ; Field Test was conducted in South Carolina in June of 96. No Committee Action was taken on this product. Withdrawn after review.
1607-3	WheelRight Ltd.	"Pneumatic Tyre Monitoring System"	The equipment is a roll-over system for the automatic measurement of tire pressure and tread depth on pneumatically inflated vehicle tyres. It measures the pressure and tread depth for each tire on a moving vehicle or		Office of Materials and Testing-Peter Wu- pwu@dot.ga.gov		Field Test	Field Test location - I -85 West Point VIC at West Point to be installed week of 12-12-16 Installed 12-14-16	7/26/2016	8/29/2016	8/16/2016	

0811-1	Whirligig Signs, Inc.	Spin Alert	Spin Alert is a light-weight, Wing-driven warning device that incorporates genuine 3M Diamond Grade reflective on all 3 sides of the spinning		Complete		Allow the use					Sep-11		
0006-4	WHIRLYGIG Company	"WHIRLYGIG"	Raising/collaring the cast iron manhole ring from the cone section of the manhole to street grade.	--	Complete	--	Allowed	--		8/25/2000		Jan-08	8/22/2000	Manhole riser system.
9606-5	Whisper Wall	"Whisper Wall Barriers"	Use with dual (parallel) barriers to eliminate multiple reflections and prevent single reflections diffracting back to the ground after passing over opposite wall. Multiple surfaces are tilted 10 degrees.	--	Complete	--	No Application	--		6/9/1997		Jun-12	5/28/1997	Action Pending 8/28/1996 ; Need more information. Product form to remain on file in the event that a retrofit of an existing barrier is necessary.
1706-4	Whitaker Contracting Corporation		High Density Mineral Bond is a pavement preservation product that utilizes a unique composition of materials that helps protect paved surfaces from oxidation. It preserves the native asphalt binder and seals the existing pavement from water intrusion. It contains mineral aggregate to assist		Office of Materials and Testing-Sheila Hines-shines@dot.ga.gov		Withdrawn/No Action		6/1/2017	8/24/2017	8/17/2017		8/17/2017	
1706-2	Wicktek, Inc.	"DensiCrete"	Zero VOC deep penetrating concrete sealer. Sodium silicate in water with proprietary wetting and dispersion agents that allow DensiCrete to penetrate deeply and react with the free calcium to form calcium silicate and evacuates foreign materials to surface.				Action Pending		6/1/2017	8/25/2017	8/17/2017		8/17/2017	
0902-2	Willacoochee Industrial Fabric	2098 HDR	Class C GA DOT Silt Fence with reinforcement bends		Complete							Mar-09		
1110-4	Willamette Valley Company	"POLYQuik FastPatch MD/GC"	A very fast setting polyurethane based expansion joint material with 25% movement capability.	--	Office of Materials and Testing-Sheila Hines-shines@dot.ga.gov		Not a new product	--		11/9/2011		Sep-11	11/8/11	??Proj to Proj?? With Special Provision?

1110-4	Willamette Valley Company	"EJC-25"	A very fast setting polyurethane based expansion joint material with 25% movement capability.	See Comments	Complete		Withdrawn/No Action	Changed Product to EJC-50 June 2013 Looking for test site. Progress Report Due Nov. 14, 2013	Aug-11	5/30/2012	5/16/2012	
0303-2	William H-Harvey Company	"Pipe Joint Lubricant"	"Pipe Joint Lubricant" Assembly of push-on pipe joints with rubber or synthetic type gaskets.	--	Complete	--	Accepted		Jul-07	06/26/03	05/15/03	GDOT Sign Office / Donnie Gibbs conducting test - Looking for Field Test Site currently 01/12/04
1502-2	Wireless Technology Inc.	"Sidewinder H.264 HD30"	The Sidewinder camera has 360° continuous rotation in both the pan and tilt axes. The entire standard camera housing is IP66/IP67 rated. Camera tube 5psi dry Nitrogen		Complete		Accepted		Feb-15	9/22/2016	9/15/2015	
9601-4	WLI Industries	"Safety Cade Barricade"	Chanellizing device in work zone (1 direction indicator barricade - taper and transition; (2 vertical and standard type II - Alternate to drum in all applications.	--	Complete	--	No Application		Jan-05	4/29/1996	3/28/1998	Type I or Type II Barricades
9601-4	WLI Industries	"Safety Cade Barricade"	Chanellizing device in work zone (1 direction indicator barricade - taper and transition; (2 vertical and standard type II - Alternate to drum in all applications.	--	Complete	--	Accepted		Dec-04	4/29/1996	3/28/1996	Vertical Panels
0110-5	Wood Tech, LLC	"Wood Mulch, Compost Blend"	Blanket erosion control and sediment filter berms by applying a mulch/compost blend to eliminate rill erosion and runoff.	--	Complete	--	Accepted		Jul-02	5/6/2003		(5/6/2003) Per GA specifications now in place.
7904-1	Woodmat products Inc.	Chem Calk 1000	Sealant	--	Complete	--	No Status		Jan-09			File Labeled: PE-7903

9910-2	Work Area Protection	"Cobra Electronics, Cobra Safety Alert Traffic Warning System"	Cobra Electronics, Cobra Safety Alert Traffic Warning System	--	Complete	--	No Application	--	Feb-12	11/23/1999	11/18/1999	Committee to determine current policies on electronic equipment used by Department
0204-3	Work Area Protection Corporation	"Manhole Protector Ring"	Protect exposed manholes during milling or re-surfacing.	--	Complete	--	Accepted	--	Nov-07	5/29/2002	5/16/2002	Accepted under QPL-74, Preformed Plastic Markings.
9704-7	World Wide Environmental Products, Inc.	EcoCrete™ - Snake Oil	Road base, access roads, mine haul roads dust control.	--	Complete	--	Withdrawn/No Action	--	May-07	6/9/1997	5/28/1997	As of 7/14/98, no sample received from manufacturer for test.
1302-2	Wyndor Lighting, LLC	"Vee-Lite"	US made LED semi cutoff wall-pack utilizing remote phosphor technology. Options include 17, 25, 33 and 66 watt options with lumen output ranging from 1,700 to 5,600. Rated life of 100,000 hours with a 7-year warranty on	--	Complete	--	Accepted	--	Feb-13	3/6/2013	2/14/2013	
1411-2	X-LITE				Complete							
0603-3	Xpotential Products Inc.	"Xpotential Products Inc."	"Xpotential Products Inc." - Composite timbers, parking curb, and other materials manufactured from 100% recycled products and have a life expectancy of 75-100 years.	--	Complete	--	Accepted	--	Mar-07	6/20/2006	5/18/2006	
0002-2	Yodock Wall Company, Inc.	"Yodock Barrier Model 2001 46 inch Tall Water filled barrier wall."	Traffic channelizer.	--	Complete	--	Accepted	--	Feb-06	2/25/2000	2/17/2000	Pending FHWA Approval Letter

0002-3	Yodock Wall Company, Inc.	Yodock Barrier Model 2001M 32 inch Tall. Water filled barrier wall	Traffic channelizer.	--	Complete	--	Accepted		2/25/2000				
										Mar-06		2/17/2000	
7808-1	Zimmerman Equipment Co.	The Asphaltite System	Asphalt placement.	--	Complete	--	No Status						File Labeled: Misc. 8-78
										Mar-12			
0508-1	Zumar Industries	"Next Step-Detectable Warning System"	"Next Step-Detectable Warning System" - Product is a single layered, truncated domes sized and spaced to ADA requirements and pigment colored to provide 70% color contrast ratio to concrete surfaces.	--	Complete	--	Accepted		9/28/2005			8/18/2005	
										Jul-07			
0011-4	Zurn Industries	High Capacity Slotted Drain	Drainage system for roadside or airport applications.	--	Complete	--	Accepted		3/7/2002			2/21/2003	Review by Urban Design
										Nov-12			
0507-2	Zurn Industries	"FLO-THRU"	"FLO-THRU" - Continuous trench drain systems which include interlocking channels, grates, catch basins. Systems are available in 6", 12", 18", and 21" wide. Grates have H-20 load rating and ADA compliance.	--	Complete	--	Accepted		9/28/2005			8/18/2005	
										Apr-08			
0906-3	Zycosoil Industries	Zycosoil	Speciality Organosilicon Compound.		Complete		Rejected						
										Dec-09			
1808-5	Zydex Industries	Zycotherm SP	Used as an Anti-Strip, Compaction Aid, WMA, High Polymer designs, High RAP/RAS.				No Application		11/6/2018				Dr. Wu advice that it was not a new product. Vendor ask to get on QPL. Product was a qualify product
						Office of Materials and Testing-Peter Wu-pwu@dot.ga.gov				Aug-18			